For KCC Use: Effective Date: District # SGA? Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Expected Spud Date	Spot East
	SW - NW - SE Sec. 32 Twp. 15 S. R. 21 West
OPERATOR: License# 34028	1970 ef feet from N / V S Line of Section
Name: Triple T Oil, LLC	A Line of Section
Address: 1207 N. 1st Street East City/State/Zip: Louisburg, KS. 66053	Is SECTIONRegularIrregular?
City/State/Zip: Louisburg, KS. 66053	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Lori Driskell	County: Franklin
Phone: 913-406-4236	Lease Name: Beckmeyer/McConnell Well #: P-1
CONTRACTOR: License# 33715	Field Name: Paola-Rantoul
lame: Town Oilfield Service,Inc.	Is this a Prorated / Spaced Field?
dillo.	Target Formation(s): Squirrel
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 320'
Oil ✓ Enh Rec ✓ Infield Mud Rotary	Ground Surface Elevation:feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile: Yes ✓ No
	Public water supply well within one mile: Yes ✓ No
	Depth to bottom of fresh water: 100
Seismic;# of Holes Other	Depth to bottom of usable water: 200
Other	Surface Pipe by Alternate: 1 2
OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20'
Operator:	Length of Conductor Pipe required: None
Weil Name:	Projected Total Depth; 750'
Original Completion Date:Original Total Depth:	Formation at Total Depth: Squirrel
•	Water Source for Drilling Operations:
rectional, Deviated or Horizontal wellbore? Yes ✓ No	Well Farm Pond Other X
Yes, true vertical depth:	
ottom Hole Location:	DWR Permit #:(Note: Apply for Permit with DWR)
	(Mote: Apply for Permit with DM/D 1
UG DN F#:	
CO DRI #:	Will Cores be taken?
CUNI #:	Will Cores be taken? Yes ✓ No
AF	Will Cores be taken?
AF	Will Cores be taken?
AF he undersigned hereby affirms that the drilling, completion and eventual	Will Cores be taken?Yes ✓ No If Yes, proposed zone:
AF he undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:	Will Cores be taken? If Yes, proposed zone: FIDAVIT Plugging of this well will comply with K.S.A. 55 et. seq. № 1 3 2007
AF he undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well;	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. NOV 1 3 2007
the undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> a	Will Cores be taken? If Yes, proposed zone: FIDAVIT Plugging of this well will comply with K.S.A. 55 et. seq. NOV 1 3 2007 ach drilling rig; FIDAVIT ACC WICHITA FINALLY STATES AND
AF he undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shell be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into	Will Cores be taken? If Yes, proposed zone: FIDAVIT Plugging of this well will comply with K.S.A. 55 et. seq. NOV 1 3 2007 ach drilling rig; FIDAVIT Ach drilling r
AF he undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the	Will Cores be taken? If Yes, proposed zone: RECEIVED Plugging of this well will comply with K.S.A. 55 et. seq. NOV 1 3 2007 Ach drilling rig; Set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging:
he undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus.	Will Cores be taken? If Yes, proposed zone: RECEIVED Plugging of this well will comply with K.S.A. 55 et. seq. NOV 1 3 2007 Ach drilling rig; Set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in:
AF the undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE (I COMPLETION, production pipe shall be ceme	Will Cores be taken? If Yes, proposed zone: RECEIVED Plugging of this well will comply with K.S.A. 55 et. seq. NOV 1 3 2007 Ach drilling rig; Set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; inted from below any usable water to surface within 120 days of sould date.
AF ne undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing orde	Will Cores be taken? If Yes, proposed zone: RECEIVED FIDAVIT Plugging of this well will comply with K.S.A. 55 et. seq. NOV 1 3 2007 Ach drilling rig; Ach drilling rig; Ach underlying formation. Active the underlying formation. Adistrict office on plug length and placement is necessary prior to plugging; Active to production casing is cemented in; Active the underlying formation. Active the underlying formation. Active the underlying formation as a placement is necessary prior to plugging; Active the underlying formation as a placement of the underlying form below any usable water to surface within 120 days of spud date. Active the underlying formation and placement is necessary prior to plugging; Active the underlying formation and placement is necessary prior to plugging; Active the underlying formation and placement is necessary prior to plugging; Active the underlying formation and placement is necessary prior to plugging; Active the underlying formation and placement is necessary prior to plugging; Active the underlying formation and placement is necessary prior to plugging; Active the underlying formation and placement is necessary prior to plugging; Active the underlying formation and placement is necessary prior to plugging; Active the underlying formation and placement is necessary prior to plugging; Active the underlying formation and placement is necessary prior to plugging; Active the underlying formation and placement is necessary prior to plugging; Active the underlying formation and placement is necessary prior to plugging; Active the underlying formation and placement is necessary prior to plugging; Active the underlying formation and placement is necessary prior to plugging formation and placement
he undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shell be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemedor pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall	Will Cores be taken? If Yes, proposed zone: RECEIVED RECEIVED Plugging of this well will comply with K.S.A. 55 et. seq. NOV 1 3 2007 And drilling rig; Set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; attended from below any usable water to surface within 120 days of spud date. If #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
he undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE (I COMPLETION, production pipe shall be cemedor pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall	Will Cores be taken? If Yes, proposed zone: RECEIVED RECEIVED Plugging of this well will comply with K.S.A. 55 et. seq. NOV 1 3 2007 And drilling rig; Set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; attended from below any usable water to surface within 120 days of spud date. If #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
he undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE (I COMPLETION, production pipe shall be cemed or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall neereby certify that the statements made herein are true and to the best	Will Cores be taken? If Yes, proposed zone: RECEIVED RECEIVED Plugging of this well will comply with K.S.A. 55 et. seq. NOV 1 3 2007 And drilling rig; Ach dril
he undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemel Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall neereby certify that the statements made herein are true and to the best	Will Cores be taken? If Yes, proposed zone: RECEIVED RECEIVED Plugging of this well will comply with K.S.A. 55 et. seq. NOV 1 3 2007 And drilling rig; Set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; attended from below any usable water to surface within 120 days of spud date. If #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
he undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemed Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best	Will Cores be taken? If Yes, proposed zone: RECEIVED RECEIVED Plugging of this well will comply with K.S.A. 55 et. seq. NOV 1 3 2007 And drilling rig; Ach dril
he undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shell be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shell be</i> at through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and to 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemed or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best state: 11/7/07 Signature of Operator or Agent:	If Yes, proposed zone: RECEIVED RECEIVED Plugging of this well will comply with K.S.A. 55 et. seq. NOV 1 3 2007 And drilling rig; And drillin
he undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing orde must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best ate: 11/7/07 Signature of Operator or Agent:	Will Cores be taken? If Yes, proposed zone: RECEIVED RECEIVED Plugging of this well will comply with K.S.A. 55 et. seq. NOV 1 3 2007 And drilling rig; And dril
he undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemed or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best ate: 11/7/07 Signature of Operator or Agent: For KCC Use ONLY API # 15 - Q59-25270-0000	Will Cores be taken? If Yes, proposed zone: RECEIVED RECEIVED Plugging of this well will comply with K.S.A. 55 et. seq. NOV 1 3 2007 And drilling rig; And dril
he undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shell be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into e. 4. If the well is dry hole, an agreement between the operator and the state of the state of the spropriate district office will be notified before well is either plus of the spropriate district office will be notified before well is either plus of the spropriate district office will be notified before well is either plus of the spropriate district office will be notified before well is either plus of the spropriate district office will be notified before well is either plus of the spropriate district office will be notified before well is either plus of the spropriate district office will be notified before well is either plus of the spropriate district office will be notified before well is either plus of the spropriate district office will be notified before well is either plus of the spropriate district office will be notified before well is either plus of the spropriate district office will be notified before well is either plus of the spropriate district office will be notified before well is either plus of the spropriate district office will be notified before well is either plus of the spropriate district office will be notified before well is either plus of the spropriate district office will be notified before well is either plus of the spropriate district office will be notified before well is either plus of the spropriate district office will be notified before well is either plus of the spropriate district office will be notified before well is either plus of the spropriate district office will be notified before well is either plus of the spropriate district office will be notifi	Will Cores be taken? If Yes, proposed zone: RECEIVED RECEIVED Plugging of this well will comply with K.S.A. 55 et. seq. NOV 1 3 2007 And drilling rig; And dril
he undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shell be posted on e 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemerated by completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be rereby certify that the statements made herein are true and to the best sate: 11/7/07 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 059 -25276-0000 Conductor pipe required	Will Cores be taken? If Yes, proposed zone: RECEIVED RECEIVED Plugging of this well will comply with K.S.A. 55 et. seq. NOV 1 3 2007 And drilling rig; And dril
ne undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shell be posted on e 3. The minimum amount of surface pipe as specified below shall be to through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemerated by completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be rereby certify that the statements made herein are true and to the best sate: 11/7/07 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 059 -25276-0000 Conductor pipe required	Will Cores be taken? If Yes, proposed zone: RECEIVED RECEIVED Plugging of this well will comply with K.S.A. 55 et. seq. NOV 1 3 2007 And drilling rig; And dril
ne undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shell be posted on e. 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall nereby certify that the statements made herein are true and to the best sate: 11/7/07 Signature of Operator or Agent: For KCC Use ONLY API # 15 - OS9 - 25270-0000 Conductor pipe required	If Yes, proposed zone: RECEIVED RECEIVED Plugging of this well will comply with K.S.A. 55 et. seq. NOV 1 3 2007 And drilling rig; And drillin
ne undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shell be posted on e. 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. Or pursuant to Appendix "B" - Eastem Kansas surface casing order must be completed within 30 days of the spud date or the well shall be represented to the statements made herein are true and to the best state: 11/7/07 Signature of Operator or Agent: For KCC Use ONLY API # 15 - OS9 - 25270-0000 Conductor pipe required	Will Cores be taken? If Yes, proposed zone: RECEIVED RECEIVED Plugging of this well will comply with K.S.A. 55 et. seq. NOV 1 3 2007 And drilling rig; And dril
ne undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e. 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. Or pursuant to Appendix "B" - Eastem Kansas surface casing order must be completed within 30 days of the spud date or the well shall be rereby certify that the statements made herein are true and to the best sate: 11/7/07 Signature of Operator or Agent: For KCC Use ONLY API # 15 - Q59 - 25270-0000 Conductor pipe required	If Yes, proposed zone: RECEIVED RECEIVED Plugging of this well will comply with K.S.A. 55 et. seq. NOV 1 3 2007 And drilling rig; Bet by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; and placement is necessary prior to plugging; agged or production casing is cemented in; and placement in the set of the set o
he undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shell be posted on e. 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemerated by completed within 30 days of the spud date or the well shall neereby certify that the statements made herein are true and to the best hate: 11/7/07 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 059 -25270-0000 Conductor pipe required Minimum surface pipe required Approved by: Pust 1-14-07 This authorization expires: 1-14-08 (This authorization void if drilling not started within a months of approval date.)	Will Cores be taken? If Yes, proposed zone: RECEIVED RECEIVED Plugging of this well will comply with K.S.A. 55 et. seq. WOV 1 3 2007 And drilling rig; Each dril
he undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shell be posted on e. 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into the unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the state of the appropriate district office will be notified before well is either plus. 5. The appropriate district office will be notified before well is either plus. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemerally of the spund date or the well shall neereby certify that the statements made herein are true and to the best had neereby certify that the statements made herein are true and to the best ate: 11/7/07 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 059 -25270-0000 Conductor pipe required Minimum surface pipe required Approved by: Pust 1-14-07 This authorization expires: 1-14-08 (This authorization void if drilling not started within 6 months of approval date.)	If Yes, proposed zone: RECEIVED RECEIVED Plugging of this well will comply with K.S.A. 55 et. seq. NOV 1 3 2007 And drilling rig; ach drillin

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API NO. 15 - 059-25276-0000	Location of Well: County: Franklin
Operator: Triple T Oil, LLC	
Lease: Beckmeyer/McConnell	1970 feet from N / V S Line of Section 2960 2320 feet from V E / W Line of Section
Well Number: P-1	Sec. 32 Twp. 15 S. R. 21 ✓ East Wes
Field: Paola-Rantoul	
Number of Acres attributable to well:	Is Section: 🗸 Regular or 🔲 Irregular
QTR / QTR / QTR of acreage: SW - NW - SE	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

1970

in plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
Operator Name: Triple T Oil, LLC	Operator Name: Triple T Oil, LLC		License Number: 34028	
Operator Address: 1207 N. 1st S	Street East	Louisbur	g, KS. 66053	
Contact Person: Lori Driskell		Phone Number: (913) 406 -4236		
Lease Name & Well No.: Beckmeyer/McConnell P-1		Pit Location (QQQQ):		
Type of Pit:	Pit is:		<u>SW_NW_SE</u>	
Emergency Pit Burn Pit	Proposed Existing		Sec. 32 _{Twp.} 15 _{R.} 21	
Settling Pit	If Existing, date constructed:		1970 Feet from North / South Line of Section	
Workover Pit Haui-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		2960 2320 Feet from ✓ East / West Line of Section	
(IIIII Gappy APTINO. or real Dillied)	100	(bbls)	Franklin County	
Is the pit located in a Sensitive Ground Water Area? Yes You		Chloride concentration:mg/l		
Is the bottom below ground level? ✓ Yes No	Artificial Liner? ☐ Yes ✓	No	(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):			Width (feet) N/A: Steel Pits	
Depth from ground level to deepest point: 5 (feet)				
material, thickness and installation procedure		mes integrity, ii	NOV 1 3 2007 KCC WICHITA	
Distance to nearest water well within one-mile of pit Depth to shallo Source of infor		west fresh waterfeet.		
	N/A feet Depth of water wellfeet measu		red well owner electric log KDWR	
		-	over and Haul-Off Pits ONLY:	
			l utilized in drilling/workover: Fresh Water	
		orocedure: Pits filled as soon as well is completed		
Does the slope from the tank battery allow all spilled fluids to		e closed within 365 days of spud date.		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.				
KCC OFFICE USE ONLY				
Date Received: 11/13/07 Permit Numl				



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in **K.A.R. 82-3-400 et seq** of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.