For KCC Use: Effective Date: District # SGA? Yes | No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
October 2007
Form must be Typed
Form must be Signed
All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Exposted Sould Date: November 25, 2007	
Expected Spud Date:	Spot Description:
month day year	C - SW - SE - Sec. 21 Twp. 31 S. R. 30 EXW
30931	(a/a/a/a) 660 feet from N / X S Line of Section
OPERATOR: License#	1,980 feet from E / W Line of Section
Address 1: PO Box 360	Is SECTION: Regular Irregular?
Address 2:	 : -
City: Valley Center State: KS Zip: 67147 +	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Charles Schmidt	County: Meade Lease Name: Land A Well #: 1-21
Phone: 316-755-3523	
	Field Name: Wildcat
CONTRACTOR: License#30606 Name: Murfin Drilling Company, Inc	Is this a Prorated / Spaced Field?
Name:	Target Formation(s): Lansing/Kansas City, Morrow, Mississippian
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 660'
XOil ✓ Enh Rec Infield	Ground Surface Elevation: 2756
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal XWildcat Cable	Public water supply well within one mile: Yes X No
Seismic ; # of Holes Other	Depth to bottom of fresh water: 625 570
Other:	Depth to bottom of usable water:
The ONABACO, and small information on follows:	Surface Pipe by Alternate:
If OWWO: old well information as follows:	Length of Ourlace Lipe Flatified to be set.
Operator:	Length of Conductor Pipe (if any): None
Well Name:	Projected Total Depth: 5800
Original Completion Date: Original Total Depth:	Formation at Total Depth: Mississippian
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:
— — — — — — — — — — — — — — — — — — —	Well Farm Pond Other:
If Yes, true vertical depth: Bottom Hole Location:	DWR Permit #:
KCC DKT #:	
ROC DRI #.	Will Cores be taken?
	If Yes, proposed zone:
A F-F-	RECENTA
	IDAVIT
The undersigned hereby affirms that the drilling, completion and eventual plug	nging of this well will comply with N.S.A. 55 et. seq. NOV 13 2007
It is agreed that the following minimum requirements will be met:	7 7 2007
Notify the appropriate district office <i>prior</i> to spudding of well;	KCC WIOLES
2. A copy of the approved notice of intent to drill shall be posted on each	arilling rig: Fig. 5 Note that the first of
	v circulating coment to the top; in all cases surface nine shall be set
through all unconsolidated materials plus a minimum of 20 feet into the	y circulating cement to the top; in all cases surface pipe shall be set
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr	by circulating cement to the top; in all cases surface pipe shall be set in underlying formation. ict office on plug length and placement is necessary prior to plugging ;
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge	by circulating cement to the top; in all cases surface pipe shall be set in underlying formation. In the content of the cont
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented	by circulating cement to the top; in all cases surface pipe shall be set underlying formation. In this increase of the set of the
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	ny circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	or circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate il cementing plugged. In all cases, NOTIFY district office prior to any cementing.
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the be	or circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate il cementing plugged. In all cases, NOTIFY district office prior to any cementing.
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the be	underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Stof my knowledge and belief.
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the be Date: Signature of Operator or Agent:	underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate il cementing plugged. In all cases, NOTIFY district office prior to any cementing. Stoff my knowledge and belief. Title: Remember to:
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the be Date: Signature of Operator or Agent: For KCC Use ONLY	underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate il cementing plugged. In all cases, NOTIFY district office prior to any cementing. Stoff my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the be Date: Signature of Operator or Agent: For KCC Use ONLY API # 15 - //9 - 21190 - DOOO	underlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Set of my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACC-1 within 120 days of soud date:
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the be Date: Signature of Operator or Agent: For KCC Use ONLY API # 15 - //9 - 2 //9 - 2 //9 - OOOO Conductor pipe required // None feet	ry circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate il cementing plugged. In all cases, NOTIFY district office prior to any cementing. Stoff my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the be Date: Signature of Operator or Agent: For KCC Use ONLY API # 15	representation of the top; in all cases surface pipe shall be set underlying formation. In all cases surface pipe shall be set underlying formation. In all cases prior to plugging; is comented in; from below any usable water to surface within 120 DAYS of spud date. In all cases, NOTIFY district 3 area, alternate II comenting plugged. In all cases, NOTIFY district office prior to any comenting. In all cases, NOTIFY district office prior to any comenting. Ittle: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days):
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the be Date: Signature of Operator or Agent: For KCC Use ONLY API # 15	ry circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate il cementing plugged. In all cases, NOTIFY district office prior to any cementing. Set of rev knowledge and belief. Title: Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the be Date: Signature of Operator or Agent: For KCC Use ONLY API # 15	representation of the top; in all cases surface pipe shall be set underlying formation. In all cases surface pipe shall be set underlying formation. In all cases prior to plugging; is comented in; from below any usable water to surface within 120 DAYS of spud date. In all cases, NOTIFY district 3 area, alternate II comenting plugged. In all cases, NOTIFY district office prior to any comenting. In all cases, NOTIFY district office prior to any comenting. Ittle: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days):
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the be Date:	underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate il cementing plugged. In all cases, NOTIFY district office prior to any cementing. Stof my knowledge and belief. Title: Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); - Obtain written approval before disposing or injecting salt water.
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the be Date: Signature of Operator or Agent: For KCC Use ONLY API # 15	underlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Stof my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the be Date:	region of circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Stof my knowledge and belief. Title: Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); - Obtain written approval before disposing or injecting salt water. - If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 119-2 1190-0000				
Operator: Daystar Petroleum, Inc.	Location of Well: County: Meade			
Lease: Land A	660feet from N / 🔀 S Line of Section			
Well Number: 1-21	1,980 feet from X E / W Line of Section			
Field: Wildcat	Sec. 21 Twp. 31 S. R. 30 E X W			
Number of Acres attributable to well:	Is Section: Regular or Irregular			
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW			

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

 		 		RECEIVED NOV 1 3 2007 KCC WICHITA
 		 		EXAMPLE 1980
 ,,	 ,		 	3390'
 ,	 ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	· · · · · · · · · · · · · · · · · · ·		SEWARD CO.

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Daystar Petroleum, Ir	nc.	License Number: 30931				
Operator Address: PO Box 360	Valley Center KS 67147					
Contact Person: Charles Schmidt		Phone Number: 316-755-3523				
Lease Name & Well No.: Land A	1-2	Pit Location (QQQQ):				
Type of Pit:	Pit is:		C _ SW _ SE			
Emergency Pit Burn Pit	Proposed Existing		Sec. 21 Twp. 31 R. 30 East West			
Settling Pit	If Existing, date constructed:		Feet from North / South Line of Section			
☐ Workover Pit ☐ Haul-Off Pit	Pit capacity:		1,980 East / West Line of Section			
(If WP Supply API No. or Year Drilled)	800	(bbls)	Meade County			
Is the pit located in a Sensitive Ground Water	Area? Yes		Chloride concentration:mg/l			
	کا لیسا		(For Emergency Pits and Settling Pits only)			
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?			
Yes No	Yes X	No	mud solids			
Pit dimensions (all but working pits):8	0 Length (fe	eet)80	Width (feet) N/A: Steel Pits			
Depth fr	om ground level to de	eepest point:	6 (feet) No Pit			
If the pit is lined give a brief description of the			edures for periodic maintenance and determining			
material, thickness and installation procedure	·-	liner integrity, ii	ncluding any special monitoring.			
			NOV 100			
			RECEIVED NOV 1 3 2007 KCC WICHITA			
			KCC WICHITA			
Distance to nearest water well within one-mile	of pit	Depth to shallo Source of infor	west fresh water400feet.			
800feet Depth of water well	580feet	measu	ired well owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:			
Producing Formation:		Type of material utilized in drilling/workover: Bentonite				
Number of producing wells on lease:		Number of wor	king pits to be utilized:			
Barrels of fluid produced daily:		Abandonment	procedure: air dry and backfill			
Does the slope from the tank battery allow all flow into the pit? Yes No	spilled fluids to	Drill pits must be closed within 365 days of spud date.				
I hereby certify that the above state	I hereby certify that the above statements are true and correct to the best of					
m HAL						
11/9/07 -1/20168h						
/ Date Signature of Applicant or Agent						
KCC OFFICE USE ONLY Steel Pit RFAC RFAS						
Date Received: 11/13/07 Permit Num	ber:	Permi	it Date: <u>///3/0</u> /Lease Inspection: Yes \No			