# For KCC Use: 11-20-07 Effective Date:

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

N		
Expected Spud Date: November 26, 2007	Spot Description:	
month day year	NE NE NE Sec. 29 Twp. 16 S. R. 11	<b>∠</b> w
OPERATOR: License# 4252	(OO/O/O) 330 feet from N / S Line of Se	
Name: Kahan & Associates, Inc.	330 feet from XE / W Line of Se	ection
Address 1: P.O. Box 700780	Is SECTION: Regular Inregular?	
Address 2:	(Note: Locate well on the Section Plat on reverse side)	
City: Tulsa State: OK Zip: 74170 + 0 7 8 0	County: Barton	
Contact Person: David M. Wilson	Lease Name: Seyfert Well #: 14	
Phone: (918) 492-9797	Field Name: Kraft Prusa	
CONTRACTOR: License# 33724	Is this a Prorated / Spaced Field?	No
Name: Warren Drilling LLC	Target Formation(s): Arbuckle	ਹਾ
	Nearest Lease or unit boundary line (in footage): 330'	
Well Drilled For: Well Class: Type Equipment:	realest Lease of unit boundary into (in toolage).	MSL
⊠ Oil ☐ Enh Rec ☑ Infield ☑ Mud Rotary	Globild Strike Elevation.	_
Gas Storage Pool Ext. Air Rotary		-
Disposal Wildcat Cable	0601	71.40
Seismic ; # of Holes Other	Deptit to bottom of freely water.	
Other:	Depth to bottom of usable water: 300 Surface Pipe by Alternate:	
If OWWO: old well information as follows:	380 4/70 100 10 100	~
	Zerigin di danaca i ipo i na mico la pa coli	
Operator:	Length of Conductor Pipe (if any):	
Well Name:	Floected total Deptils	
Original Completion Date: Original Total Depth:	Formation at Total Depth: Arbuckle	
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore? Yes X No  If Yes, true vertical depth:	Well Farm Pond Other:	
Bottom Hole Location:	DWR Permit #:(Note: Apply for Permit with DWR )	
KCC DKT #:		71,10
INCO DIST We		
	Will Cores be taken?	7140
	Will Cores be taken?  If Yes, proposed zone:	71100
AEFI	If Yes, proposed zone:	
	If Yes, proposed zone:  DAVIT  RECEIVED	
The undersigned hereby affirms that the drilling, completion and eventual plug	If Yes, proposed zone:  DAVIT  RECEIVED	
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:	If Yes, proposed zone:  DAVIT  RECEIVED  ging of this well will comply with K.S.A. 55 examples CORPORATION COMMIS	
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	If Yes, proposed zone:  DAVIT  RECEIVED  ging of this well will comply with K.S.A. 55 examples CORPORATION COMMIS  NOV 1 5 2007	
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by	If Yes, proposed zone:  DAVIT  RECEIVED  ging of this well will comply with K.S.A. 55 examples CORPORATION COMMIS  NOV 1 5 2007  drilling rig; y circulating cement to the top; in all cases surface ping part (2) and (2) and (3)	SSION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the	If Yes, proposed zone:  DAVIT  RECEIVED  ging of this well will comply with K.S.A. 55 examples CORPORATION COMMIS  NOV 1 5 2007  drilling rig; y circulating cement to the top; in all cases surface ping and the complete condensation.  WICHITA KS	SSION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district.	If Yes, proposed zone:  DAVIT  RECEIVED  ging of this well will comply with K.S.A. 55 examples CORPORATION COMMIS  NOV 1 5 2007  drilling rig; y circulating cement to the top; in all cases surface ping examples conduction.  WICHITA KS confice on plug length and placement is necessary prior to plugging;	SSION
The undersigned hereby affirms that the drilling, completion and eventual plug it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge.	If Yes, proposed zone:  DAVIT  RECEIVED  ging of this well will comply with K.S.A. 55 examples CORPORATION COMMIS  NOV 1 5 2007  drilling rig;  y circulating cement to the top; in all cases surface ping examples (Control of the Control of the Con	SSION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge for the appropriate district office will be notified before well is either plugge.	DAVIT  Ging of this well will comply with K.S.A. 55 examples as CORPORATION COMMIS  NOV 1 5 2007  drilling rig;  y circulating cement to the top; in all cases surface ping examples and placement is necessary prior to pluggling; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.	SSION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge if an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	DAVIT  Ging of this well will comply with K.S.A. 55 examples as CORPORATION COMMIS  NOV 1 5 2007  drilling rig;  y circulating cement to the top; in all cases surface pine and formation.  WICHITA KS  ct office on plug length and placement is necessary prior to pluggling; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing	SSION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the string of the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge for pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be processed.	DAVIT  Ging of this well will comply with K.S.A. 55 examples CORPORATION COMMIS  NOV 1 5 2007  drilling rig;  y circulating cement to the top; in all cases surface ping and in the comply length and placement is necessary prior to pluggling; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.	SSION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the state well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge for an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B". Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be the plugger in the plugger of the spud date or the well shall be presented to the statements made herein are true and correct to the best of the spud date or the well shall be presented to the statements made herein are true and correct to the best of the spud date or the well shall be presented to the statements made herein are true and correct to the best of the spud date or the well shall be presented to the spud date or the well shall be presented to the spud date or the well shall be presented to the spud date or the well shall be presented to the spud date or the well shall be presented to the spud date or the well shall be presented to the spud date or the well shall be presented to the spud date or the well shall be presented to the spud date or the well shall be presented to the spud date or the well shall be presented to the spud date or the well shall be presented to the spud date or the	DAVIT  Ging of this well will comply with K.S.A. 55 examples as CORPORATION COMMIS  RECEIVED  ging of this well will comply with K.S.A. 55 examples as CORPORATION COMMIS  NOV 1 5 2007  drilling rig;  y circulating cement to the top; in all cases surface pipe at the formation.  WICHITA KS  to office on plug length and placement is necessary prior to pluggling; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.	SSION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the string of the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge for pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be processed.	DAVIT  Ging of this well will comply with K.S.A. 55 examples as CORPORATION COMMIS  RECEIVED  ging of this well will comply with K.S.A. 55 examples as CORPORATION COMMIS  NOV 1 5 2007  drilling rig;  y circulating cement to the top; in all cases surface pipe at the formation.  WICHITA KS  to office on plug length and placement is necessary prior to pluggling; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.	SSION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the string of the well is dry hole, an agreement between the operator and the distriction. The appropriate district office will be notified before well is either plugge of the appropriate distriction, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be presented thereby certify that the statements made herein are true and correct to the be	DAVIT  Ging of this well will comply with K.S.A. 55 examples as CORPORATION COMMIS  RECEIVED  ging of this well will comply with K.S.A. 55 examples as CORPORATION COMMIS  NOV 1 5 2007  drilling rig;  y circulating cement to the top; in all cases surface pipe at the formation.  WICHITA KS  ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  st of my knowledge and belief.  Chief Operating Office	ssion
The undersigned hereby affirms that the drilling, completion and eventual plug it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the standard in the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged if an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plate:  1. Notify the appropriate district office prior to the specific possible of the specific production of the specific production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plate:  1. Notify the appropriate district office prior to the specific prior and the district plugged in the specific prior and the district office will be notified before well is either plugged to the specific prior and the district office prior and the district office prior and the district plugged to the specific plugged to the speci	DAVIT  Ging of this well will comply with K.S.A. 55 examples as CORPORATION COMMIS  RECEIVED  ging of this well will comply with K.S.A. 55 examples as CORPORATION COMMIS  NOV 1 5 2007  drilling rig;  y circulating cement to the top; in all cases surface pipe at the formation.  WICHITA KS  ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  St of my knowledge and belief.  Chief Operating Office  Title:	SSION
The undersigned hereby affirms that the drilling, completion and eventual plug it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the standard in the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged if an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plate:  1. Notify the appropriate district office prior to the specific possible of the specific production of the specific production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plate:  1. Notify the appropriate district office prior to the specific prior and the district plugged in the specific prior and the district office will be notified before well is either plugged to the specific prior and the district office prior and the district office prior and the district plugged to the specific plugged to the speci	DAVIT  Ging of this well will comply with K.S.A. 55 examples as CORPORATION COMMIS  RECEIVED  ging of this well will comply with K.S.A. 55 examples as CORPORATION COMMIS  NOV 1 5 2007  drilling rig;  y circulating cement to the top; in all cases surface pipe at the formation.  WICHITA KS  ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  st of my knowledge and belief.  Chief Operating Office	ssion
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the string of the well is dry hole, an agreement between the operator and the distriction. The appropriate district office will be notified before well is either plugge of the appropriate distriction of the completed of the specific plugge. It is an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided by the complete of the spud date or the well shall be provided by the plugge.  1. In the complete of the spud date or the well shall be provided by the spud date or the well shall be provided by the spud date or the well shall be provided by the spud date or the well shall be provided by the spud date or the well shall be provided by the spud date or the well shall be provided by the spud date or the well shall be provided by the spud date or the well shall be provided by the spud date or the well shall be provided by the spud date or the well shall be provided by the spud date or the well shall be provided by the spud date or the well shall be provided by the spud date or the well shall be provided by the spud date or the well shall be provided by the spud date or the well shall be provided by the spud date or the well shall be provided by the spud date or the well shall be provided by the spud date or the well shall be provided by the spud date or the well shall be provided by the spud date or the well shall be provided by the spud date or the well shall be provided by the shall be provided by the shall be provided by the spud d	DAVIT  Ging of this well will comply with K.S.A. 55 express CORPORATION COMMIS  RECEIVED  ging of this well will comply with K.S.A. 55 express CORPORATION COMMIS  NOV 1 5 2007  drilling rig;  y circulating cement to the top; in all cases surface pipe attraction of the complete of the c	ssion
The undersigned hereby affirms that the drilling, completion and eventual plug it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the standard of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge.  I thereby certify that the statements made herein are true and correct to the better the plugge of the spud date or the well shall be plugged of the spud date or the well shall be plugged of the spud date or the well shall be plugged of the spud date or the well shall be plugged of the spud date or the well shall be plugged of the spud date or the well shall be plugged of the spud date or the well shall be plugged of the spud date or the well shall be plugged of the spud date or the well shall be plugged of the spud date or the well shall be plugged of the spud date or the well shall be plugged of the spud date or the well shall be plugged of the spud date or the well shall be plugged of the spud date or the well shall be plugged of the spud date or the well shall be plugged of the spud date or the well shall be plugged of the spud date or the shall be posted to the shall be posted o	DAVIT  Ging of this well will comply with K.S.A. 55 examples as CORPORATION COMMIS  Available of this well will comply with K.S.A. 55 examples as CORPORATION COMMIS  Available of this well will comply with K.S.A. 55 examples as CORPORATION COMMIS  Available of this well will comply with K.S.A. 55 examples as CORPORATION COMMIS  Available of this well will comply with K.S.A. 55 examples as CORPORATION COMMIS  Available of this well will comply with K.S.A. 55 examples as CORPORATION COMMIS  AVAILABLE OF TOWN IN THE COMPLET OF T	cer 29 16
The undersigned hereby affirms that the drilling, completion and eventual plug it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the fit of the well is dry hole, an agreement between the operator and the district of the well is dry hole, an agreement between the operator and the district of the well be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate of the district office will be notified before well is either plugge of the appropriate of the district office will be notified before well is either plugge of the appropriate of the district office will be notified before well is either plugge of the appropriate of the district office will be notified before well is either plugge of the appropriate of the district office will be notified before well is either plugge.  I hereby certify that the statements made herein are true and correct to the beautiful the statements made herein are true and correct to the beautiful the statements made herein are true and correct to the beautiful the statements made herein are true and correct to the beautiful the statements made herein are true and correct to the beautiful the statements made herein are true and correct to the beautiful the statements are true and correct to the beautiful the statements are true and correct to the beautiful the statements are true and correct to the beautiful the statements are true and correct to the beautiful the statement are true and correct to the beautiful the statement are true and correc	DAVIT  ging of this well will comply with K.S.A. 55 examples as CORPORATION COMMIS  drilling rig;  y circulating cement to the top; in all cases surface cips examples (ISINIA)  underlying formation.  WICHITA KS  do riculating casing is cemented in;  from below any usable water to surface within 120 DAYS of spud date.  3,891-C, which applies to the KCC District 3 area, alternate II cementing ollugged. In all cases, NOTIFY district office prior to any cementing.  st of my knowledge and belief.  Chief Operating Office  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days)	cer 29 16 1
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the district office will be set by through all unconsolidated materials plus a minimum of 20 feet into the operator and the district office will be notified before well is either plugged. If the appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided by the complete of the plugged of the spud date or the well shall be provided by the complete of the plugged of the spud date or the well shall be provided by the plugged of the spud date or the well shall be provided by the plugged of the spud date or the well shall be provided by the plugged of the spud date or the well shall be provided by the plugged of the spud date or the well shall be provided by the plugged of the spud date or the well shall be provided by the plugged of the spud date or the well shall be provided by the plugged of the spud date or the well shall be provided by the plugged of the spud date or the well shall be provided by the post of the spud date or the well shall be provided by the post of the spud date or the well shall be provided by the post of the spud date or the well shall be provided by the post of the spud date or the well shall be provided by the post of the spud date or the well shall be post of the spud date or the well shall be post of the spud date or the well shall be post of the spud date or the well shall be post of the spud date or the shall be post of the spud date or the shall be post of the shall be post of the shall be post of t	DAVIT  ging of this well will comply with K.S.A. 55 examples as CORPORATION COMMIS  drilling rig;  y circulating cement to the top; in all cases surface cips examples and interest of the original content of the top; in all cases surface cips examples and interest of the content of the conte	cer 29 16
The undersigned hereby affirms that the drilling, completion and eventual plug it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the strong hall be set by the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge.  I hereby certify that the statements made herein are true and correct to the better the better the statements made herein are true and correct to the better the better the plugge of the spud date or the well shall be provided to the statements made herein are true and correct to the better the better the plugge of the spud date or the well shall be provided to the spud date or the well shall be provided to the spud date or the well shall be provided to the spud date or the well shall be provided to the spud date or the well shall be provided to the spud date or the well shall be provided to the spud date or the well shall be provided to the spud date or the well shall be provided to the shall be provided to	DAVIT  ging of this well will comply with K.S.A. 55 examples CORPORATION COMMIS  nov 1 5 2007  drilling rig;  y circulating cement to the top; in all cases surface cips examples (ISINIA)  underlying formation.  WICHITA KS  underlying formation of the initial case of the prior to plugging;  dor production casing is cemented in;  from below any usable water to surface within 120 DAYS of spud date.  3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  It of my knowledge and belief.  Chief Operating Office  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days)  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please	cer 29 16 1
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the district office will be set by through all unconsolidated materials plus a minimum of 20 feet into the operator and the district office will be notified before well is either plugged. If the appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided by the complete of the plugged of the spud date or the well shall be provided by the complete of the plugged of the spud date or the well shall be provided by the plugged of the spud date or the well shall be provided by the plugged of the spud date or the well shall be provided by the plugged of the spud date or the well shall be provided by the plugged of the spud date or the well shall be provided by the plugged of the spud date or the well shall be provided by the plugged of the spud date or the well shall be provided by the plugged of the spud date or the well shall be provided by the plugged of the spud date or the well shall be provided by the post of the spud date or the well shall be provided by the post of the spud date or the well shall be provided by the post of the spud date or the well shall be provided by the post of the spud date or the well shall be provided by the post of the spud date or the well shall be post of the spud date or the well shall be post of the spud date or the well shall be post of the spud date or the well shall be post of the spud date or the shall be post of the spud date or the shall be post of the shall be post of the shall be post of t	DAVIT  ging of this well will comply with K.S.A. 55 examples CORPORATION COMMIS  drilling rig;  y circulating cement to the top; in all cases surface cips examples and comply surderlying formation.  WICHITA KS  ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  st of my knowledge and belief.  Chief Operating Office  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days) Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	cer 29 16 11
The undersigned hereby affirms that the drilling, completion and eventual plug it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each of the approved notice of intent to drill shall be posted on each of the unimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugge.  4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided by the completed within 30 days of the spud date or the well shall be placed.  I hereby certify that the statements made herein are true and correct to the beautiful to the placed by the completed within 30 days of the spud date or the well shall be placed.  For KCC Use ONLY  API # 15 - O9 - 2 5 13 0 - 0000  For KCC Use ONLY  API # 15 - O9 - 2 5 13 0 - 0000  Minimum surface pipe required feet per ALT. III III  Approved by: Public 15 - 07  This authorization expires: //-15 - 07	DAVIT  ging of this well will comply with K.S.A. 55 examples CORPORATION COMMIS  drilling rig;  y circulating cement to the top; in all cases surface cips at the Commission of the complete o	cer 29 16 1
The undersigned hereby affirms that the drilling, completion and eventual plug it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each of the approved notice of intent to drill shall be posted on each of the unimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugged. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided by that the statements made herein are true and correct to the between the district office will be provided and correct to the between the district office will be notified before and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided by the provided within 30 days of the spud date or the well shall be provided by the provided within 30 days of the spud date or the well shall be provided by the provided within 30 days of the spud date or the well shall be provided by the provided within 30 days of the spud date or the well shall be provided by the provided within 30 days of the spud date or the well shall be provided by the provided within 30 days of the spud date or the provided within 30 days of the	DAVIT  ging of this well will comply with K.S.A. 55 examples CORPORATION COMMIS  drilling rig;  y circulating cement to the top; in all cases surface cips examples and comply surderlying formation.  WICHITA KS  ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  st of my knowledge and belief.  Chief Operating Office  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days) Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	cer 29 16 11

## IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 009-25130-000  Operator: Kahan & Associates, Inc.	Location of Well: County: Barton
Lease: Seyfert  Well Number: 14  Field: Kraft Prusa	330         feet from   X   N /   S   Line of Section           330         feet from   X   E /   W   Line of Section           Sec. 29         Twp. 16         S. R. 11         E   X   W
Number of Acres attributable to well:  QTR/QTR/QTR/QTR of acreage: NE _ NE _ NE _	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest comer boundary.  Section corner used: NE NW SE SW

### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show locage to the nearest lease or unit boundary line.)

							-
	:		:		:	•	:
	-	: .		<u> </u>	:	:	:
1	:		•		•	-	
	:	: ;	:	<u> </u>	:	•	: 🛡
	•			<u> </u>	-	:	
	•		•		•	•	•
1							
ì							
1	:	; .			:	:	;
	:		•		•		
4	:	:	;		:	:	:
ì		: .			•	:	:
}	:		:		:		
			•		-		
i							
1		:			:	:	
J	•		•		•	:	
]	:	:			:	:	:
!	•	: .	-		;		:
i	:		:		:		•
1	:	: :	:		:	:	:
		-				•	-
			*******				
1							
l			•				
i	;	:			:	•	:
		: .				:	:
j	•		•	1	•	•	•
ł	:	: :	:		:	:	:
		: .			:	:	:
ļ.	•		•		•	-	•
				-			
		:				:	:
				1			
				1			
			*********				
				······			



NOTE: in all cases locate the spot of the proposed drilling locaton.

## In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Kahan & Associates, Inc.			License Number: 4252			
Operator Address: P.O. Box 700780			Tulsa OK 74170			
Contact Person: David M. Wilson			Phone Number: (918) 492-9797			
Lease Name & Well No.: Seyfert 14			Pit Location (QQQQ):			
Type of Pit:	Pit is:		<u>NE _ NE _ NE _ </u>			
Emergency Pit Burn Pit	Proposed	Existing	Sec. 29 Twp. 16 R. 11 East West			
Settling Pit Drilling Pit	If Existing, date of	onstructed:	360 330 Feet from North / South Line of Section			
☐ Workover Pit ☐ Haul-Off I	Pit Pit capacity:					
(If WP Supply API No. or Year Drilled)		(bbis)	Barton County			
Is the pit located in a Sensitive Ground	Water Area? Yes	No	Chloride concentration:mg/l			
	ے ہے	-4	(For Emergency Pits and Settling Pits only)			
is the bottom below ground level?  Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?			
Pit dimensions (all but working pits):	75 Length (fe	pet) 75	Width (feet) N/A: Steel Pits			
D	epth from ground level to de	eepest point:	5 (feet) No Pit			
material, thickness and installation procedure.		edures for periodic maintenance and determining including any special monitoring.  evel monitoring and area monitoring for leaks				
Distance to nearest water well within one-mile of pit Depth to shall Source of info		owest fresh waterfeet.				
N/A feet Depth of water wellfeet		measu	measured well owner electric log KDWR			
			kover and Haul-Off Pits ONLY: Fresh Bentonite Mud			
[		"	nai dilized in drining/workover.			
'		1	rking pits to be utilized:3			
Does the slope from the tank battery allow all spilled fluids to			be closed within 365 days of spud date.  RECEIVED			
i hereby certify that the above 11/12/07 Date	re statements are true and	Jain	Signature of Applicant or Agent KANSAS CORPORATION COMMISS  KANSAS CORPORATION COMMISS  NOV 1 5 2007  CONSERVATION DIVISION			
			WICHITA KE			
	KCC	OFFICE USE O	ONLY Steel Pit RFAC RFAS			
Date Received: [[]15/07 Perm	nit Number:	Perm	nit Date: 11 \S C. Lease Inspection: Yes K No			