KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date: November 26, 2007	Spot Description:	
month day year		
33221	SE NW NE NE Sec. 23 Twp. 24 S. R. 19 SE W (OD)(OD) 350 Feet from N / S Line of Section	
OPERATOR: License#	750 feet from X E / W Line of Section	
Address 1: 4600 Greenville Ave., Ste. 200	Is SECTION: Regular Irregular?	
Address 2:	_ · _ ·	
City: Dallas State: TX Zip: 75206 +	(Nate: Locate well on the Section Plat on reverse side) County: Allen	
Contact Person: Carol Shiels	Lease Name: Melwes Well #: 23-1	
Phone: 214-691-6216	Field Name: lola	
CONTRACTOR: License# 33072	Is this a Prorated / Spaced Field?	
Name: Well Refined Drilling Company, Inc.	Target Formation(s): Mississippian	
Matt Date of Control o	Nearest Lease or unit boundary line (in footage): 350	
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 1050 feet MSL	
⊠Oil ☐ Enh Rec ☐ Infield ☐ Mud Rotary	Water well within one-quarter mile:	_
Gas Storage Pool Ext. Air Rotary Disposal Wildcat Cable	Public water supply well within one mile:	
Seismic; # of Holes Other	Depth to bottom of fresh water: 100	
Other:	Depth to bottom of usable water: 299/00	
	Surface Pipe by Alternate: I I III	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20	
Operator:	Length of Conductor Pipe (if any):	
Well Name:	Projected Total Depth: 1100	
Original Completion Date: Original Total Depth:	Formation at Total Depth: Mississippian	
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:	
If Yes, true vertical depth:	Well Farm Pond Other: city water	
Bottom Hole Location:	DWR Permit #:(Note: Apply for Permit with DWR)	
KCC DKT #:	Will Cores be taken?	
	If Ves. proposed zono:	
	If Ves. proposed zono:	
AFF	If Ves. proposed zono:	.0.
AFF The undersigned hereby affirms that the drilling, completion and eventual plug	If Ves. proposed zono:	NOIO!
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:	If Ves. proposed zono:	DIVICIOS
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the appropriate district of intent to drill shall be nested on each	If Ves. proposed zono:	DIVICIOS:
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by	If Yes, proposed zone: IDAVIT IDAVIT	A/ATION DIVISION
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the	If Yes, proposed zone: IDAVIT IDAVIT	SCION DIVISION
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr	IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. OUT AND THE PROPERTY OF THE PR	CNSEDWATION DIVISION
The appropriate district office will be notified before well is either plugge	IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. OUT TO SET TO S	SOISING BOILEANGESINGS
5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	IDAVIT Igging of this well will comply with K.S.A. 55 et. seq. OUT TO SET TO	CONCEDIATION DIVISION
5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	IDAVIT Igging of this well will comply with K.S.A. 55 et. seq. OUT TO NOT THE TOTAL TO SET THE TOTAL THE	SCIONAL NOTAWAGONOC
 The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 	IDAVIT Igging of this well will comply with K.S.A. 55 et. seq. OUNCE OF THE PROPOSED TO SERVICE OF T	CONCEDIATION DIVISION
5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the be	IDAVIT Igging of this well will comply with K.S.A. 55 et. seq. IDAVIT Indicated the sequence of the seq. IDAVIT Indicated the seq. IDAVIT Indicated the seq. IDAVIT Indicated the seq. IDAVIT IDAVI	CONCEDIATOR DIVISION
 The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be 	IDAVIT Igging of this well will comply with K.S.A. 55 et. seq. IDAVIT Indiging of this well will comply with K.S.A. 55 et. seq. IDAVIT Indiging of this well will comply with K.S.A. 55 et. seq. IDAVIT	TANGEBRAT
5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the be Date: 11/14/07 Signature of Operator or Agent:	IDAVIT Igging of this well will comply with K.S.A. 55 et. seq. OUT OF STANDARD STA	TANGEBRAT
5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the be Date: 11/14/07 Signature of Operator or Agent: For KCC Use ONLY	IDAVIT Igging of this well will comply with K.S.A. 55 et. seq. IDAVIT Igging of this well will comply with K.S.A. 55 et. seq. IDAVIT Igging of this well will comply with K.S.A. 55 et. seq. IDAVIT Igging of this well will comply with K.S.A. 55 et. seq. IDAVIT Igging of this well will comply with K.S.A. 55 et. seq. IDAVIT IGGING IN ITALIAN I	TANGEBRAT
5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the be Date: 11/14/07 Signature of Operator or Agent: For KCC Use ONLY API # 15 - ONLY 29675-0000	IDAVIT Igging of this well will comply with K.S.A. 55 et. seq. IDAVIT Igging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; In y circulating cement to the top; in all cases surface pipe shall be an underlying formation. In the or plug length and placement is necessary prior to pluggling; In or production casing is cemented in; If or more below any usable water to surface within 120 DAYS of spud days If yellow any usable water to surface within 120 DAYS of spud days If yellow any usable water to surface within 120 DAYS of spud days If yellow any usable water to surface within 120 DAYS of spud days If yellow any usable water to surface within 120 DAYS of spud days If yellow any usable water to surface within 120 DAYS of spud days If yellow any usable water to surface within 120 DAYS of spud days If yellow any usable water to surface within 120 DAYS of spud days If yellow any usable water to surface within 120 DAYS of spud days If yellow any usable water to surface within 120 DAYS of spud days If yellow any usable water to surface within 120 DAYS of spud days If yellow any usable water to surface within 120 DAYS of spud days If yellow any usable water to surface within 120 DAYS of spud days If yellow any usable water to surface pipe shall be water to pluggling; If yellow any usable water to surface pipe shall be water to pluggling; If yellow any usable water to surface pipe shall be water to pluggling; If yellow any usable water to surface pipe shall be water to pluggling; If yellow any usable water to surface pipe shall be water to pluggling; If yellow any usable water to pluggling; If yellow any us	TANGEBRAT
5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the be Date: 11/14/07 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 29675-000 Conductor pipe required None feet	IDAVIT Igging of this well will comply with K.S.A. 55 et. seq. IDAVIT Igging of this well will comply with K.S.A. 55 et. seq. IDAVIT Igging of this well will comply with K.S.A. 55 et. seq. IDAVIT Igging of this well will comply with K.S.A. 55 et. seq. IDAVIT Igging of this well will comply with K.S.A. 55 et. seq. IDAVIT IGGING IN ITALIAN I	TANGEBRAT
5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the best of the statements of Operator or Agent: To complete the statements of Operator or Agent:	IDAVIT Igging of this well will comply with K.S.A. 55 et. seq. ONOTED TO SET	TANGBONGC
5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the be Date: 11/14/07 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 001 - 296.75 - 000 Conductor pipe required Mone feet Minimum surface pipe required Approved by: #### IF IMPLIED 11/14/07	IDAVIT Igging of this well will comply with K.S.A. 55 et. seq. IDAVIT Igging of this well will comply with K.S.A. 55 et. seq. IDAVIT Igging of this well will comply with K.S.A. 55 et. seq. IDAVIT Igging of this well will comply with K.S.A. 55 et. seq. IDAVIT Igging of this well will comply with K.S.A. 55 et. seq. IDAVIT IGGING IN INTERPOLATION INTERPOLATION IDAVIT I	TANGEOUS!
5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the be Date: 11/14/07 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 29675-000 Conductor pipe required None feet	IDAVIT Igging of this well will comply with K.S.A. 55 et. seq. IDAVIT Igging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; In y circulating cement to the top; in all cases surface pipe shall be a underlying formation. In office on plug length and placement is necessary prior to pluggling; In or production casing is cemented in; If rom below any usable water to surface within 120 DAYS of spud days If the prior to any cementing. If the Drill Pit Application (form CDP-1) with Intent to Drill; If ele Completion Form ACO-1 within 120 days of spud date; If le acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.	TANGENACE
5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the be Date: 11/14/07 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 001 - 29675 - 000 Conductor pipe required	IDAVIT Igging of this well will comply with K.S.A. 55 et. seq. IDAVIT Igging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; In y circulating cement to the top; in all cases surface pipe shall be interested or plug length and placement is necessary prior to pluggling; in the pluggling of or production casing is cemented in; in the production casing is cemented in; in the pluggling of or production casing is cemented in; in the pluggling of or production casing is cemented in; in the production casing is cemented in; in the pluggling of or production casing is cemented in; in the pluggling of or production casing is cemented in; in the pluggling of or pluggling is completed. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	TANGENACE
5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the be Date: 11/14/07 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 29675-000 Conductor pipe required	IDAVIT Igging of this well will comply with K.S.A. 55 et. seq. IDAVIT Igging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; In y circulating cement to the top; in all cases surface pipe shall be a underlying formation. In office on plug length and placement is necessary prior to pluggling; In or production casing is cemented in; If rom below any usable water to surface within 120 DAYS of spud days If the prior to any cementing. If the Drill Pit Application (form CDP-1) with Intent to Drill; If ele Completion Form ACO-1 within 120 days of spud date; If le acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.	TANGEOUS!


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 001-29675-0200	
Operator: Roxanna Pipeline, Inc.	Location of Well: County: Allen
Lease: Meiwes	350 feet from N / S Line of Section
Well Number: 23-1	750 feet from X E / W Line of Section
Field: lola	Sec. 23 Twp. 24 S. R. 19 X E W
Number of Acres attributable to well: 160	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT (Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)





- ... uistance of the proposed drilling location from the south / north and east / west outside section lines.

 3. The distance to the nearest lease or unit boundary line (in footage).

 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Roxanna Pipeline, Inc.		License Number: 33221		
Operator Address: 4600 Greenville Ave., Ste. 200		Dallas TX 7520	— 06	
Contact Person: Carol Shiels		Phone Number: 214-691-6216		
Lease Name & Well No.: Meiwes	23	-1	Pit Location (QQQQ):	
Type of Pit:	Pit is:		SE NW NE NE	
Emergency Pit Burn Pit	X Proposed	Existing	Sec. 23 Twp. 24 R. 19 East West	
Settling Pit Drilling Pit	If Existing, date constructed:		350 Feet from North / South Line of Secti	ion
Workover Pit Haul-Off Pit	Pit capacity:		750 Feet from East / West Line of Secti	
(If WP Supply API No. or Year Drilled)		(bbls)	Allen	
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration:mg.	,
			(For Emergency Pits and Settling Pits only)	
Is the bottom below ground level? Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used? native mud	
Pit dimensions (all but working pits):3	.0 Length (fe	eet)15	Width (feet) N/A: Steel Pits	
Depth from ground level to deepest point:10(feet) No Pit				
		edures for periodic maintenance and determining including any special monitoring.		
The state of the s		into intogray, ii	totaling any operational monitoring.	
· ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '		west fresh water100feet.		
KA feet Depth of water well	feet	Source of infor measu		ľ
		Drilling, Work	over and Haul-Off Pits ONLY:	\neg
Producing Formation: Type of materi		Type of materia	al utilized in drilling/workover: native mud	_
Number of producing wells on lease: Number of wo		Al utilized in drilling/workover: native mud king pits to be utilized: 1 procedure: air dry and back fill	_ 🛓	
Barrels of fluid produced daily:		Abandonment	procedure: air dry and back fill	DIVISIO
Does the slope from the tank battery allow all flow into the pit? Yes No	spilled fluids to	Drill pits must t	procedure: air dry and back fill De closed within 365 days of spud date. To f my knowledge and belief.	ATION D
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must be closed within 365 days of spud date. I hereby certify that the above statements are true and correct to the best of my knowledge and belief.				
1)) . £				
11/14/07	11	pari	The second	
Date			ignature of Applicant or Agent	
KCC OFFICE USE ONLY Steel Pit RFAC RFAS				
Date Received: 11/15/67 Permit Num	ber:	Permi	it Date: # //15 / 07 Lease Inspection: Yes X No	