Permit Extension Request Received //-/5-97

For KCC Use: Effective Date: Kansas Corporation Commission
Oil & Gas Conservation Division

CORRECTED October 2007

October 2007

Form must be Typed

Form must be Signed


		NOTICE OF IN	ITENT TO DRILL	Form must be Signed All blanks must be Filled
		Must be approved by KCC five	(5) days prior to commencing well	
Expected Spud Date:	NOVEMBER	25 2007	Spot Description:	
	month	day year		p. 10 S. R. 20 EXW
OPERATOR: License#	33306		(00000), 1,775 feet fro	
Name: BLAKE EXPLORA	ATION			m 🔀 E / 🔲 W Line of Section
Address 1: BOX 150			is SECTION: X Regular Invegular?	
Address 2:			(Note: Locate well on the Section	n Plat on reverse side)
City: BOGUE		Zip: <u>67625</u> +	County: ROOKS	
Contact Person: MiKE D/ Phone: 785-421-2921	TAIGHON	4	Lease Name: TOMCAT	Well #: 1
r Horie.			Field Name: Marcotk	
CONTRACTOR: Licensei	# 30606		is this a Prorated / Spaced Field?	Yes No
Name: MURFIN DRLG. CC	MPANY		Target Formation(s): ARBUCKLE	
Well Drilled For:	Well Class:	Type Equipment:	Nearest Lease or unit boundary line (in footag	
⊠oil ∏Enh	Rec XInfield	Mud Rolary	Ground Surface Elevation: 2210 EST	feet MSL
Gas Stor			Water well within one-quarter mile:	Yes No /
	osal Wildcat	Cable	Public water supply well within one mite:	Yes X No
Seismic #	of Holes Other		Depth to bottom of fresh water:	
Other:		A control of the spin and the spin of the control o	Depth to bottom of usable water:	
If OWWO: old we	ll information as follow	s:	Surface Pipe by Alternate: \(\sum_{\text{l}}\) \(\sum_{\text{l}}\) Length of Surface Pipe Planned to be set: \(\frac{20}{20}\)	00'
			Length of Sondactor Pipe Hameu to be set Length of Conductor Pipe (if any): NONE	M. L.
			Projected Total Depth: 3850	
		riginal Total Depth:	Formation at Total Depth: ARBUCKLE	
Original Completion L	Jake O	ngmai Total Depin.	Water Source for Drilling Operations:	
Directional, Deviated or H	lorizontal wellbore?	☐ Yes X No	Well Farm Pond Other: X	
If Yes, true vertical depth:			DWR Permit #:	
Bottom Hole Location:			(Note: Apply for Permit w	vith DWR ()
KCC DKT #:	a-1 c.u (U02) E(EL Field Name (Stank)	Will Cores be taken?	Yes X No
ias: Ne-NW-NE 3	775 ALL 1250 E	FL Field Hame: Marcotte	If Yes. proposed zone:	2010
AS: NLUB: 330' :	4. 11119.BIC		• • • • • • • • • • • • • • • • • • • •	RECEIVED
AS: NEUR 380 :	TE WEAR - 802	AFI	FIDAVIT	MANGAG CORPORATION COMMISS
The undersigned hereby	/ affirms that the drilli	ing, completion and eventual plu	rigging of this well will comply with K.S.A. 55 et. s	eqicana cold old man
It is agreed that the follo	wing minimum requi	rements will be met:		NOV 1 5 2007
		for to spudding of well;		1404 1 2 2001
, ,, ,		i to drill ehall ha nosted on each	n drillina ria:	
2 A conv of the ann	roved notice of inten-	ified below shall be set	his airealatina annount to tha tons in all cases and	CONSERVATION DIVISION
 A copy of the app The minimum am 	ount of surface pipe	as specified below shall be set	by circulating cement to the top; in all cases surf	ace pipe SCHEERVATION DIVISION WICHITA, KS
A copy of the app The minimum ame through all uncons	ount of surface pipe a solidated materials p	as specified below shall be set lus a minimum of 20 feet into the	by circulating cement to the top; in all cases surt a underlying formation.	PROPERTY, NO
 A copy of the app The minimum am through all uncons If the well is dry h The appropriate of 	ount of surface pipe a solidated materials p lole, an agreement be district office will be n	as specified below shall be set flus a minimum of 20 feet into the etween the operator and the dist notified before well is either plugg	by circulating cement to the top; in all cases surf e underlying formation. rict office on plug length and placement is neces ged or production casing is cemented in;	esary prior to plugging;
 A copy of the app The minimum am through all uncons If the well is dry h The appropriate of If an ALTERNATE 	ount of surface pipe a solidated materials p sole, an agreement be district office will be n it I COMPLETION, p	as specified below shall be set dus a minimum of 20 feet into the etween the operator and the dist notified before well is either plugg roduction pipe shall be cemente	by circulating cement to the top; in all cases surf e underlying formation. rict office on plug length and placement is neces ged or production casing is cemented in; d from below any usable water to surface within	ssary <i>prior to plugging;</i> 120 DAYS of spud date.
 A copy of the app The minimum am through all uncons If the well is dry h The appropriate of lif an ALTERNATE Or pursuant to Ap 	ount of surface pipe a solidated materials p tole, an agreement be district office will be n tolen to COMPLETION, propendix "B" - Eastern	as specified below shall be set vlus a minimum of 20 feet into the etween the operator and the dist notified before well is either plugg roduction pipe shall be cemente. Kansas surface casing order #1	by circulating cement to the top; in all cases surfact underlying formation. rict office on plug length and placement is neces ged or production casing is cemented in; d from below any usable water to surface within 133,891-C, which applies to the KCC District 3 and	ssary prior to plugging; 120 DAYS of spud date. rea, alternate II cementing
 A copy of the app The minimum am through all uncons If the well is dry h The appropriate of the appropriate of th	ount of surface pipe a solidated materials p tole, an agreement be district office will be n it I COMPLETION, pu ppendix "B" - Eastern ad within 30 days of the	as specified below shall be set flus a minimum of 20 feet into the etween the operator and the dist otified before well is either plugg roduction pipe shall be cemente Kansas surface casing order #1 he spud date or the well shall be	by circulating cement to the top; in all cases surface underlying formation. rict office on plug length and placement is necessed or production casing is cemented in; defrom below any usable water to surface within 133,891-C, which applies to the KCC District 3 are plugged. In all cases, NOTIFY district office	ssary <i>prior to plugging;</i> 120 DAYS of spud date. rea, alternate II cementing
 A copy of the app The minimum am through all uncons If the well is dry h The appropriate of the appropriate of th	ount of surface pipe a solidated materials p tole, an agreement be district office will be n it I COMPLETION, pu ppendix "B" - Eastern ad within 30 days of the	as specified below shall be set flus a minimum of 20 feet into the etween the operator and the dist otified before well is either plugg roduction pipe shall be cemente Kansas surface casing order #1 he spud date or the well shall be	by circulating cement to the top; in all cases surface underlying formation. rict office on plug length and placement is neces god or production casing is cemented in; defrom below any usable water to surface within (33,891-C, which applies to the KCC District 3 are plugged. In all cases, NOTIFY district office pest of my knowledge and belief.	ssary prior to plugging; 120 DAYS of spud date. rea, alternate II cementing prior to any cementing.
2. A copy of the app 3. The minimum am through all uncons 4. If the well is dry h 5. The appropriate of 6. If an ALTERNATE Or pursuant to Ap must be complete I hereby certify that the s	count of surface pipe a solidated materials poole, an agreement be district office will be not ill COMPLETION, popendix "B" - Easterned within 30 days of the statements made her	as specified below shall be set blus a minimum of 20 feet into the etween the operator and the distriction of the distriction of the distriction of the set of the se	by circulating cement to the top; in all cases surface underlying formation. rict office on plug length and placement is neces god or production casing is cemented in; defrom below any usable water to surface within (33,891-C, which applies to the KCC District 3 are plugged. In all cases, NOTIFY district office pest of my knowledge and belief.	ssary <i>prior to plugging;</i> 120 DAYS of spud date. rea, alternate II cementing
2. A copy of the app 3. The minimum am through all uncons 4. If the well is dry h 5. The appropriate of 6. If an ALTERNATE Or pursuant to Ap must be complete I hereby certify that the s	count of surface pipe a solidated materials poole, an agreement be district office will be not ill COMPLETION, popendix "B" - Easterned within 30 days of the statements made her	as specified below shall be set flus a minimum of 20 feet into the etween the operator and the dist otified before well is either plugg roduction pipe shall be cemente Kansas surface casing order #1 he spud date or the well shall be	by circulating cement to the top; in all cases surface underlying formation. rict office on plug length and placement is necessed or production casing is cemented in; d from below any usable water to surface within 133,891-C, which applies to the KCC District 3 are plugged. In all cases, NOTIFY district office test of my knowledge and belief. Title:	ssary prior to plugging; 120 DAYS of spud date. rea, alternate !! cementing prior to any cementing.
2. A copy of the app 3. The minimum am through all uncons 4. If the well is dry h 5. The appropriate of 6. If an ALTERNATE Or pursuant to Ap must be complete I hereby certify that the s 11/11/07 Date:	count of surface pipe a solidated materials poole, an agreement be district office will be not ill COMPLETION, popendix "B" - Easterned within 30 days of the statements made her	as specified below shall be set blus a minimum of 20 feet into the etween the operator and the distriction of the distriction of the distriction of the set of the se	by circulating cement to the top; in all cases surface underlying formation. rict office on plug length and placement is necessed or production casing is cemented in; d from below any usable water to surface within 133,891-C, which applies to the KCC District 3 are plugged. In all cases, NOTIFY district office pest of my knowledge and belief. Remember to:	ssary prior to plugging; 120 DAYS of spud date. rea, alternate !! cementing prior to any cementing.
2. A copy of the app 3. The minimum am through all uncons 4. If the well is dry h 5. The appropriate of 6. If an ALTERNATE Or pursuant to Ap must be complete I hereby certify that the second	count of surface pipe a solidated materials poole, an agreement be district office will be not it COMPLETION, propendix "B" - Eastern and within 30 days of the statements made here	as specified below shall be set blus a minimum of 20 feet into the etween the operator and the distriction of the distriction of the distriction of the specified before well is either pluggroduction pipe shall be cemente. Kansas surface casing order #1 he spud date or the well shall be rein are true and correct to the specified or Agent Operator or Agent Control of the specified or Agent Control of the specifie	by circulating cement to the top; in all cases surface underlying formation. rict office on plug length and placement is neces god or production casing is cemented in; defrom below any usable water to surface within 133,891-C, which applies to the KCC District 3 are plugged. In all cases, NOTIFY district office test of my knowledge and belief. Title: Remember to: File Drift-Pit Application (form CDP-1) with In-	ssary prior to plugging; 120 DAYS of spud date. rea, alternate II cementing prior to any cementing. P.
2. A copy of the app 3. The minimum am through all uncons 4. If the well is dry h 5. The appropriate of 6. If an ALTERNATE Or pursuant to Ap must be complete I hereby certify that the s 11/11/07 For KCC Use ONLY ADJULTE ADJULT ADJULT	count of surface pipe a solidated materials phole, an agreement be district office will be not the complete of	as specified below shall be set alus a minimum of 20 feet into the etween the operator and the distriction of the distriction of the distriction of the distriction of the shall be camente. Kansas surface casing order #1 the spud date or the well shall be rein are true and correct to the shall be operator or Agen	by circulating cement to the top; in all cases surface underlying formation. rict office on plug length and placement is necessed or production casing is cemented in; d from below any usable water to surface within 133,891-C, which applies to the KCC District 3 are plugged. In all cases, NOTIFY district office pest of my knowledge and belief. Remember to:	ssary prior to plugging; 120 DAYS of spud date. rea, alternate II cementing prior to any cementing. P.
2. A copy of the app 3. The minimum am through all uncons 4. If the well is dry h 5. The appropriate of 6. If an ALTERNATE Or pursuant to Ap must be complete I hereby certify that the s 11/11/07 For KCC Use ONLY	count of surface pipe a solidated materials phole, an agreement be district office will be not the complete of	as specified below shall be set alus a minimum of 20 feet into the etween the operator and the distriction of the distriction of the distriction of the distriction of the shall be camente. Kansas surface casing order #1 the spud date or the well shall be rein are true and correct to the shall be operator or Agen	by circulating cement to the top; in all cases surface underlying formation. rict office on plug length and placement is necessed or production casing is cemented in; defrom below any usable water to surface within 133,891-C, which applies to the KCC District 3 at plugged. In all cases, NOTIFY district office test of my knowledge and belief. Remember to:	ssary prior to plugging; 120 DAYS of spud date. rea, alternate II cementing prior to any cementing. I.P. Intent to Drill; rs of spud date; d proration orders;
2. A copy of the app 3. The minimum am through all uncons 4. If the well is dry h 5. The appropriate of 6. If an ALTERNATE Or pursuant to Ap must be complete I hereby certify that the 11/11/07 For KCC Use ONLY API # 15 - 163 Conductor pipe require	count of surface pipe a solidated materials phole, an agreement be district office will be not ill COMPLETION, propendix "B" - Easterned within 30 days of the statements made here. Signature of Complete and Compl	as specified below shall be set blus a minimum of 20 feet into the etween the operator and the distriction of the distriction of the distriction of the specified before well is either pluggroduction pipe shall be cemente. Kansas surface casing order #1 the spud date or the well shall be rein are true and correct to the specified or Agen.	by circulating cement to the top; in all cases surface underlying formation. rict office on plug length and placement is necessed or production casing is cemented in; deform below any usable water to surface within 133,891-C, which applies to the KCC District 3 at plugged. In all cases, NOTIFY district office test of my knowledge and belief. Remember to: File Drift-Pit Application (form CDP-1) with Ir	ssary prior to plugging; 120 DAYS of spud date. rea, alternate !! cementing prior to any cementing. P. Then to Drill; so of spud date; d protation orders; or to workover or re-entry; the completed (within 60 days).
2. A copy of the app 3. The minimum am through all uncons 4. If the well is dry h 5. The appropriate of 6. If an ALTERNATE Or pursuant to Ap must be complete I hereby certify that the 11/11/07 For KCC Use ONLY API # 15 - 163 Conductor pipe require	count of surface pipe a solidated materials phole, an agreement be district office will be not it COMPLETION, propendix "B" - Easterned within 30 days of the statements made here. Signature of Completion of the completion of th	as specified below shall be set blus a minimum of 20 feet into the etween the operator and the distriction of the distriction of the distriction of the specified before well is either pluggroduction pipe shall be cemente. Kansas surface casing order #1 the spud date or the well shall be rein are true and correct to the specified or Agen.	by circulating cement to the top; in all cases surface underlying formation. rict office on plug length and placement is necessed or production casing is cemented in; defrom below any usable water to surface within 133,891-C, which applies to the KCC District 3 at plugged. In all cases, NOTIFY district office test of my knowledge and belief. File Drift-Pit Application (form CDP-1) with Ir	ssary prior to plugging; 120 DAYS of spud date. rea, alternate II cementing prior to any cementing. I.P. Intent to Drill; rs of spud date; d proration orders; or to workover or re-entry; g is completed (within 60 days); injecting salt water.
2. A copy of the app 3. The minimum am through all uncons 4. If the well is dry h 5. The appropriate of 6. If an ALTERNATE Or pursuant to Ap must be complete I hereby certify that the s 11/11/07 For KCC Use ONLY ADJUSTE	count of surface pipe is solidated materials pipe is it completely in co	as specified below shall be set blus a minimum of 20 feet into the etween the operator and the distriction of the distriction of the distriction of the specified before well is either pluggroduction pipe shall be cemente. Kansas surface casing order #1 the spud date or the well shall be rein are true and correct to the specified or Agen.	by circulating cement to the top; in all cases surface underlying formation. rict office on plug length and placement is necessed or production casing is cemented in; defrom below any usable water to surface within 133,891-C, which applies to the KCC District 3 at plugged. In all cases, NOTIFY district office test of my knowledge and belief. Title: **Remember to:* - File Drift-Pit Application (form CDP-1) with Ir File Completion Form ACO-1 within 120 day File acreage attribution plat according to fiel Notify appropriate district office 48 hours pring the submit plugging report (CP-4) after plugging Obtain written approval before disposing or - If this permit has expired (See: authorized etc.)	rea, alternate II cementing prior to any cementing. 2.P. Attent to Drill; as of spud date; deporation orders; or to workover or re-entry; g is completed (within 60 days); injecting salt water. Attent to Drill; as of spud date; deporation orders; or to workover or re-entry; g is completed (within 60 days); injecting salt water. Attent to Drill; as of spud date; deporation orders; or to workover or re-entry; g is completed (within 60 days); injecting salt water.
2. A copy of the app 3. The minimum amethrough all uncons 4. If the well is dry h 5. The appropriate of 6. If an ALTERNATE Or pursuant to Apmust be complete I hereby certify that the s 11/11/07 For KCC Use ONLY API # 15 _ / 6 3 - Conductor pipe require Minimum surface pipe Approved by: Lust 8 This authorization expire	count of surface pipe a solidated materials phole, an agreement be district office will be not it COMPLETION, propendix "B" - Eastern and within 30 days of the statements made here. Signature of Completion of the completion of	as specified below shall be set blus a minimum of 20 feet into the etween the operator and the distriction of the distriction of the distriction of the specified before well is either pluggroduction pipe shall be cemente. Kansas surface casing order #1 the spud date or the well shall be rein are true and correct to the specified or Agen.	by circulating cement to the top; in all cases surface underlying formation. rict office on plug length and placement is necesized or production casing is cemented in; defrom below any usable water to surface within 133,891-C, which applies to the KCC District 3 at plugged. In all cases, NOTIFY district office test of my knowledge and belief. File Drift-Pit Application (form CDP-1) with Infinite Completion Form ACO-1 within 120 day	ssary prior to plugging; 120 DAYS of spud date. rea, alternate II cementing prior to any cementing. I.P. Attent to Drill; rs of spud date; d proration orders; or to workover or re-entry; g is completed (within 60 days); injecting salt water. xpiration date) please iss below.
2. A copy of the app 3. The minimum ame through all uncons 4. If the well is dry h 5. The appropriate of 6. If an ALTERNATE Or pursuant to Ap must be complete I hereby certify that the 2. 11/11/07 For KCC Use ONLY API # 15 - 163 Conductor pipe require Minimum surface pipe Approved by: Lust 8 This authorization expirates	count of surface pipe a solidated materials phole, an agreement be district office will be not it COMPLETION, propendix "B" - Eastern and within 30 days of the statements made here. Signature of Completion of the completion of	as specified below shall be set alus a minimum of 20 feet into the etween the operator and the distriction of the distriction of the distriction of the distriction of the set of the specific of the specific of the specific of the well shall be rein are true and correct to the specific of the specific of the specific of the well shall be rein are true and correct to the specific of the specific o	by circulating cement to the top; in all cases surface underlying formation. rict office on plug length and placement is necessed or production casing is cemented in; defrom below any usable water to surface within 133,891-C, which applies to the KCC District 3 at plugged. In all cases, NOTIFY district office test of my knowledge and belief. Title: **Remember to:* - File Drift-Pit Application (form CDP-1) with Ir File Completion Form ACO-1 within 120 day File acreage attribution plat according to fiel Notify appropriate district office 48 hours pring the submit plugging report (CP-4) after plugging Obtain written approval before disposing or - If this permit has expired (See: authorized etc.)	ssary prior to plugging; 120 DAYS of spud date. rea, alternate II cementing prior to any cementing. I.P. Attent to Drill; rs of spud date; d proration orders; or to workover or re-entry; g is completed (within 60 days); injecting salt water. xpiration date) please iss below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW CORRECTED

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 -				
Operator: BLAKE EXPLORATION TOMCAT	Location of Well: County: ROOKS			
Lease:	# 1,250 feet from N / S Line of Section # 1,250 feet from E / W Line of Section			
Well Number:				
Field:	Sec. 25 Twp. 10 S. R. 20 E W			
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage:	Is Section: Regular or Irregular			
	if Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW			


PLAT (Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)



RECEIVED KANSAS CORPORATION COMMISSION

NOV 15 2007

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

	Submit in Duplicate		CORRE				
Operator Name: BLAKE EXPLORATI		License Number: 33306					
Operator Address: BOX 150			BOG		KS	67625	
Contact Person: MIKE DAVIGNON		Phone Number: 785-421-2921					
Lease Name & Well No.: TOMCAT		Pit Location (QQQQ):					
Type of Pit:	Pit is:	1000		. <u>NE</u>			
Emergency Pit Burn Pit	Proposed	Existing	Sec. 25 Twp. 10 R.	_20 _E ;	ast 🔀	West	
Settling Pit Drilling Pit	If Existing, date o	onstructed:	¥1,775 Feet from	North / So	uth Line	of Section	
Workover Pit Haul-Off Pit				East / We			
(If WP Supply API No. or Year Drilled)	Pit capacity: 500	(bbls)	ROOKS	3		County	
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)				
is the bottom below ground level? Yes No	No	How is the pit lined if a plastic liner is not used?					
Pit dimensions (all but working pits):	Length (fe		Width (feet)		A: Steeli	Pits	
If the pit is lined give a brief description of the material, thickness and installation procedure		liner integrity, i	ncluding any special monitorin	j .			
Distance to nearest water well within one-mik	Depth to shallowest fresh waterfeet.						
360 feet Depth of water well	measured well owner electric log KDWR						
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:					
Producing Formation:	Type of material utilized in drilling/workover: ROTARY MUD						
Number of producing wells on lease:	Number of working pits to be utilized:						
Barrels of fluid produced daily:	Abandonment procedure: BACKFILL W/DOZER						
Does the slope from the tank battery allow all flow into the pit? Yes No	Drill pits must be closed within 365 days of spud date KANSAS CORPORATION COMPLETE						
I hereby certify that the above state	ements are true and o					5 2007	
11/11/07 Date	L	las	Ignature of Applicant or Agent	cc		TION DIVISION IITA, KS	
	КСС	OFFICE USE O	NLY Steel Pit	RFAC _	RFAS		
Date Received: 1/15/07 Permit Num	nber:	Perm	it Date: <u> </u>	se Inspection:	Yes	K No	