For KCC Use:	11-25-07
Effective Date:	11-72-01
District #	
SGA? Yes	s No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date: 1/26/07 month day year OPERATOR: License# 32710	Spot Description: Spo	S Line of Section
Name: Laymon Oil II, LLC Address 1: 1998 Squirrel Road Address 2:	Is SECTION: Regular Irregular? (Note: Locate well on the Section Plat on reverse	
City: Neosho Falls State: KS Zip: 66758 + 7124 Contact Person: Kenneth Laymon Phone: 620-963-2495	County: Coffey Lease Name: Beard #2 W Field Name: LeRoy	
CONTRACTOR: License# 32710 Name: company tools	Is this a Prorated / Spaced Field? Target Formation(s): Squirret	Yes No
Well Drilled For: Well Class: Type Equipment: Oil	Nearest Lease or unit boundary line (in footage): 165 Ground Surface Elevation: n/a Water well within one-quarter mile: Public water supply well within one mile: Depth to bottom of fresh water: 125 Depth to bottom of usable water: 1200	Yes No Yes No Yes
If OWWO: old well information as follows: Operator: Well Name: Original Completion Date: Original Total Depth:	Surface Pipe by Alternate: 1 X II Length of Surface Pipe Planned to be set: 40° Length of Conductor Pipe (if any): none Projected Total Depth: 1080 Formation at Total Depth: Squirrel	
Directional, Deviated or Horizontal wellbore? If Yes, true vertical depth: Bottom Hole Location: KCC DKT #:	Water Source for Drilling Operations: Well Farm Pond Other: DWR Permit #: (Note: Apply for Permit with DWH) Will Cores be taken? If Yes, proposed zone:	☐Yes ☒No
AFFII The undersigned hereby affirms that the drilling, completion and eventual plugg	CANSAS CONTROL OF THE CONTROL OF TH	RECEIVED CORPORATION COMMISSION
The didelegated hereby diffins that the draining, completion and eventual progr	gring of time from terminal for the control of the	Mar.
It is agreed that the following minimum requirements will be met:	•	NOV 1 9 2007
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the surface through all unconsolidated materials plus a minimum of 20 feet into the surface through all unconsolidated materials plus a minimum of 20 feet into the surface through all unconsolidated materials plus a minimum of 20 feet into the surface and the well is either plugged. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #135 must be completed within 30 days of the spud date or the well shall be presented. 	Irilling rig; recirculating cement to the top; in all cases surface pipe shall underlying formation. It office on plug length and placement is necessary prior to do or production casing is cemented in; from below any usable water to surface within 120 DAYS of 3,891-C, which applies to the KCC District 3 area, alternate dugged. In all cases, NOTIFY district office prior to any certain the surface within the cases, NOTIFY district office prior to any certain the cases.	NSERVATION DIVISION II be sufficient to
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the cut. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugged. If an ALTERNATE If COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be put hereby certify that the statements made herein are true and correct to the best contract to the best contract to the statements. 	Irilling rig: circulating cement to the top; in all cases surface pipe shall underlying formation. ct office on plug length and placement is necessary prior to dor production casing is cemented in; from below any usable water to surface within 120 DAYS of 3,891-C, which applies to the KCC District 3 area, alternate llugged. In all cases, NOTIFY district office prior to any cest of my knowledge and belief.	NSERVATION DIVISION II be sufficient to
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the outline through all unconsolidated materials plus a minimum of 20 feet into the outline through all unconsolidated materials plus a minimum of 20 feet into the outline through all unconsolidated materials plus a minimum of 20 feet into the outline through all unconsolidated materials plus a minimum of 20 feet into the outline state of 20 feet per ALT. 1. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugger 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided that the statements made herein are true and correct to the best place. 1. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugger #13 must be completed within 30 days of the spud date or the well shall be provided by the operator of the well shall be provided and the operator of the well shall be provided by the operator of Agent: 1. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either by the destroy. 2. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either by the destroy. 3. The minimum and office will be notified before well is either by the destroy. 4. If the well is dry hole is a posterior and the district office will be notified before well is either by the destroy. 5. The appropriate district office will be notified before well is either by the district office will be notified before well is either by the	Irilling rig: recirculating cement to the top; in all cases surface pipe shall underlying formation. It office on plug length and placement is necessary prior to do or production casing is cemented in: from below any usable water to surface within 120 DAYS of 3,891-C, which applies to the KCC District 3 area, alternate lugged. In all cases, NOTIFY district office prior to any cest of my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date File acreage attribution plat according to field proration ord Notify appropriate district office 48 hours prior to workover Submit plugging report (CP-4) after plugging is completed	INSERVATION DIVISION II be set to the set of
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the outer through all unconsolidated materials plus a minimum of 20 feet into the outer through all unconsolidated materials plus a minimum of 20 feet into the outer through all unconsolidated materials plus a minimum of 20 feet into the outer through all unconsolidated materials plus a minimum of 20 feet into the outer through all unconsolidated materials plus a minimum of 20 feet into the outer through all unconsolidated materials plus a minimum of 20 feet into the outer through all through a surface assing order will be notified before well is either plugger or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided that the statements made herein are true and correct to the best plus all the plus all through all the provided through through the provided through through the provided through through the provided through through through through through the provided through	Irilling rig: recirculating cement to the top; in all cases surface pipe shall underlying formation. It office on plug length and placement is necessary prior to dor production casing is cemented in: from below any usable water to surface within 120 DAYS of 3,891-C, which applies to the KCC District 3 area, alternate lugged. In all cases, NOTIFY district office prior to any cest of my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date File acreage attribution plat according to field proration ord Notify appropriate district office 48 hours prior to workover	PSERVATION DIVISION IN BUILDING IN BUILDIN

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 031 - 22349 - 00 - 00			
Operator: Laymon Oil II, LLC	Location of Well: County: Coffey		
Lease: Beard #2	1,945 feet from N / X S Line of Section		
Well Number: 54-07	165 feet from X E / W Line of Section		
Field: LeRoy	Sec. 11 Twp. 23 S. R. 16 X E W		
Number of Acres attributable to well:	Is Section: Regular or Irregular		
QTR/QTR/QTR/QTR of acreage: SE . NE . SE SE	is Section. Management in Integral		
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW		

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

15-031-22399-00-

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Laymon Oil II, LLC		License Number: 32710		
Operator Address: 1998 Squirrel Road			Neosho Falls KS 66758	
Contact Person: Kenneth Laymon		Phone Number: 620-963-2495		
Lease Name & Well No.: Beard #2	•		Pit Location (QQQQ):	
Type of Pit:	Pit is:	-11	SE NE SE SE	
Emergency Pit Burn Pit	Proposed Existing		Sec. 11 Twp. 23 R. 16 East West	
Settling Pit Drilling Pit	If Existing, date co	onstructed:	1,945 Feet from North / South Line of Section	
Workover Pit Haul-Off Pit	Pit capacity:		165 Feet from East / West Line of Section	
(If WP Supply API No. or Year Drilled)			Coffey County	
Is the pit located in a Sensitive Ground Water	(BDIS)		Chloride concentration: NA mg/l	
is the pit located in a Sensitive Glound water	Alear Vies		(For Emergency Pits and Settling Pits only)	
Is the bottom below ground level? Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?	
	Yes XI		Native Clay	
Pit dimensions (all but working pits):				
Depth for	rom ground level to de	epest point:	4 (feet) No Pit	
material, thickness and installation procedure	;	3 7	ncluding any special monitoring.	
		Source of infor	owest fresh water 125 feet.	
N/A feet Depth of water well feet		measured well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY		Drilling, Workover and Haul-Off Pits ONLY:		
			al utilized in drilling/workover: drilling gel	
			rking pits to be utilized:	
Barrels of fluid produced daily:		Abandonment	procedure: backfill with dirt	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must	procedure: backfill with dirt be closed within 365 days of spud date. RECEIVED RECE	
I hereby certify that the above state	ements are true and c	correct to the bes		
11/15/07 Date	£,	gin Lay	conservation Disconservation	
	KCC	OFFICE USE O	NLY Steel Pit RFAC RFAS	
Date Received: <u>!//٩/٥</u> 7 Permit Nun	nber:	Perm	it Date: 11/14/07 Lease Inspection: Yes \ \No	