

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION



NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Name: TXD Services LP Target Formation(s): Cherokee Coals	ne of Section
OPERATOR: License# Name: Quest Cherokee, LLC Address 1: 210 W. Park, Suite 2750 Address 2: (Note: Locate well on the Section Plat on reverse side) Contact Person: Richard Marlin Phone: 405-702-7480 CONTRACTOR: License# 33837 or another Licensed by KCC Name: TXD Sarvices LP State: Ok Zip: 73102 + County: Neosho Lease Name: Bernhart, Glenn R Well # Field Name: Cherokee Basin CBM Is this a Prorated / Spaced Field? Target Formation(s): Cherokee Coalis	ne of Section ne of Section
Name: Quest Cherokee, LLC Address 1: 210 W. Park, Suite 2750 Address 2: (Note: Locate well on the Section Plat on reverse side) Contact Person: Richard Marlin Phone: 405-702-7480 CONTRACTOR: License# 33837 or another Licensed by KCC Name: TXD Services LP Is SECTION: Regular Imegular? (Note: Locate well on the Section Plat on reverse side) County: Neosho Lease Name: Bernhart, Glenn R Well # Field Name: Cherokee Basin CBM Is this a Prorated / Spaced Field? Target Formation(s): Cherokee Coalis	ne of Section
Address 1: 210 W. Park, Suite 2750 Address 2: City: Oklahoma City	
Address 2:	
City: Oklahoma City	
Contact Person: Richard Marlin Phone: 405-702-7480 CONTRACTOR: License# 33837 or another Licensed by KCC Name: TXD Services LP Lease Name: Bamhart. Glenn R Well # Field Name: Cherokee Basin CBM Is this a Prorated / Spaced Field? Target Formation(s): Cherokee Coals	
Phone: 400-702-700 Field Name: Cherokee Basin CBM CONTRACTOR: License# 33837 or another Licensed by KCC Is this a Prorated / Spaced Field? Target Formation(s): Cherokee Coals	6-1
CONTRACTOR: License# 33837 or another Licensed by KCC !s this a Prorated / Spaced Field? Name: TXD Services LP Target Formation(s): Cherokee Coals	
Name: TXD Services LP Target Formation(s): Cherokee Coals	Yes XNo
	100 (23)110
Well Dellar For Molf Class: Tree Equipment: Nearest Lease or unit boundary line (in footage): 660	
Well Dillied For. Well Class. Type Equipment.	
Oil Enh Rec X Infield Mud Rotary Weter well within one quotes mile:	Yes X No
Gas Storage Pool Ext. Air Rotary Rubia water curply well within one mile:	Yes X No
Disposal Wildcat Cable Poeth to hottom of fresh water:	<u></u>
Seistric ; # 01 Holes Light as hadron of cooking water. 75	
Surface Pipe by Alternate: I XIII If OWWO: old well information as follows: I enoth of Surface Pipe Planned to be set:	
25	
Well Name: Projected Total Depth: 1200 Original Completion Date: Original Total Depth: Formation at Total Depth: Mississippi Lime	
Water Source for Drilling Operations: Directional, Deviated or Horizontal wellbore? Yes No Well Farm Pond Other: None	
Diffit Gillie B	
VOC DYT #	vas DNa
Win sold St. Market	YesNo
If Yes, proposed zone:	CEIVED
KANSAS CORPO	RATION COMMISSIO
S: BAMHARI, 6400 R G-1 AFFIDAVIT	
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.	2 0 2007
It is agreed that the following minimum requirements will be met:	-, 2001
it to dyladet also following institution requirements with our mon.	
Notify the appropriate district office <i>prior</i> to spudding of well; CONSERVA	ATION DIVISION
Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig;	ATION DIVISION (HITA, KS
Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; WIC The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i>	HITA KS
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.	HITA, KS
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to pluggin</i>. 	HITA, KS
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to pluggin</i> The appropriate district office will be notified before well is either plugged or production casing is cemented in; If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud days. 	HITA, KS ng; ate.
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to pluggin</i> The appropriate district office will be notified before well is either plugged or production casing is cemented in; If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within <i>120 DAYS</i> of spud dayor pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cemented 	HITA, KS ng; ate. nting
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to pluggin</i> The appropriate district office will be notified before well is either plugged or production casing is cemented in; If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud days. 	HITA, KS ng; ate. nting
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to pluggit</i> The appropriate district office will be notified before well is either plugged or production casing is cemented in; If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within <i>120 DAYS</i> of spud dayor pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cemented in the complete of the complete casing order #133,891-C, which applies to the KCC District 3 area, alternate II cemented in the complete casing order #133,891-C, which applies to the KCC District 3 area. 	HITA, KS ng; ate. nting
 Notify the appropriate district office <i>prlor</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to pluggli</i> The appropriate district office will be notified before well is either plugged or production casing is cemented in; If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within <i>120 DAYS</i> of spud day or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cements to completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing the plugged of the statements made herein are true and correct to the best of my knowledge and belief. 	HITA, KS ng; ate. nting
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to pluggli</i> The appropriate district office will be notified before well is either plugged or production casing is cemented in; If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud day or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cements be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing 	HITA, KS ng; ate. nting
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to pluggli</i> The appropriate district office will be notified before well is either plugged or production casing is cemented in; If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within <i>120 DAYS</i> of spud day or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cements to completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing the plugged of the statements made herein are true and correct to the best of my knowledge and belief. 	HITA, KS ng; ate. nting
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to pluggii</i> 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud da Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cements to completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing hereby certify that the statements made herein are true and correct to the best of my knowledge and belief. November 14,2007 Signature of Operator or Agent: **Remember to:** **Remember to:**	HITA KS ng; ate. nting
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to pluggli</i> . 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud day. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cements to completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing thereby certify that the statements made herein are true and correct to the best of my knowledge and belief. November 14,2007 Signature of Operator or Agent: For KCC Use ONLY For KCC Use ONLY File Drill Pit Application (form CDP-1) with intent to Drill;	HITA, KS ng; ate. nting g.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to pluggitis</i> . 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud day. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud day. 7. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cement must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. 8. November 14,2007 Signature of Operator or Agent: 1. File Drill Pit Application (form CDP-1) with Intent to Drill; 2. File Completion Form ACO-1 within 120 days of spud date; 3. File acreage attribution plat according to field proration orders;	HITA KS ng; ate. nting
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of Intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to pluggli</i> 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within <i>120 DAYS</i> of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cements be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing thereby certify that the statements made herein are true and correct to the best of my knowledge and belief. Pate: November 14,2007 Signature of Operator or Agent: File Drill Pit Application (form CDP-1) with intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-em	HITA, KS ng; ate. nting g.
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugglic. 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE if COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud da Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate If cement to emplete within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and correct to the best of my knowledge and belief. Date: November 14,2007 Signature of Operator or Agent: File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-employed and plugging report (CP-4) after plugging is completed (within 60 Submit plugging report (CP-4) after plugging is completed (within 60 Submit plugging report (CP-4) after plugging is completed (within 60 Submit plugging report (CP-4) after plugging is completed (within 60 Submit plugging report (CP-4) after plugging is completed (within 60 Submit plugging report (CP-4) after plugging is completed (within 60 Submit plugging report (CP-4) after plugging is completed (within 60 Submit plugging report (CP-4) after plugging report (CP-4) after plugging report (CP-4) after plugging report (CP-4	HITA, KS ng; ate. nting g.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of Intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugglis</i> 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE if COMPLETION, production pipe shall be cemented from below any usable water to surface within <i>120 DAYS</i> of spud day or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate If cemen must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing thereby certify that the statements made herein are true and correct to the best of my knowledge and belief. Pate: November 14,2007 Signature of Operator or Agent: File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entire to the completion plugging report (CP-4) after plugging is completed (within 6 approved by: Approve	HITA, KS ng; ate. nting g.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugglit</i> . 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud da Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cemen must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing hereby certify that the statements made herein are true and correct to the best of my knowledge and belief. For KCC Use ONLY API # 15 - 133 - 27 + 292 - 10 - 10 - 10 - 11 - 21 - 07 - 11 - 21	HITA, KS ng; ate. nting g.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugglit</i> . 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE if COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud day. 6. If an ALTERNATE if COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud day. 7. Consumer to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate If cements to be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing the proposal belief. For KCC Use ONLY API # 15 - \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	HITA, KS ng; ate. nting g.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to pluggitis</i> . 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud day. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cement must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and correct to the best of my knowledge and belief. November 14,2007 Signature of Operator or Agent: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to filed proration orders; Notify appropriate district office 48 hours prior to workover or re-en. Submit plugging report (CP-4) after plugging is completed (within 6 obtain written approval before disposing or injecting salt water. This authorization expires: 1 - 1 - 1 - 2 - 0 + 1 - 2 - 0 + 1 - 2 - 0 + 1 - 2 - 0 + 1 - 2 - 0 + 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2	HITA, KS ng; ate. nting g.


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 133 - 27 292 - 9000 Operator: Quest Cherokse, LLC	Location of Well: County: Neosho
Lease: Bernhart, Glenn R	feet from N / S Line of Section
Well Number: Was 18-1 now 6-1	450 feet from X E / W Line of Section
Field: Cherokee Basin CBM	Sec. 6 Twp. 28 S. R. 19 🔀 E 🗌 W
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage: Ne _ Ne	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

			1:	l
Operator Name: Quest Cherokee, LLC			License Number: 33344	
Operator Address: 210 W. Park, S	uite 2750		Oklahoma City Ok 73102	
Contact Person: Richard Marlin			Phone Number: 405-702-7480	
Lease Name & Well No.: Barnhart. Glenn R Was 18-1 now 6-1			Pit Location (QQQQ):	
Type of Pit:	Pit is:			
Emergency Pit Burn Pit	Proposed Existing		Sec. 6 Twp. 28 R. 19 East West	ļ
Settling Pit Drilling Pit	If Existing, date co	enstructed:	660 Feet from North / South Line of Section	
Workover Pit Haul-Off Pit	Pit capacity:		450 Feet from East / West Line of Section	
(If WP Supply API No. or Year Drilled)	300	(bbls)	Neosho County	
Is the pit located in a Sensitive Ground Water	Area? Yes X	ملا	Chloride concentration:mg/l	Ì
Is the bettern below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?	
Is the bottom below ground level? Yes No	Yes XI	No	Air Drilling Well	
Dis dissertion (all host consisting miss)	30 Length (fe	at) 10	Width (feet) N/A: Steel Pits	
Pit dimensions (all but working pits):	rom ground level to de	•	10 (feet) No Pit	
If the pit is lined give a brief description of the			dures for periodic maintenance and determining	
material, thickness and installation procedure			ncluding any special monitoring.	
		Well is beir 3 days	ng air drilled with operations lasting approx.	
		Juays		
• • • • • • • • • • • • • • • • • • • •		Depth to shallo Source of infor	west fresh waterfeet. mation:	
NAfeet Depth of water well	feet	measu	red well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY	:	_	over and Haul-Off Pits ONLY:	
Producing Formation:		Type of materi	al utilized in drilling/workover: Air Drilled	
		king pits to be utilized:		
Barrels of fluid produced daily:		Abandonment	procedure: Air Dry, Back fill and cover.	
Does the slope from the tank battery allow at flow into the pit? Yes No	spilled fluids to	Drill pits must	be closed within 365 days of spud date. RECEIVE))
I hereby certify that the above state	ements are true and c	correct to the bes	t of my knowledge and heliof	1
	/	7	NOV 2 0 20	U7
1/15/07		Mad	Marlin CONSERVATION DIV	SION
Date	/		ignature of Applicant or Agent	<u> </u>
	ксс (OFFICE USE O	NLY Steel Pit RFAC RFAS	
Date Received: $u/20/07$ Permit Num	-h	B	it Date: 11/20/07 Lease Inspection: Yes No	
Date Received: <u>U/20/07</u> Permit Nun	nper:	Perm	R Date / OF O / Lease Inspection: Tes NO	1