For KCC Use:	12 1 2
Effective Date:	12-1-07
District #	4
SGA2 Ves	F√INα

Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date: December 12, 2007		
month day year	Spot Description:	
,	NW - SW - NW - Sec. 1 Twp. 3 S. R. 24 EX	W
OPERATOR: License# 33335	(2/0/0/0) 1,890 feet from N / S Line of Sect	
Name: IA Operating, Inc.	660 feet from E / X W Line of Sect	on
Address 1: 9915 W 21st Street N	Is SECTION: Regular Irregular?	
Address 2:	(Note: Locate well on the Section Plat on reverse side)	
City: Wichita State: KS Zip: 67205 +	County: Norton	
Contact Person: Hal Porter	Lease Name: Schulze Well #: 1-1	
Phone: 316-721-0036	Field Name: wildcat	-
CONTRACTOR: License# 30606	Is this a Prorated / Spaced Field?	lo.
Name: Murfin Drilling Company, Inc.	Target Formation(s): Lansing - Kansas City, Conglomerate, Reagan sand	10
W. # D. # J. F	Nearest Lease or unit boundary line (in footage): 660	
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 2425 approx feet Mi	
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:	
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:	-
Disposal Wildcat Cable	Depth to bottom of fresh water: 180	10
Seismic ; # of Holes Other	Depth to bottom of usable water: 1250	
Other:	Surface Pipe by Alternate:	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 200 230 min inum	
Name of the last o	Length of Conductor Pipe (if any): None	
Operator:	Projected Total Depth: 3900	
Well Name:	Formation at Total Depth: Granite	
Original Completion Date: Original Total Depth:		
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations: Well Farm Pond Other:	
If Yes, true vertical depth:		
Bottom Hole Location:	DWR Permit #:(Note: Apply for Permit with DWR)	ngram (m
KCC DKT #:		No.
		10
	If Yes, proposed zone:	
ACC	RECEIVE	- C
MEG.	ID V/IT	ישב
• • •	KANSAS CORPORATION	COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plug	gging of this well will comply with K.S.A. 55 et. seq.	COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:	gging of this well will comply with K.S.A. 55 et. seq.	COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	reging of this well will comply with K.S.A. 55 et. seq. NOV 2 6 2	COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	reging of this well will comply with K.S.A. 55 et. seq. NOV 2 6 2	COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to	reging of this well will comply with K.S.A. 55 et. seq. NOV 2 6 2 drilling rig; by circulating cement to the top; in all cases surface pipe shall be surface of the control of the contr	COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	reging of this well will comply with K.S.A. 55 et. seq. NOV 2 6 2 drilling rig; by circulating cement to the top; in all cases surface pipe shall be with the condensation.	COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugger.	reging of this well will comply with K.S.A. 55 et. seq. NOV 2 6 2 drilling rig; ry circulating cement to the top; in all cases surface pipe shall be successful to the top; in all cases sur	COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	drilling rig; by circulating cement to the top; in all cases surface pipe shall be with the top; in all cases surface pipe shall be within a condensity of the plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.	COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	drilling rig; by circulating cement to the top; in all cases surface pipe shall be with the condition of the	COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well_shall be	drilling rig; by circulating cement to the top; in all cases surface pipe shall be surfaced or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.	COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	drilling rig; by circulating cement to the top; in all cases surface pipe shall be supported by circulating cement to the top; in all cases surface pipe shall be supported by circulating formation. Seed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Set of my knowledge and belief.	COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge 5. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correction the best and the statements and the pluggent of the spud date of the well shall be the pluggent of the spud date of the well shall be the pluggent of the statements made herein are true and correction the best and the statements made herein are true and correction the statements where the pluggent of the spud date of the well shall be the pluggent of the spud date of the well shall be the pluggent of the spud date of the well shall be the pluggent of the spud date of the well shall be the pluggent of the spud date of the well shall be the pluggent of the spud date of the well shall be the pluggent of the spud date of the well shall be the pluggent of the spud date of the well shall be the pluggent of the spud date of the well shall be the pluggent of the spud date of the well shall be the pluggent of the spud date of t	drilling rig; py circulating cement to the top; in all cases surface pipe shall be surface or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. KANSAS CORPORATION MAN SANSAS CORPORATION MOVES A CONSERVATION DIVIDING A CONSERVATION	COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall</i> be posted on each 3. The minimum amount of surface pipe as specified below <i>shall</i> be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the be	drilling rig; by circulating cement to the top; in all cases surface pipe shall be supported by circulating cement to the top; in all cases surface pipe shall be supported by circulating cement to the top; in all cases surface pipe shall be supported by underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Title: President	COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the surface district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be it hereby certify that the statements made herein are true and correct to the beautiful to the statements of the spud date or the well shall be set to the beautiful that the statements made herein are true and correct to the beautiful to the statements of the spud date or the well shall be set to the spud date or the well shall be	drilling rig; py circulating cement to the top; in all cases surface pipe shall be surface or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. KANSAS CORPORATION MAN SANSAS CORPORATION MOVES A CONSERVATION DIVIDING A CONSERVATION	COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #11 must be completed within 30 days of the spud date or the well shall be it hereby certify that the statements made herein are true and correct to the between the complete of the statements of the operator of Agent: November 21, 2007 Signature of Operator or Agent: For KCC Use ONLY	drilling rig; by circulating cement to the top; in all cases surface pipe shall be surface or plug length and placement is necessary prior to plugging; add or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. President Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;	COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall</i> be posted on each 3. The minimum amount of surface pipe as specified below <i>shall</i> be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the between the complete of the statements of the operator of Agent: November 21, 2007	drilling rig; by circulating cement to the top; in all cases surface pipe shall be sufficiently and placement is necessary prior to plugging; and or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. President Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;	COMMISSION OOT IVISKON
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the best place. November 21, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 13 7 - 20473-000 Conductor pipe required feet	drilling rig; by circulating cement to the top; in all cases surface pipe shall be supported by circulating cement to the top; in all cases surface pipe shall be supported by circulating cement to the top; in all cases surface pipe shall be supported by circulating cement to the top; in all cases surface pipe shall be supported by circulating cement to the top; in all cases are prior to plugging; ad or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. President Title: President File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;	COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correction the between the complete to the best of the spud shall be the statements of the spud shall be completed. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 137 - 20473-0000 Conductor pipe required feet	drilling rig; by circulating cement to the top; in all cases surface pipe shall be surface or production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. President Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;	COMMISSION OOT IVISION
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correction the between the production pipe required Signature of Operator or Agent: For KCC Use ONLY API # 15 - 137 - 20473-000 Conductor pipe required feet Minimum surface pipe required feet per ALT.	drilling rig; by circulating cement to the top; in all cases surface pipe shall be shall be surface pipe shall	COMMISSION OOT IVISION
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correction the between the complete of the production of the spud date or the well shall be I hereby certify that the statements made herein are true and correction the between the complete of the spud date or the well shall be I hereby certify that the statements made herein are true and correction the between the statements are true and correction to be supported to the spud date or the well shall be I hereby certify that the statements made herein are true and correction the between the spud date or the well shall be I hereby certify that the statements made herein are true and correction the between the spud date or the well shall be I hereby certify that the statements made herein are true and correction the between the spud date or the well shall be I hereby certify that the statements made herein are true and correction the between the spud date or the well shall be I hereby certify that the statements are spud date or the well shall be I hereby certified and the shall be I hereby certified and the shall be I hereby certified before an agreement between the open date of the shall be set to th	drilling rig; by circulating cement to the top; in all cases surface pipe shall be surface or production casing is cemented in; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Est of my knowledge and belief. President File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.	COMMISSION OOT IVISKON
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be demented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be it hereby certify that the statements made herein are true and correct to the best in the province of the pro	drilling rig; by circulating cement to the top; in all cases surface pipe shall be shall be surface pipe shall	COMMISSION OOT IVISION
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correction the between the complete of the production of the spud date or the well shall be I hereby certify that the statements made herein are true and correction the between the complete of the spud date or the well shall be I hereby certify that the statements made herein are true and correction the between the statements are true and correction to be supported to the spud date or the well shall be I hereby certify that the statements made herein are true and correction the between the spud date or the well shall be I hereby certify that the statements made herein are true and correction the between the spud date or the well shall be I hereby certify that the statements made herein are true and correction the between the spud date or the well shall be I hereby certify that the statements made herein are true and correction the between the spud date or the well shall be I hereby certify that the statements are spud date or the well shall be I hereby certified and the shall be I hereby certified and the shall be I hereby certified before an agreement between the open date of the shall be set to th	drilling rig; by circulating cement to the top; in all cases surface pipe shall be surface on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. President Title: President File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	COMMISSION OOT IVISION
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be demented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be it hereby certify that the statements made herein are true and correct to the best in the province of the pro	drilling rig; by circulating cement to the top; in all cases surface pipe shall be specified on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Est of my knowledge and belief. President File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please	COMMISSION OOT IVISION

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 137-20473-0000	
Operator: IA Operating, Inc.	Location of Well: County: Norton
Lease: Schulze	1,890 feet from N / S Line of Section
Well Number: 1-1	660 feet from E / X W Line of Section
Field: wildcat	Sec. 1 Twp. 3 S. R. 24 E X W
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage:NW	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW


PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)

•••••		: :	· · · · · · · · · · · · · · · · · · ·		: :	: :	· · · · · · · · · · · · · · · · · · ·
18	390'						
660	J.						
600	? :		· · · · · · · · · · · · · · · · · · ·			: :	
				/ //		:	
			<i>.l.</i> -	- I			
. <i></i>	•	,,,				·	*********
						•	
			,				

RECEIVED
KANSAS CORPORATION COMMISSION

NOV 2 6 2007

CONSERVATION DIVISION WICHITA, KS



NOTE: in all cases locate the spot of the proposed drilling locaton.

in plotting the proposed location of the well, you must show.

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: IA Operating, Inc.			License Number: 33335	
Operator Address: 9915 W 21st Street N			Wichita KS 67205	
Contact Person: Hal Porter			Phone Number: 316-721-0036	
Lease Name & Well No.: Schulze	1-1		Pit Location (QQQQ):	
Type of Pit:	Pit is:		<u>NW _ SW _ NW</u>	
Emergency Pit Burn Pit	X Proposed	Existing	Sec. 1 Twp. 3 R. 24 East West	
Settling Pit	If Existing, date co	onstructed:	1,890 Feet from North / South Line of Section	
Workover Pit Haul-Off Pit	Pit capacity:		660 Feet from East / West Line of Section	
(If WP Supply API No. or Year Drilled)	600	(bbls)	Norton County	
Is the pit located in a Sensitive Ground Water	Area? Yes	} √100	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
is the bottom below ground level? Yes No	Artificial Liner? Yes	No	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):	DO Length (fe	et) 100	Width (feet) N/A: Steel Pits	
Depth from	om ground level to de	epest point:	4 (feet) No Pit	
			1573	
Distance to nearest water well within one-mile	of pit	Depth to shallo Source of infor		
2623 feet Depth of water well	13,2feet	measu	ured well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY:		_	over and Haul-Off Pits ONLY:	
Producing Formation:			al utilized in drilling/workover: Bentonite	
		vorking pits to be utilized: 4 nt procedure: Allow to dry, backfill and level		
Does the slope from the tank battery allow all flow into the pit? Yes No	spilled fluids to		be closed within 365 days of spud date. RECEIVED	
I hereby certify that the above state			KANSAS CORPORATION CON	
Thereby certify that the above state				
November 21, 2007 Date	ements are true and c	Hal	NOV 2 6 2007 CONSERVATION DIVISIONALITY KEY	
		Hal	NOV 2 6 2007 CONSERVATION DIVISION OF APPLICANT OF AGENT	