# RECEIVED

KANSAS CORPORATION COMMISSION

For KCC Use: Effective Date: District #. SGA? Yes No KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION NOV 2 7 2007

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL CONSERVATION DIVISION Must be approved by KCC five (5) days prior to commencing WellCHITA, KS

	NW SW Sec. 7 Twp. 29	S. R. <u>19</u> West
	1000 / feet from N / 🗸	S Line of Section
OPERATOR: License# 33344 Name: Quest Cherokee LLC		W Line of Section
Address: 210 Park Avenue Ste 2750	ls SECTIONRegularIrregular?	
City/State/Zip: Oklahoma City Oklahoma 73102	(Note: Locate well on the Section Plat on rev	rerse side)
Contact, Person, Richard Marlin	County: Neosho	
Phone: 405-702-7480	Lease Name. Beachner Brothers	_Well #: 7-29-19-3
_	Field Name: Cherokee Basin CBM	
CONTRACTOR: License# Will be licensed by the KCC / Name: Will advise on the ACO-1	Is this a Prorated / Spaced Field?  Target Formation(s): Cherokee Coal	Yes ✓ No
W-9 Dags - J. France Wall Classes Time Equipments	Nearest Lease or unit boundary: 330	
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 990	feet MSL
Oil Enh Rec / Infield Mud Rotary	Water well within one-quarter mile:	Yes ✓ No
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:	Yes ✓ No
OWWO Disposał Wildcat Cable	Depth to bottom of fresh water: NA 100	
Seismic; # of Holes Other  ✓ Other Coalbed Methane	Depth to bottom of usable water	
Other Odaloed Methalic	Surface Pipe by Alternate: 1 2	
f OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 25	
Operator:	Length of Conductor Pipe required:	<del> </del>
Weil Name:	Projected Total Depth: 1300	
Original Completion Date:Original Total Depth:	Formation at Total Depth: Cherokee Coals	
	Water Source for Drilling Operations:	_
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well Farm Pond Other Air	
f Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR	]) <b>_</b> _
KCC DKT #:	Will Cores be taken?	Yes ✓ No
AFF	IDAVIT	
	DAVIT	
The undersigned hereby affirms that the drilling, completion and eventual p		
The undersigned hereby affirms that the drilling, completion and eventual p	ugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  if by circulating cement to the top; in all cases surface in a underlying formation.  listrict office on plug length and placement is necessary iged or production casing is cemented in;  ed from below any usable water to surface within 120 of #133,891-C, which applies to the KCC District 3 area,	prior to plugging; lays of spud date. alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea:  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the constant of the set	ch drilling rig; In this well will comply with K.S.A. 55 et. seq. In the drilling rig; In the underlying formation. It is trict office on plug length and placement is necessary iged or production casing is cemented in; In the driving formation of the form below any usable water to surface within 120 of #133,891-C, which applies to the KCC District 3 area, be plugged. In all cases, NOTIFY district office prior	prior to plugging; lays of spud date. alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual p t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea:  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the foundation of the specified before well is either plut of the appropriate district office will be notified before well is either plut of the appropriate district office will be notified before well is either plut of the specified before well is either plut of the price of the well shall be completed within 30 days of the spud date or the well shall be the specified before the well shall be certify that the statements made herein are true and to the best of the specified before the well shall be the specified before the well shall be certified before the well shall be the statements and the statements are the certified before the well shall be the statements and the statements are the sta	ch drilling rig; It by circulating cement to the top; in all cases surface in the underlying formation. Illistrict office on plug length and placement is necessary ged or production casing is cemented in; ed from below any usable water to surface within 120 of #133,891-C, which applies to the KCC District 3 area, be plugged. In all cases, NOTIFY district office prior if my knowledge and belief.	prior to plugging; days of spud date. alternate II cementing to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual p it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea:  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the formal strict office will be notified before well is either plut.  5. The appropriate district office will be notified before well is either plut.  6. If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud date.	ch drilling rig; In this well will comply with K.S.A. 55 et. seq. In the drilling rig; In the underlying formation. It is trict office on plug length and placement is necessary iged or production casing is cemented in; In the driving formation of the form below any usable water to surface within 120 of #133,891-C, which applies to the KCC District 3 area, be plugged. In all cases, NOTIFY district office prior	prior to plugging; days of spud date. alternate II cementing to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual p it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea:  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the formal strict office will be notified before well is either plut.  5. The appropriate district office will be notified before well is either plut.  6. If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud date.	ch drilling rig; It by circulating cement to the top; in all cases surface in the underlying formation. Illistrict office on plug length and placement is necessary ged or production casing is cemented in; ed from below any usable water to surface within 120 of #133,891-C, which applies to the KCC District 3 area, be plugged. In all cases, NOTIFY district office prior if my knowledge and belief.	prior to plugging; days of spud date. alternate II cementing to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual p it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea:  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set.  4. If the well is dry hole, an agreement between the operator and the complete district office will be notified before well is either pluging the surface casing order must be completed within 30 days of the spudidate or the well shall be the spudidate of the well shall be the surface casing order must be completed within 30 days of the spudidate or the well shall be the spudidate of the spudidate or the well shall be completed.  Signature of Operator or Agent:  **Date: November 26, 2007**  Signature of Operator or Agent: **Date: November 26, 2007**  Signature of Operator or Agent: **Date: November 26, 2007**  **Date: November 26, 2007**  Signature of Operator or Agent: **Date: November 26, 2007**  **Date: November 26, 2007**  Signature of Operator or Agent: **Date: November 26, 2007**  Signature of Operator or Agent: **Date: November 26, 2007**  Signature of Operator or Agent: **Date: November 26, 2007**  Signature of Operator or Agent: **Date: November 26, 2007**  Signature of Operator or Agent: **Date: November 26, 2007**  Signature of Operator or Agent: **Date: November 26, 2007**  Signature of Operator or Agent: **Date: November 26, 2007**  Signature of Operator or Agent: **Date: November 26, 2007**  Signature of Operator or Agent: **Date: November 26, 2007**  Signature of Operator or Agent: **Date: November 26, 2007**  Signature of Operator or Agent: **Date: November 26, 2007**  Signature of Operator or Agent: **Date: November 26, 2007**  Signature of Operator or Agent: **Date: November 26, 2007**  Signature of Operator or Agent: **Date: November 26, 2007**  Signature of	ch drilling rig; It by circulating cement to the top; in all cases surface in the underlying formation. Illistrict office on plug length and placement is necessary iged or production casing is cemented in; ed from below any usable water to surface within 120 of #133,891-C, which applies to the KCC District 3 area, be plugged. In all cases, NOTIFY district office prior from knowledge and belief.	prior to plugging; days of spud date. alternate II cementing to any cementing. ent
The undersigned hereby affirms that the drilling, completion and eventual point is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea: 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the confidence of the set	ch drilling rig; It by circulating cement to the top; in all cases surface in the underlying formation. Illistrict office on plug length and placement is necessary iged or production casing is cemented in; ed from below any usable water to surface within 120 of #133,891-C, which applies to the KCC District 3 area, be plugged. In all cases, NOTIFY district office prior if my knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to District to District to District to District of District Office President District Office	prior to plugging; days of spud date. alternate II cementing to any cementing. ent
The undersigned hereby affirms that the drilling, completion and eventual point is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the vell is dry hole, an agreement between the operator and the constitution of the surface of the well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the proposition of the price of the well shall be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the post of the pos	ch drilling rig; It by circulating cement to the top; in all cases surface in the underlying formation. Illistrict office on plug length and placement is necessary iged or production casing is cemented in; ed from below any usable water to surface within 120 #133,891-C, which applies to the KCC District 3 area, be plugged. In all cases, NOTIFY district office prior if my knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Describe Completion Form ACO-1 within 120 days of sput	r prior to plugging; days of spud date. alternate II cementing to any cementing.  ent  prill; d date; ion orders; rkover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual point is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ea.  3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the continuous of the well is dry hole, an agreement between the operator and the continuous of the well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate of the spud date or the well shall be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the plant of th	ch drilling rig; It by circulating cement to the top; in all cases surface in the underlying formation. Illistrict office on plug length and placement is necessary iged or production casing is cemented in; ed from below any usable water to surface within 120 at #133,891-C, which applies to the KCC District 3 area, be plugged. In all cases, NOTIFY district office prior if my knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Desire Completion Form ACO-1 within 120 days of spure in the plugged. File acreage attribution plat according to field proration.	r prior to plugging; days of spud date. alternate II cementing to any cementing.  ent  crill; d date; ion orders; rkover or re-entry; pleted;
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.  3. The minimum amount of surface pipe as specified below <i>shall be</i> as through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the complete district office will be notified before well is either pluging. The appropriate district office will be notified before well is either pluging. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spudicate or the well shall hereby certify that the statements made herein are true and to the best of the post of the spudicate of the specific of the post of the spudicate of t	ch drilling rig; It by circulating cement to the top; in all cases surface in the underlying formation. Illistrict office on plug length and placement is necessary iged or production casing is cemented in; ed from below any usable water to surface within 120 of #133,891-C, which applies to the KCC District 3 area, be plugged. In all cases, NOTIFY district office prior if my knowledge and belief.  Title: Vice Preside Remember to:  File Drill Pit Application (form CDP-1) with Intent to Desire to English and the plugging of the plugging is come. Submit plugging report (CP-4) after plugging is come. Obtain written approval before disposing or injecting	prior to plugging; days of spud date. alternate II cementing to any cementing.  ent  prill; d date; dion orders; rkover or re-entry; pleted; I salt water.
The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of Intent to drill shall be posted on ea:  3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the second shall be second and the complete is district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be reby certify that the statements made herein are true and to the best of Date:  November 26, 2007  Signature of Operator or Agent:  November 26, 2007  Signature of Operator or Agent:  November 26, 2007  For KCC Use ONLY  API # 15 - 133 - 27305 - 0000  Conductor pipe required  November 26, 2007  Feet per Alt.  2 Approved by:  Publication expires:  1 - 2 7 - 07  This authorization expires:	ch drilling rig; It by circulating cement to the top; in all cases surface in the underlying formation. Illistrict office on plug length and placement is necessary iged or production casing is cemented in; ed from below any usable water to surface within 120 at #133,891-C, which applies to the KCC District 3 area, be plugged. In all cases, NOTIFY district office prior if my knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Define the Completion Form ACO-1 within 120 days of spure in the Completion Form ACO-1 within 120 days of spure in the Completion in the	r prior to plugging; days of spud date. alternate II cementing to any cementing.  ent  prill; d date; ion orders; rkover or re-entry; pleted; salt water. date) please
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of Intent to drill shall be posted on ea:  3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the second shall be second to the second shall be second to the second shall be completed within 30 days of the spud date or the well shall shall hereby certify that the statements made herein are true and to the best of Date:  November 26, 2007  Signature of Operator or Agent:  Por KCC Use ONLY  API # 15	ch drilling rig; It by circulating cement to the top; in all cases surface in the underlying formation. Illistrict office on plug length and placement is necessary iged or production casing is cemented in; ed from below any usable water to surface within 120 of #133,891-C, which applies to the KCC District 3 area, be plugged. In all cases, NOTIFY district office prior if my knowledge and belief.  File Drill Pit Application (form CDP-1) with Intent to Define a Completion Form ACO-1 within 120 days of sputh in the properties of the intention of the plugging report (CP-4) after plugging is common obtain written approval before disposing or injecting this permit has expired (See: authorized expiration check the box below and return to the address below.	r prior to plugging; days of spud date. alternate II cementing to any cementing.  ent  prill; d date; ion orders; rkover or re-entry; pleted; salt water. date) please
The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ea:  3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the second shall be second and the complete district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of Date:  November 26, 2007  Signature of Operator or Agent:  November 26, 2007  Signature of Operator or Agent:  November 26, 2007  For KCC Use ONLY  API # 15 - 133-27305-0000  Conductor pipe required  November 26, 2007  Feet per Alt.  Approved by:  Publication expires:  1/-27-07  This authorization expires:	ch drilling rig; It by circulating cement to the top; in all cases surface in the underlying formation. Ilistrict office on plug length and placement is necessary iged or production casing is cemented in; ed from below any usable water to surface within 120 at #133,891-C, which applies to the KCC District 3 area, be plugged. In all cases, NOTIFY district office prior if my knowledge and belief.  File Drill Pit Application (form CDP-1) with Intent to Describe the Completion Form ACO-1 within 120 days of sputher in the Completion	r prior to plugging; days of spud date. alternate II cementing to any cementing.  ent  prill; d date; ion orders; rkover or re-entry; pleted; salt water. date) please

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

NOV 2 7 2007


CONSERVATION DIVISION


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a purpose of the form. field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 133-27305-0000	Location of Well: County: Neosho
Operator: Quest Cherokee LLC	1000 feet from N / S Line of Section
Lease: Beachner Brothers	330 feet from ☐ E / ✓ W Line of Section
Well Number: 7-29-19-3	Sec. 7 Twp. 29 S. R. 19 VEast Wes
Field: Cherokee Basin CBM	
Number of Acres attributable to well: SW SW SW	Is Section: Regular or Irregular  If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## RECEIVED

### KANSAS CORPORATION COMMISSION Oil & Gas Conservation Division

NOV 2 7 2007

Form CDP-1 April 2004 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

CONSERVATION DIVISIONS WICHITA KS

Submit in Duplicate

Operator Name: Quest Cherokee LLC		License Number: 33344		
Operator Address: 210 Park Avenue, Suite 2750, Oklahoma City Oklahoma 73102				
Contact Person: Richard Marlin		Phone Number: ( 405 ) 702 - 7480		
Lease Name & Well No.: Beachner Brothers 7-29-19-3		19-3	Pit Location (QQQQ):	
Type of Pit:	Pit is:		<u>NW</u> <u>SW</u> <u>SW</u> _	
Emergency Pit Burn Pit	Proposed Existing		Sec. 7 Twp. 29 R. 19 ✓ East 🗌 West	
Settling Pit	If Existing, date constructed:		Feet from North / 🗸 South Line of Section	
Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / 🗸 West Line of Section County	
Is the pit located in a Sensitive Ground Water Area? Yes V No		Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?  Yes V No	Artificial Liner? ☐ Yes ✓ No		How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):30 Length (feet) Width (feet) N/A: Steel Pits  Depth from ground level to deepest point: 10 (feet)				
		Air Drilling	Operation Lasting Approx 3 Days	
·		Depth to shallo Source of infor	west fresh waterfeet. mation:	
N/A feet Depth of water wellfeet		measu	redwell owner electric logKDWR	
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:		
Producing Formation:		Type of material utilized in drilling/workover: Air -Drilled		
Number of producing wells on lease:		Number of working pits to be utilized: One  Abandonment procedure: Air dry, Back fill and cover		
Barrels of fluid produced daily:  Does the slope from the tank battery allow all spilled fluids to flow into the pit?  Yes No			pe closed within 365 days of spud date.	
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.				
November 26, 2007  Date  Tickan Work  Signature of Applicant or Agent				
KCC OFFICE USE ONLY				
Date Received: 11/22/02 Permit Number: Permit Date: 11/22/02 Lease Inspection: Yes A No				