For KCC Use: Effective Date: District # SGA? Yes YNo

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
October 2007
Form must be Typed
Form must be Signed
All blanks must be Filled

NOTICE OF INTENT TO DRILL

	Mu	st be approved by KCC five	(5) days prior to commencing well	
Expected Spud Date:	12-08-07 month day	year year		S. R. 10 DE W
OPERATOR: License# Name: Mai Oil Operations			580 feet from	N / X S Line of Section E / W Line of Section
Address 1: P.O. Box 33			ls SECTION: Regular I Irregular?	
Address 2:			(Note: Locate well on the Section Plat	on reverse side)
	State: Ks. Z	tip: <u>67665</u> +	County: Elisworth	
Contact Person: Allen Ba			Lease Name: Charvat	Well #: 30-1
Phone: 785-483-2169	/		Field Name: Wildcat	
CONTRACTOR: License Name: Southwind Drilling.	# 33350 Inc.		Is this a Prorated / Spaced Field? Tarret Formation(s): Arbuckle	Yes No
Well Drilled For:	Well Class:	Type Equipment:	Nearest Lease or unit boundary line (in footage): 5	BO' -
	 3	Mud Rotary	Ground Surface Elevation: 1703	feet MSL
Gas Stor	_	Air Rotary	Water well within one-quarter mile:	Yes No
	posal	Cable	Public water supply well within one mile:	Yes X No
Seismic #	<u></u>		Depth to bottom of fresh water:	
Other:			Depth to bottom of usable water:	
The Owner of the	.tt interpreties as fallows:		Surface Pipe by Alternate: XI 300	
R OWWO: old we	ili information as follows:		Length of Surface Pipe Planned to be set: 300	
Operator:			Length of Conductor Pipe (if any): None	
			Projected Total Depth: 3275'	
Original Completion [Date: Origin	al Total Depth:	Formation at Total Depth: Arbuckle Water Source for Drilling Operations:	
Directional, Deviated or H		☐ Yes X No	Well Farm Pond Other:	
			DWR Permit #:(Note: Apply for Permit with D	wo 🕏
KCC DKT #:			Will Cores be taken? If Yes, proposed zone:	Yes No
		AFF		RECEIVED
The undereigned hereby	v affirms that the drilling		IDAVIT gging of this well will comply with K.S.A. 55 et. seq.	ISAS CORPORATION COMMISSION
-			gging of this weil will comply with N.J.A. 55 ct. 364.	NOV 0 0 000
•	wing minimum requireme			NOV 2 6 2007
 A copy of the app The minimum am through all uncon If the well is dry h The appropriate of If an ALTERNATE Or pursuant to Appropriate to	solidated materials plus a role, an agreement betwe district office will be notifie E II COMPLETION, produ opendix "B" - Eastern Kar	drill shall be posted on each pecified below shall be set to a minimum of 20 feet into the sen the operator and the distret before well is either pluggiction pipe shall be cemented as surface casing order #1	drilling rig; by circulating cement to the top; in all cases surface perunderlying formation. bit office on plug length and placement is necessary bed or production casing is cemented in; but from below any usable water to surface within 120 to be 33,891-C, which applies to the KCC District 3 area, a blugged. In all cases, NOTIFY district office prior	prior to plugging; DAYS of spud date. Ilternate II cementing
		are true and correct x the b	est of my knowledge and belief.	
Date:	Signature of Ope	rator or Agent: Ullu	n Bangut Title: Prod	. Supt.
			Remember to:	30
For KCC Use ONLY	-21210-00	7	- File Drill Pit Application (form CDP-1) with Intent t	
API # 15 - USS	-21210-000	<u> </u>	 File Completion Form ACO-1 within 120 days of s File acreage attribution plat according to field pro 	
Conductor pipe require	od None	feet	Notify appropriate district office 48 hours prior to a	
Minimum surface pipe Approved by: ### 1		feet per ALT.	Submit plugging report (CP-4) after plugging is co Obtain written approval before disposing or injection.	ompleted (within 60 days);
This authorization exp	//- 27-/2 (If this permit has expired (See: authorized expirat check the box below and return to the address be 	
Spud date:		approved descrip	Well Not Drilled - Permit Expired Date: Signature of Operator or Agent:	
1	, , , , , , , , , , , , , , , , ,			الدين خ

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 053-21210-0000				
Operator: Mai Oil Operations, Inc.	Location of Well: County: Ellsworth			
Lease: Charvat	1,690	feet from N / S Line of Section		
Weil Number: 30-1	580	feet from X E / W Line of Section		
Field: Wildcat	Sec. 30 Twp. 15	S. R. 10 E X W		
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage: S/2 . NE . SE .	ls Section: Regular or	Irregular		
	If Section is Irregular, locate Section corner used:	e well from nearest corner boundary.		

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Phone Number: 785-483-2169						
Phone Number: 785-483-2169	Operator Name: Mai Oil Operations, I	nc.	License Number: 5259			
Lease Name & Well No.: Charvat Sye of Pit.	Operator Address: P.O. Box 33			Russell K	s. 67665	
Type of Pit: Emergency Pit Bum Pit Fit is: Si2 NE SE Settling Pit Drilling Pit Fit capacity: Si2 NE Settling Pit Settling Pit South Line of Sectling Pit Haul-Off Pit Pit capacity: Si2 Ne Settling Pit Settling Pit Haul-Off Pit Pit capacity: Si2 Ne Settling Pit Settling Pit Haul-Off Pit Pit capacity: Si2 Ne Settling Pit Settling	Contact Person: Allen Bangert		Phone Number: 785-483-2169			
Emergency Pit	Lease Name & Well No.: Charvat	30-	Pit Location (QQQQ):			
Settling Pit Drilling Pit Morkover Pit Haul-Off Pit Pit capacity: 500 Elisworth Settling Pit capacity: 500 Elisworth Settling Pit capacity: 500 Elisworth Settling Pit capacity: 500 Elisworth Cour Is the pit located in a Sensitive Ground Water Area? Yes No Chloride concentration: mg. (For Emergency Pits and Settling Pits only) Is the bottom below ground level? Artificial Liner? How is the pit lined if a plastic liner is not used? Drilling Mud Pit dimensions (all but working pits): 75	Type of Pit:	Pit is:		S/2 NE SE _		
Workover Pit	Emergency Pit Burn Pit	Proposed	Existing	Sec. 30 Twp. 15 R. 10 East	West	
Workover Pit	Settling Pit Drilling Pit			1,690 Feet from North / South	Line of Section	
Supply API No. or Year Drilled So0 Selfsworth Course Supply API No. or Year Drilled So0 Selfsworth Course Supply API No. or Year Drilled So0 Selfsworth Selfsworth So0 Selfsworth Selfswort	Workover Pit Haul-Off Pit	Dit conscitu		E00	[
Is the pit located in a Sensitive Ground Water Area? Yes No Chloride concentration:	(If WP Supply API No. or Year Drilled)	· ·	(bbis)	Fileworth		
Steel Pits Source of information: Source of information: Type of material utilized in drilling/workover: Depth of water well wild produced daily: Source of fluid pr	is the pit located in a Sensitive Ground Water	Area? Yes X				
Pit dimensions (all but working pits): 75				(For Emergency Pits and Settling Pits of	only)	
Pit dimensions (all but working pits): 75 Length (feet) 75 Width (feet) N/A: Steel Pits Depth from ground level to deepest point: 3 (feet) No Pit If the pit is lined give a brief description of the liner material, thickness and installation procedure. Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring. Depth to shallowest fresh water feet. Source of information: well owner electric log KDWR Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No 1 hereby certify that the above statements are true and correct to the best of my knowledge and belief. NOV 2 6 2			No			
Depth from ground level to deepest point: Depth from ground level to deepest point: Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring. Describe procedures fresh water feet. Describe procedures fresh water feet. Source of information: Methods feet Depth of water well feet Depth to shallowest fresh water feet. Source of information: Drilling, Workover and Haul-Off Pits ONLY: Type of material utilized in drilling/workover: Drilling Morkover Drilling Mud Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all spilled fluids to flow into the pit? I hereby certify that the above statements are true and correct to the best of my knowledge and belief. NOV 2 6 2			75	Diming Mad		
If the pit is lined give a brief description of the liner material, thickness and installation procedure. Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.	Pit dimensions (all but working pits):	Length (fe	eet)	, ,	Steel Pits	
Distance to nearest water well within one-mile of pit Depth to shallowest fresh water Geet	Depth f	rom ground level to de	eepest point:	3 (feet) No Pit	t .	
Source of information: Main Feet Depth of water well Feet			, · · · · · · · · · · · · · · · · · · ·			
Source of information: Main Feet Depth of water well Feet						
Source of information: Main Feet Depth of water well Source of information: well owner electric log KDWR						
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all spilled fluids to flow into the pit? I hereby certify that the above statements are true and correct to the best of my knowledge and belief. Producing Formation: Type of material utilized in drilling/workover: Number of working pits to be utilized: 3 Abandonment procedure: Let Dry and Backfill Drill pits must be closed within 365 days of spud date. RECEIVE KANSAS CORPORATION NOV 2 6 2	Distance to nearest water well within one-mil	e of pit	1		-	
Producing Formation:	N/A feet Depth of water well	feet	measu	red well owner electric log	KDWR	
Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Number of working pits to be utilized: Abandonment procedure: Let Dry and Backfill Drill pits must be closed within 365 days of spud date. RECEIVE KANSAS CORPORATION 11-21-07 Date NOV 2 6 2	Emergency, Settling and Burn Pits ONLY	:	1	Drilling, Workover and Haul-Off Pits ONLY:		
Barrels of fluid produced daily: Does the slope from the tank battery allow all spilled fluids to flow into the pit? I hereby certify that the above statements are true and correct to the best of my knowledge and belief. NOV 2 6 2	Producing Formation: Type			_		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must be closed within 365 days of spud date. RECEIVE I hereby certify that the above statements are true and correct to the best of my knowledge and belief. NOV 2 6 2	Number of producing wells on lease:					
Thereby certify that the above statements are true and correct to the best of my knowledge and belief. 1 hereby certify that the above statements are true and correct to the best of my knowledge and belief. NOV 2 6 2	Barrels of fluid produced daily:		Abandonment	procedure: Let Dry and Backfill		
1 hereby certify that the above statements are true and correct to the best of my knowledge and belief. KANSAS CORPORATION NOV 2 6 2	` <u></u>	I spilled fluids to	Drill pits must be closed within 365 days of spud date.			
11-21-07 MOV 2 6 2	I hereby certify that the above stat	ements are true and	correct to the bes	of my knowledge and belief. KANSAS C	RECEIVED ORPORATION CON	
Date Signature of Applicant or Agent			//10	2 1-		
Date Signature of Appplicant or Agent CONSERVATION D			Men	1000 -por	UV 2 6 2002	
	Date			ignature of Applicant or Agent CON	ISERVATION DIVIS	
	Date Received: 11 24 07 Permit Nur	nber:	Perm	it Date: \\\ 24\07\ Lease Inspection:	Yes X No	
Date Received: 11 24 07 Permit Number: Permit Date: 11 24 07 Lease Inspection: Yes X No						