CORRected

For KCC Use:

KANSAS CORPORATION COMMISSION CORRECT OIL & GAS CONSERVATION DIVISION

December 2002 Form must be Typed Form must be Signed

All blanks must be Filled

NOTICE OF INTENT TO DRILL

	November 10, 2007	day year	Spot NE NW NE Sec. 4 Twp. 28	East
		•	120 sec. twp.	
OPERATOR: License#	33/39		1445 feet from V N /	
lame: SEK Energy, LI	LC		A	JW Line of Section
ddress: P.O. Box 55			ls SECTIONRegularIrregular?	
ity/State/Zip: Benedic	ct, KS 66714		(Note: Locate well on the Section Plat on re	everse side)
Contact Person: Georg	ge Slaughter		County: Wilson	<u> </u>
hone: (620) 698-2150	0		Lease Name: Sharp, Dale SWD /	Well #: 1-4
			Field Name: Cherokee Basin CBM	
ONTRACTOR: Licens	se# Will be licensed by	/ KCC	Is this a Prorated / Spaced Field?	Yes ✓ No
lame: Will Advise o	on ACO-1		Target Formation(s): Arbuckle	
			120	
Well Drilled For:	: Well Class:	Type Equipment:	Ground Surface Elevation: 845	feet MSI
Oil Ent	h Rec 🚺 Infield	Mud Rotary		Yes V No
Gas Sto	orage Pool Ext.	✓ Air Rotary	Water well within one-quarter mile:	
OWWO 🗸 Dis	sposal Wildcat	Cable	Public water supply well within one mile:	Yes ✓ No
Seismic; #	· ===		Depth to bottom of fresh water: 100	
Other			Depth to bottom of usable water: 208-150	
	<u> </u>		Surface Pipe by Alternate: 1 2	
OWWO: old well info	ormation as follows:		Surface Pipe by Alternate: 1 2 2 Length of Surface Pipe Planned to be set: 25 Length of Conductor Pipe required: None	
			Length of Conductor Lipe required.	
Well Name:			Projected Total Depth: 1550'	
		inal Total Depth:	Formation at Total Depth: Arbuckle	
Original Completion	DateOngi		Water Source for Drilling Operations:	
Directional, Deviated or	r Horizontal wellbore?	Yes ✓ No	Well Farm Pond Other Air	
KCC DKT #:				
100 DK1 #	-, 1760'FEL , N	11 00: 510	Will Cores be taken?	Yes ✓ No
449. 200 1140	,, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	11.0 : 120	If Yes, proposed zone:	
15: 120 FML,	1445 FEL, A	AFI	FIDAVIT	
	by affirms that the drilling	, completion and eventual i	plugging of this well will comply with K.S.A. 55 et. seq.	
The undersigned hereb				
•		nents will be met:		
t is agreed that the foll	llowing minimum requiren			
it is agreed that the foll	llowing minimum requiren	r to spudding of well;	each drilling no:	
t is agreed that the foll 1. Notify the appropriate the appropriate that the following that the appropriate the appropriate that the a	llowing minimum requiren priate district office <i>prior</i> proved notice of intent to	r to spudding of well; o drill <i>shall be</i> posted on ea	each drilling rig;	pipe shall be set
t is agreed that the foll 1. Notify the appropriate in the second of the appropriate in the second of the second	llowing minimum requirent priate district office prior proved notice of intent to mount of surface pipe as	r to spudding of well; o drill shall be posted on ea specified below shall be s	set by circulating cement to the top; in all cases surface	pipe shall be set
t is agreed that the foll 1. Notify the approp 2. A copy of the ap 3. The minimum an through all uncor	llowing minimum requirent priate district office prior proved notice of intent to mount of surface pipe as prosolidated materials plus	r to spudding of well; o drill <i>shall be</i> posted on ea specified below <i>shall be s</i> s a minimum of 20 feet into	set by circulating cement to the top; in all cases surface the underlying formation.	
t is agreed that the foll 1. Notify the approp 2. A copy of the ap 3. The minimum an through all uncor 4. If the well is dry 5. The appropriate	llowing minimum requirent priate district office prior proved notice of intent to mount of surface pipe as insolidated materials plus in hole, an agreement betweetistic office will be notifice.	r to spudding of well; o drill shall be posted on ea specified below shall be s a minimum of 20 feet into ween the operator and the fied before well is either plu	set by circulating cement to the top; in all cases surface the underlying formation. district office on plug length and placement is necessarugged or production casing is cemented in;	y <i>prior to plugging;</i>
 s agreed that the foll Notify the appropriate A copy of the ap The minimum and through all uncord If the well is dry The appropriate If an ALTERNAT 	llowing minimum requirent priate district office prior proved notice of intent to mount of surface pipe as insolidated materials plus to hole, an agreement betweet district office will be notifice. II COMPLETION, prod	r to spudding of well; o drill shall be posted on ea specified below shall be s a minimum of 20 feet into ween the operator and the fied before well is either pluduction pipe shall be cemer	set by circulating cement to the top; in all cases surface the underlying formation. district office on plug length and placement is necessarugged or production casing is cemented in; need from below any usable water to surface within 120	y <i>prior to plugging;</i> days of spud date.
 s agreed that the foll Notify the appropriate A copy of the ap The minimum and through all uncord If the well is dry The appropriate If an ALTERNATION pursuant to A 	llowing minimum requirent priate district office prior proved notice of intent to mount of surface pipe as insolidated materials plus hole, an agreement between the complete office will be notifice. Il COMPLETION, prodappendix "B" - Eastern K	r to spudding of well; o drill shall be posted on ea specified below shall be s a minimum of 20 feet into ween the operator and the fied before well is either plu duction pipe shall be cemer (ansas surface casing orde	set by circulating cement to the top; in all cases surface the underlying formation. district office on plug length and placement is necessarugged or production casing is cemented in; inted from below any usable water to surface within 120 or #133,891-C, which applies to the KCC District 3 area,	y prior to plugging; days of spud date. alternate II cementin
1. Notify the appropriate to appropriate the appropriate of the appro	llowing minimum requirent priate district office <i>prior</i> opproved notice of intent to mount of surface pipe as insolidated materials plus hole, an agreement between district office will be notifice II COMPLETION, prod Appendix "B" - Eastern K ted within 30 days of the	r to spudding of well; o drill shall be posted on ear specified below shall be so a minimum of 20 feet into ween the operator and the fied before well is either pluduction pipe shall be cemer (ansas surface casing order spud date or the well shall	set by circulating cement to the top; in all cases surface the underlying formation. district office on plug length and placement is necessar ugged or production casing is cemented in; nted from below any usable water to surface within 120 or #133,891-C, which applies to the KCC District 3 area, ill be plugged. In all cases, NOTIFY district office prior	y prior to plugging; days of spud date. alternate II cementing
t is agreed that the foll 1. Notify the approp 2. A copy of the ap 3. The minimum an through all uncor 4. If the well is dry 5. The appropriate 6. If an ALTERNATIOr pursuant to A must be complet	llowing minimum requirent priate district office <i>prior</i> opproved notice of intent to mount of surface pipe as insolidated materials plus hole, an agreement between district office will be notifice II COMPLETION, prod Appendix "B" - Eastern K ted within 30 days of the	r to spudding of well; o drill shall be posted on ear specified below shall be so a minimum of 20 feet into ween the operator and the fied before well is either pluduction pipe shall be cemer (ansas surface casing order spud date or the well shall	set by circulating cement to the top; in all cases surface the underlying formation. district office on plug length and placement is necessarugged or production casing is cemented in; inted from below any usable water to surface within 120 or #133,891-C, which applies to the KCC District 3 area,	y prior to plugging; days of spud date. alternate II cementing
t is agreed that the foll 1. Notify the approp 2. A copy of the ap 3. The minimum an through all uncor 4. If the well is dry 5. The appropriate 6. If an ALTERNATIOR pursuant to A must be complet thereby certify that the	llowing minimum requirent priate district office <i>prior</i> opproved notice of intent to mount of surface pipe as insolidated materials plus hole, an agreement betwindistrict office will be notifue II COMPLETION, prod Appendix "B" - Eastern K ted within 30 days of the e statements made herei	r to spudding of well; o drill shall be posted on expecified below shall be so a minimum of 20 feet into ween the operator and the fied before well is either pluduction pipe shall be cemer (ansas surface casing order spud date or the well shall in are true and to the best	set by circulating cement to the top; in all cases surface the underlying formation. district office on plug length and placement is necessar ugged or production casing is cemented in; need from below any usable water to surface within 120 or #133,891-C, which applies to the KCC District 3 area, ill be plugged. In all cases, NOTIFY district office prior of my knowledge and belief.	y prior to plugging; days of spud date. alternate II cementing
t is agreed that the foll 1. Notify the approp 2. A copy of the ap 3. The minimum an through all uncor 4. If the well is dry 5. The appropriate 6. If an ALTERNATIOR pursuant to A must be complet thereby certify that the	llowing minimum requirent priate district office <i>prior</i> opproved notice of intent to mount of surface pipe as insolidated materials plus hole, an agreement between district office will be notifice II COMPLETION, prod Appendix "B" - Eastern K ted within 30 days of the	r to spudding of well; o drill shall be posted on expecified below shall be so a minimum of 20 feet into ween the operator and the fied before well is either pluduction pipe shall be cemer (ansas surface casing order spud date or the well shall in are true and to the best	set by circulating cement to the top; in all cases surface the underlying formation. district office on plug length and placement is necessar ugged or production casing is cemented in; nted from below any usable water to surface within 120 or #133,891-C, which applies to the KCC District 3 area, ill be plugged. In all cases, NOTIFY district office prior	y prior to plugging; days of spud date. alternate II cementing
1. Notify the appropriate to appropriate the appropriate or pursuant to Amust be complet thereby certify that the following same and the appropriate of the appropriate of the appropriate or pursuant to Amust be complet thereby certify that the appropriate of the appropriate or pursuant to Amust be completed.	llowing minimum requirent priate district office <i>prior</i> opproved notice of intent to mount of surface pipe as insolidated materials plus hole, an agreement betwindistrict office will be notifue II COMPLETION, prod Appendix "B" - Eastern K ted within 30 days of the e statements made herei	r to spudding of well; o drill shall be posted on expecified below shall be so a minimum of 20 feet into ween the operator and the fied before well is either pluduction pipe shall be cemer (ansas surface casing order spud date or the well shall in are true and to the best	the underlying formation. district office on plug length and placement is necessar ugged or production casing is cemented in; need from below any usable water to surface within 120 er #133,891-C, which applies to the KCC District 3 area, the plugged. In all cases, NOTIFY district office prior of my knowledge and belief. Title: Agent	y prior to plugging; days of spud date. alternate II cementing
t is agreed that the foll 1. Notify the approp 2. A copy of the ap 3. The minimum an through all uncor 4. If the well is dry 5. The appropriate 6. If an ALTERNATIOR pursuant to A must be complet thereby certify that the Date: 11-20-2007	llowing minimum requirent priate district office <i>prior</i> opproved notice of intent to mount of surface pipe as insolidated materials plus hole, an agreement betwindistrict office will be notifue II COMPLETION, prod Appendix "B" - Eastern K ted within 30 days of the e statements made herei	r to spudding of well; o drill shall be posted on expecified below shall be so a minimum of 20 feet into ween the operator and the fied before well is either pluduction pipe shall be cemer (ansas surface casing order spud date or the well shall in are true and to the best	the underlying formation. district office on plug length and placement is necessar ugged or production casing is cemented in; need from below any usable water to surface within 120 or #133,891-C, which applies to the KCC District 3 area, all be plugged. In all cases, NOTIFY district office prior of my knowledge and belief. Remember to:	y prior to plugging; days of spud date. alternate II cementing to any cementing.
t is agreed that the foll 1. Notify the appropriate 2. A copy of the ap 3. The minimum and through all uncord 4. If the well is dry 5. The appropriate 6. If an ALTERNATIOr pursuant to Amust be completed thereby certify that the pate: 11-20-2007	llowing minimum requirent priate district office <i>prior</i> oproved notice of intent to mount of surface pipe as insolidated materials plus in hole, an agreement betwice district office will be notified II COMPLETION, prod	r to spudding of well; of drill shall be posted on ear specified below shall be so a minimum of 20 feet into ween the operator and the fied before well is either pluduction pipe shall be cemer cansas surface casing order spud date or the well shall in are true and to the best rator or Agent:	the underlying formation. district office on plug length and placement is necessar ugged or production casing is cemented in; need from below any usable water to surface within 120 or #133,891-C, which applies to the KCC District 3 area, ill be plugged. In all cases, NOTIFY district office prior of my knowledge and belief. Remember to: - File Drill Pit Application (form CDP-1) with Intent to It.	y prior to plugging; days of spud date. alternate II cementing to any cementing. Drill;
t is agreed that the foll 1. Notify the appropriate 2. A copy of the ap 3. The minimum and through all uncord 4. If the well is dry 5. The appropriate 6. If an ALTERNATIOr pursuant to Amust be completed thereby certify that the pate: 11-20-2007	llowing minimum requirent priate district office <i>prior</i> opproved notice of intent to mount of surface pipe as insolidated materials plus hole, an agreement betwindistrict office will be notifue II COMPLETION, prod Appendix "B" - Eastern K ted within 30 days of the e statements made herei	r to spudding of well; of drill shall be posted on ear specified below shall be so a minimum of 20 feet into ween the operator and the fied before well is either pluduction pipe shall be cemer cansas surface casing order spud date or the well shall in are true and to the best rator or Agent:	the underlying formation. district office on plug length and placement is necessar ugged or production casing is cemented in; neted from below any usable water to surface within 120 at #133,891-C, which applies to the KCC District 3 area, the plugged. In all cases, NOTIFY district office prior of my knowledge and belief. Remember to: - File Drill Pit Application (form CDP-1) with Intent to I is File Completion Form ACO-1 within 120 days of spin	y prior to plugging; days of spud date. alternate II cementing, to any cementing. Drill; ud date;
1. Notify the appropriate 1. Notify the appropriate 2. A copy of the ap 3. The minimum and through all uncord 4. If the well is dry 5. The appropriate 6. If an ALTERNATIOr pursuant to A must be complet thereby certify that the pate: 11-20-2007 For KCC Use ONLY API # 15 - 10.5	llowing minimum requirent priate district office <i>prior</i> oproved notice of intent to mount of surface pipe as insolidated materials plus in hole, an agreement betwie district office will be notifice. Il COMPLETION, prod Appendix "B" - Eastern K ted within 30 days of the e statements made herei Signature of Oper	r to spudding of well; of drill shall be posted on ear specified below shall be so a minimum of 20 feet into ween the operator and the fied before well is either pluduction pipe shall be cemer cansas surface casing order spud date or the well shall in are true and to the best rator or Agent:	the underlying formation. district office on plug length and placement is necessar ugged or production casing is cemented in; need from below any usable water to surface within 120 ar #133,891-C, which applies to the KCC District 3 area, the plugged. In all cases, NOTIFY district office prior of my knowledge and belief. Remember to: - File Drill Pit Application (form CDP-1) with Intent to I is File Completion Form ACO-1 within 120 days of spin File acreage attribution plat according to field prora	y prior to plugging; days of spud date. alternate II cementing. r to any cementing. Drill; ud date; tion orders;
t is agreed that the foll 1. Notify the approp 2. A copy of the ap 3. The minimum an through all uncor 4. If the well is dry 5. The appropriate 6. If an ALTERNATIOR pursuant to A must be complet thereby certify that the poate: 11-20-2007 For KCC Use ONLY API # 15 - 205 Conductor pipe require	llowing minimum requirent priate district office prior proved notice of intent to mount of surface pipe as insolidated materials plus in hole, an agreement between the provided provided in the provided	r to spudding of well; of drill shall be posted on ear specified below shall be so a minimum of 20 feet into ween the operator and the fied before well is either pluduction pipe shall be cemer (ansas surface casing order spud date or the well shall in are true and to the best rator or Agent:	the underlying formation. district office on plug length and placement is necessar ugged or production casing is cemented in; need from below any usable water to surface within 120 or #133,891-C, which applies to the KCC District 3 area, it be plugged. In all cases, NOTIFY district office prior of my knowledge and belief. Remember to: - File Drill Pit Application (form CDP-1) with Intent to I is File Completion Form ACO-1 within 120 days of spin File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to wo	y prior to plugging; days of spud date. alternate II cementing. r to any cementing. Drill; ud date; tion orders; orkover or re-entry;
t is agreed that the foll 1. Notify the approp 2. A copy of the ap 3. The minimum and through all uncor 4. If the well is dry 5. The appropriate 6. If an ALTERNATIOR pursuant to A must be complet hereby certify that the poate: 11-20-2007 For KCC Use ONLY API # 15 - OSC Conductor pipe requir Minimum surface pipe	llowing minimum requirent priate district office prior oproved notice of intent to mount of surface pipe as insolidated materials plus in hole, an agreement betwie district office will be notifue II COMPLETION, prod Appendix "B" - Eastern K ted within 30 days of the e statements made herei Signature of Oper Signature of Oper Mared Mare	r to spudding of well; o drill shall be posted on expecified below shall be so a minimum of 20 feet into ween the operator and the fied before well is either pluduction pipe shall be cemer (ansas surface casing orders spud date or the well shall in are true and to the best frator or Agent: feet feet feet feet per Alt.	the underlying formation. district office on plug length and placement is necessar ugged or production casing is cemented in; need from below any usable water to surface within 120 or #133,891-C, which applies to the KCC District 3 area, it be plugged. In all cases, NOTIFY district office prior of my knowledge and belief. Remember to: - File Drill Pit Application (form CDP-1) with Intent to I is File Completion Form ACO-1 within 120 days of spin File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to wo	y prior to plugging; days of spud date. alternate II cementing r to any cementing. Drill; ud date; tion orders; prkover or re-entry;
t is agreed that the foll 1. Notify the approp 2. A copy of the ap 3. The minimum an through all uncor 4. If the well is dry 5. The appropriate 6. If an ALTERNATIOR pursuant to A must be complet thereby certify that the poate: 11-20-2007 For KCC Use ONLY API # 15 - 205 Conductor pipe require	llowing minimum requirent priate district office <i>prior</i> proved notice of intent to mount of surface pipe as insolidated materials plus in hole, an agreement between the district office will be notifice. Il COMPLETION, prod Appendix "B" - Eastern K ted within 30 days of the e statements made herei Signature of Oper Signature of Oper More More Signature Oper More Signature Oper More Signature Oper More Signature Oper S	r to spudding of well; of drill shall be posted on ear specified below shall be so a minimum of 20 feet into ween the operator and the fied before well is either pluduction pipe shall be cemer (ansas surface casing order spud date or the well shall in are true and to the best rator or Agent:	the underlying formation. district office on plug length and placement is necessar ugged or production casing is cemented in; need from below any usable water to surface within 120 or #133,891-C, which applies to the KCC District 3 area, it be plugged. In all cases, NOTIFY district office prior of my knowledge and belief. Remember to: - File Drill Pit Application (form CDP-1) with Intent to I is File Completion Form ACO-1 within 120 days of spin File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to wo	y prior to plugging; days of spud date. alternate II cementing r to any cementing. Drill; ud date; tion orders; prkover or re-entry;
t is agreed that the foll 1. Notify the approp 2. A copy of the ap 3. The minimum and through all uncor 4. If the well is dry 5. The appropriate 6. If an ALTERNATIOR pursuant to A must be complet hereby certify that the poate: 11-20-2007 For KCC Use ONLY API # 15 - OSC Conductor pipe requir Minimum surface pipe	llowing minimum requirent priate district office prior oproved notice of intent to mount of surface pipe as insolidated materials plus in hole, an agreement betwice district office will be notifice. Il COMPLETION, prod Appendix "B" - Eastern K ted within 30 days of the e statements made herei Signature of Oper Signature of Oper More More More More More More More Mo	r to spudding of well; o drill shall be posted on expecified below shall be so a minimum of 20 feet into ween the operator and the fied before well is either pluduction pipe shall be cemer (ansas surface casing orders spud date or the well shall in are true and to the best frator or Agent: feet feet feet feet per Alt.	the underlying formation. district office on plug length and placement is necessar ugged or production casing is cemented in; need from below any usable water to surface within 120 or #133,891-C, which applies to the KCC District 3 area, it be plugged. In all cases, NOTIFY district office prior of my knowledge and belief. Remember to: - File Drill Pit Application (form CDP-1) with Intent to I is File Completion Form ACO-1 within 120 days of spin File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to wo	y prior to plugging; days of spud date. alternate II cementing r to any cementing. Drill; ud date; tion orders; prkover or re-entry;
1. Notify the appropriate Approved by: 1. Notify the appropriate Appropriate Approved by: 1. Notify the appropriate Appropriate Appropriate Approved by: 1. Notify the appropriate Appropri	llowing minimum requirent priate district office prior oproved notice of intent to mount of surface pipe as insolidated materials plus in hole, an agreement betwice district office will be notifice. Il COMPLETION, prod Appendix "B" - Eastern K ted within 30 days of the e statements made herei Signature of Oper Signature of Oper More More More More More More More Mo	r to spudding of well; o drill shall be posted on expecified below shall be so a minimum of 20 feet into ween the operator and the fied before well is either pluduction pipe shall be cemer cansas surface casing order spud date or the well shall in are true and to the best rator or Agent: feet feet feet feet feet per Alt.	the underlying formation. district office on plug length and placement is necessar ugged or production casing is cemented in; need from below any usable water to surface within 120 or #133,891-C, which applies to the KCC District 3 area, it be plugged. In all cases, NOTIFY district office prior of my knowledge and belief. Remember to: - File Drill Pit Application (form CDP-1) with Intent to I is File Completion Form ACO-1 within 120 days of spin File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to wo	y prior to plugging; days of spud date. alternate II cementing r to any cementing. Drill; ud date; tion orders; prkover or re-entry;
1. Notify the appropriate Approved by: 1. Notify the appropriate Appropriate Approved by: 1. Notify the appropriate Appropriate Appropriate Approved by: 1. Notify the appropriate Appropri	llowing minimum requirent priate district office prior oproved notice of intent to mount of surface pipe as mount of surf	r to spudding of well; o drill shall be posted on expecified below shall be so a minimum of 20 feet into ween the operator and the fied before well is either pluduction pipe shall be cemer cansas surface casing order spud date or the well shall in are true and to the best rator or Agent: feet feet feet feet feet per Alt.	the underlying formation. district office on plug length and placement is necessar ugged or production casing is cemented in; need from below any usable water to surface within 120 or #133,891-C, which applies to the KCC District 3 area, it be plugged. In all cases, NOTIFY district office prior of my knowledge and belief. Remember to: - File Drill Pit Application (form CDP-1) with Intent to I is File Completion Form ACO-1 within 120 days of spin File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to wo	y prior to plugging; days of spud date. alternate II cementing. r to any cementing. Drill; ud date; tion orders; orkover or re-entry;

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

CORRECTED If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 205-27350-0000	Location of Well: County: Wilson
Operator: SEK Energy, LLC	120 feet from V N / S Line of Section
Lease: Sharp, Dale SWD	1445 feet from F E / W Line of Section
Well Number: 1-4	Sec. 4 Twp. 28 S. R. 15 ✓ East West
Field: Cherokee Basin CBM	<u></u>
Number of Acres attributable to well: 40 QTR / QTR / QTR of acreage: NE NW NE	Is Section: Regular or Irregular If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Charrifontage to the pageagt lance or unit houndary line)

or thin boundary into.)	
1445	
RECEIVI KANSAS CORPORATION	VED ON COMMISSION
NOV 26	
CONSERVATION	
EXAMPLE : :	
1980	30
1980	
3390'	
SEWARD CO.	

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: SEK Energy, LL	С	License Number: 33739
Operator Address: P.O. Box 55		License Number: 33739
Contact Person: George Slaughte		Phone Number: (620) 698 - 2150
Lease Name & Well No.: Sharp, Da		
Type of Pit:	Pit is:	NENWNE
Emergency Pit Burn Pit	✓ Proposed Exi	sting Sec. 4 Twp. 28 R. 15 🗸 East 🗌 West
Settling Pit	If Existing, date constructe	ed: 120 Feet from North / South Line of Section
Workover Pit Haul-Off Pit	Dit conscitu	Feet from ✓ East / West Line of Section
(If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls) Wilson County
Is the pit located in a Sensitive Ground Water	r Area? ✓ Yes ✓ No	Chloride concentration:mg/l (For Emergency Pits and Settling Pits only)
is the bottom below ground level? ✓ Yes ☐ No	Artificial Liner? Yes V No	How is the pit lined if a plastic liner is not used?
Pit dimensions (all but working pits):	25 Length (feet)	12 Width (feet) N/A: Steel Pits
•	rom ground level to deepest p	_
Distance to nearest water well within one-mi	le of nit Denth	to shallowest fresh water ?feet.
	Source	e of information:
n/afeet Depth of water well _		measuredwell ownerelectric logKDWR
Emergency, Settling and Burn Pits ONLY		ng, Workover and Haul-Off Pits ONLY: of material utilized in drilling/workover: Air
Producing Formation:		per of working pits to be utilized: 1
Barrels of fluid produced daily:	Aban	donment procedure: Allow pit to air dry, then backfill with original dirt.
Does the slope from the tank battery allow a flow into the pit? Yes No	Il spilled fluids to	oits must be closed within 365 days of spud date.
I hereby certify that the above state	tements are true and correct t	o the best of my knowledge and belief. KANSAS CORPORATION COM
	Lange	5 80 au 9to Nov 2 6 2007
11-20-2007 Date	~~~~~	Signature of Applicant or Agent CONSERVATION DIVISION MICHITAL KS
	KCC OFFICE	USE ONLY
Date Received: 11/26/07 Permit Nur	mber:	Permit Date: 11/26/07 Lease Inspection: Yes (No