


STATE OF KANSAS
 STATE CORPORATION COMMISSION
 Give All Information Completely
 Make Required Affidavit
 Mail or Deliver Report to:
 Conservation Division
 State Corporation Commission
 800 Bitting Building
 Wichita, Kansas

OR
FORMATION PLUGGING RECORD Strike out upper line when reporting plugging off formations.



Rooks County. Sec. 28 Twp. 8S Rge. (E) 20 (W)
 Location as "NE $\frac{1}{4}$ NW $\frac{1}{4}$ SW $\frac{1}{4}$ " or footage from lines C Ne/4 NE/4 SE/4
 Lease Owner: Continental Oil Company
 Lease Name: R. P. Berland Well No. 1
 Office Address: Drawer 1267, Ponca City, Oklahoma
 Character of Well (completed as Oil, Gas or Dry Hole): Dry hole
 Date well completed: July 15, 1948
 Application for plugging filed: August 3, 1948
 Application for plugging approved: July 18, 1948
 Plugging commenced: July 17, 1948
 Plugging completed: July 18, 1948
 Reason for abandonment of well or producing formation: No show of oil was encountered.
 If a producing well is abandoned, date of last production: - 19
 Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes (verbal)


Locate well correctly on above Section Plat
 Name of Conservation Agent who supervised plugging of this well: Mr. C. D. Stough, Great Bend, Kansas
 Producing formation: None Depth to top: Bottom: Total Depth of Well: 3601 Feet
 Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS CASING RECORD

Formation	Content	From	To	Size	Put In	Pulled Out
Arbuckle lime	Dry	3551	3601	13"	350'9"	None

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hold. If cement or other plugs were used, state the character of same and depth placed, from _____ feet to _____ feet for each plug set.

Filled hole with heavy mud from total depth of 3601' to 250'; set plug at 250' cemented with 25 sacks of cement; filled hole with heavy mud to within 15' from surface; set second plug at 15' and capped with 15 sacks of cement.




(If additional description is necessary, use BACK of this sheet)
 Correspondence regarding this well should be addressed to: Mr. F. L. Dunn
 Address: R.F.D. #4 Lyons, Kansas

STATE OF KANSAS, COUNTY OF RICE, ss.
 F. L. Dunn (employee of owner) or ~~owner or operator~~ of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) F. L. Dunn
 F. L. Dunn, Lyons, Kansas
 (Address)

SUBSCRIBED AND SWORN to before me this 3rd day of August, 1948.

My commission expires October 21, 1948
 PID -weg
 Corp Comm
 LPC
 File



Notary Public.

NEW WELL COMPLETION AND/OR ABANDONMENT RECORD

A. F. E. NO. 5794

1 Dist. West Kansas Field N. Falco Area Lease R. P. Herland Well No. 1
 2 Co. Rooks State Kansas Contractor Lohmann-Johnson Drig. T.D. 3601 P.D. _____ ft.
 3 Landing Flange Elev. + DF 2036 ft. Depth Measured From DF; Height of Measuring Point from Landing Flange 4 ft.
 4 Date: Spudded 7-2-48 Drilling Completed 7-15-48 Plugged 7-18-48 Rig Released 7-18-48

CASING, LINER AND TUBING RECORD

5	SIZE O. D. IN.	WT. LB./FT.	THREADS NO. & TYPE	GRADE AND MAKE	NEW OR S. H.	E. L. L. W. SMLS.	DEPTH SET FT.	MEASUREMENTS INC. THREADS			TOP OF LINER	NO. OF JOINTS	HOLE SIZE
								QUANTITY SET	QUANTITY PULLED	QUANTITY LEFT IN HOLE			
6	13	50	8V			SH LW	354	350'9"	None	350'9"		17	17 1/4

CEMENTING RECORD

14	METHOD	MAKE AND TYPE CEMENT	SACKS USED	SQUEEZED AWAY	NO. OF BATCHES	FINAL PRESSURE	SLURRY WT. LB./GAL.	HOURS SET	DEPTH		REMARKS: TEMP. CALIPER, OTHER LOGS.
									FROM	TO	
15	NONCO	Portland	300		1		14.5	32	0	354	Surface casing

ACIDIZATION AND SHOT RECORD

19	DATE	PRODUCTION OR P. I.		HOW TEST MADE	GAL. ACID	SHOT QTS.	DEPTH		NAME OF ZONE	TYPE FORMATION	REMARKS
		BEFORE	AFTER				FROM	TO			
20	None										

SECTION PERFORATED

23	NAME OF PAY	DEPTH		SIZE OF HOLE	HOLES PER FOOT	DATE	SERVICE CO. OR TYPE SLOTS	REMARKS
		FROM	TO					
24	None							

PRODUCING EQUIPMENT

29 RODS: Number None Size _____ in., Number _____ Size _____ in., Total Singles _____ Length _____ ft.
 30 PUMP: Size None Plunger Diam. _____ Make _____ Type _____
 31 PUMPING UNIT: Make None Type _____ Stroke _____ in. @ _____ SPM; Beam Capacity _____ lb.
 32 Torque @ 20 SPM _____ in. lbs.; Gear Box _____ H.P., Prime Mover Make None
 33 H.P. @ _____ RPM. Other Remarks _____
 34 GAS ANCHOR None
 35 OTHER LIFT EQUIPMENT None
 36 _____
 37 PACKER: Set at None ft. Make _____ { ALSO SEE SKETCH }
 { ON REVERSE SIDE }

PRODUCING STRATA

38	NAME	TOP	BASE	POROSITY %	PERM. md.	NET THICKNESS ft.	REMARKS: STATE CONTENTS OF ALL PRODUCING STRATA, O. G & W., GIVING FLUID CONTACTS, D. S. T., ETC.
39	Arbuckle	3551	3601				Dry

43 REMARKS: Drilled to total depth of 3601' in Arbuckle line; ran Schlumberger sur-
 44 vay; no show of oil was encountered; filled hole with heavy mud from total depth
 45 of 3601' to 250'; set plug at 250' cemented with 25 sacks cement; filled hole
 46 with heavy mud to 15' from surface; set second plug at 15' cemented with 15
 47 sacks cement to cap. Plugged and abandoned July 18, 1948.

50 Material left in hole cleared on Material Transfer No. 014853

56 Estimate Total Cost \$ 15,825.00 Conoco Interest 100 % Operated by Continental Oil Company
 57 Potential Dry hole b/d-Mcf/d _____ @ _____ %TP and %CP on _____ Hr. Test Meas. Est. Allowable _____ b/d
 58 Other Production or Well Test Results _____

59 _____
 60 Signed F. L. Dunn District Superintendent
 61 Signed _____ Division Superintendent
 62 Signed _____ Region Manager
 63 Signed F. B. Curran District Engineer
 64 Prepared by W. E. Coaring Date 8-3-48

DISTRIBUTED TO

Mgr. P. & D. _____ Acct'g KHL
 District FLD
 Others State Corp Comm
Prarie Oil Co.

PLUGGING

Location: 330'S and 330'W of the E/4 corner of Section 28, T6S, R20W, Books County, Kansas.

FORMATION LOG

<u>From</u>	<u>To</u>	<u>Formation</u>	<u>From</u>	<u>To</u>	<u>Formation</u>
0	40	Surface soil	2853	2910	Shale and lime
40	492	Shale	2910	3202	Line and shale
492	1145	Shale and sand	3202	3208	Line
1145	1533	Sand, shale & shells	3208	3321	Line and shale
1533	1539	Shale and shells	3321	3438	Line
1539	1582	Anhydrite	3438	3551	Line and shale
1582	2117	Shale and shells	3551	3601	Line
2117	2355	Line and shale		3601	Total depth
2355	2584	Shale and lime			

Arbuckle lime topped 3551'

TO WHOM IT MAY CONCERN:

I, the undersigned, being first duly sworn upon oath, state that the above Well Record concerning the R. P. Berland Well No. 1 is true, correct, and complete according to the records of this office and to the best of my knowledge and belief.

F. L. Durr
District Superintendent

Subscribed and sworn to before me this 3rd day of August, 1948

My commission expires: October 21, 1948.

Notary Public