Notice: Fill out COMPLETELY and return to Conservation Division at the address below within 60 days from plugging date.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

WELL PLUGGING RECORD

K.A.R. 82-3-117

Form CP-4
December 2003
Type or Print on this Form
Form must be Signed
All blanks must be Filled

| Lease Operator:_Bear Petroleum, Inc. | | | | | API Number: 15 - 191-21805 - 00 - 00 | | | |
|--|--|---|---|---|---|---|--|--|
| Address: P.O. Box 438, Haysville, KS 67060 | | | | | Lease Name: | | | |
| Phone: (316) 524 - 1225 Operator License #: 4419 | | | | | Well Number: | | | |
| Type of Well: (Oil, Gas D&A, SWD, ENHR, Water Supply Well, Cathodic, Other) The plugging proposal was approved on: 8-8-07 (Date) | | | | | Spot Location (QQQQ): NW - NW - NW - 4950 Feet from North / South Section Line 4950 Feet from East / West Section Line | | | |
| | r ′es No If not, is | | | | Sec. 28 Twp. | S. R. 2 East We | | |
| Producing Formation(s): | : List All (If needed attach a | another sheet) | | erannous d | County: Sumner Date Well Complet | 3-29-85 | | |
| | Depth to Top: Depth to Top: | | | | Plugging Commen | 8-13-07 | | |
| | Depth to Top: | | | 1 | Plugging Complete | 9-25-07 | | |
| | ess of all water, oil and ga | as formations. | | | | | | |
| Formation | Content | From | То | Casing Record (Su. | Put In | | | |
| | Surface | Surface | 250 | 8 5/8" | 250 | Pulled Out | | |
| | Production | Surface | 3465 | 4 1/2" | 3465 | 1306 | | |
| | | | | | | | | |
| Describe in detail the m | nanner in which the well is | plugged, indicat | ing where the | e mud fluid was pla | aced and the method | or methods used in introducing it into | | |
| hole. If cement or other Dumped sand to 2300 | nanner in which the well is or plugs were used, state to 0' and dump bailed 4 say and circulated 100 sa | he character of s x cement. Cut | same depth p | laced from (bottom | n), to (top) for each | d or methods used in introducing it into the plug set. | | |
| Dumped sand to 2300 Ran pipe to 307' a | er plugs were used, state to 0' and dump bailed 4 sax | he character of a comment. Cut ax cement to | same depth p | laced from (bottom | n), to (top) for each | d or methods used in introducing it into th plug set. | | |
| hole. If cement or other Dumped sand to 2300 Ran pipe to 307' a Plugged complete. To | or plugs were used, state to 0' and dump bailed 4 sate and circulated 100 sate of the sate | he character of ax cement. Cut ax cement to 0/40 poz 4% Salvage, Inc. | same depth pcasing loose | olaced from (bottorn | n), to (top) for each | plug set. | | |
| Name of Plugging Contract Address: P.O. Box 44 | or plugs were used, state to 0' and dump bailed 4 sate and circulated 100 sate of the following state of the follo | he character of ax cement. Cut ax cement to 0/40 poz 4% Salvage, Inc. | same depth pcasing loose surface. | olaced from (bottorn | n), to (top) for each | plug set. | | |
| hole. If cement or other Dumped sand to 2300 Ran pipe to 307' a Plugged complete. To Name of Plugging Contra Address: P.O. Box 40 | or plugs were used, state to or and dump bailed 4 sate and circulated 100 sate of the sate | he character of a cement. Cut ax cement to 0/40 poz 4% Salvage, Inc. 24 ear Petroleur | same depth pcasing loose surface. | olaced from (bottorn | n), to (top) for each | plug set. | | |
| Name of Plugging Control Name of Party Respons State of Manual To Control Kan pipe to 307' a Plugged complete. To Control Rame of Plugging Control Rame of Party Respons | or plugs were used, state to 0' and dump bailed 4 sate and circulated 100 sate of the control of | he character of ax cement. Cut ax cement to 0/40 poz 4% Salvage, Inc. | same depth pcasing loose surface. | olaced from (bottorn | n), to (top) for each | plug set. | | |
| Name of Plugging Control Name of Party Respons Kansas R. A. Schremmer, Pressor on oath, says: The | or plugs were used, state to or and dump bailed 4 sate and circulated 100 sate of the following state of the follo | he character of a cement. Cut ax cement to 0/40 poz 4% Salvage, Inc. 24 ear Petroleur Sedgwick | same depth pcasing loose surface. | olaced from (bottom a @ 1321' and lay , ss. (Employee of O | n), to (top) for each red down. License #: 31 | plug set. | | |
| Name of Plugging Control Name of Plugging Control Address: P.O. Box 40 Name of Party Respons Kansas R. A. Schremmer, Pre | or plugs were used, state to or and dump bailed 4 sate and circulated 100 sate of the following state of the follo | he character of a cement. Cut ax cement to 0/40 poz 4% Salvage, Inc. 24 ear Petroleur Sedgwick | same depth pcasing loose surface. | olaced from (bottom a @ 1321' and lay , ss. (Employee of O | n), to (top) for each red down. License #: 31 | plug set. 529 T) on above-described well, being first dub | | |
| Name of Plugging Control Name of Plugging Control Name of Party Respons State of Kansas R. A. Schremmer, Prespons on oath, says: The | or plugs were used, state to or and dump bailed 4 sate and circulated 100 sate of the following state of the follo | he character of a cement. Cut ax cement. Cut ax cement to 0/40 poz 4% Salvage, Inc. 24 ear Petroleui Sedgwick e facts statemen (Signature) | same depth processing looses surface. m, Inc. | olaced from (bottom a @ 1321' and lay , ss. (Employee of O | License #: 31! | plug set. 529 T) on above-described well, being first dub | | |
| Name of Plugging Control Name of Party Respons Kansas R. A. Schremmer, Pressor on oath, says: The | or plugs were used, state to or and dump bailed 4 sate and circulated 100 sate of the following state of the follo | he character of a cement. Cut ax cement. Cut ax cement to 0/40 poz 4% Salvage, Inc. 24 ear Petroleur Sedgwick e facts statemen (Signature) | same depth processing looses surface. m, Inc. ts, and matter D. Box 438, H | olaced from (bottom @ 1321' and lay , ss. (Employee of Or rs herein contained Haysville, KS 670 | License #: 31! | plug set. 529 T) on above-described well, being first dub | | |

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

OCT 0 1 2007





FIELD ORDER Nº C 32421

BOX 438 • HAYSVILLE, KANSAS 67060 316-524-1225

| | , | 010-02-4 | DATE | Sept 25 | 20 07 |
|--|--|--|---|---|------------------------------------|
| AUTHORIZED BY: | Bene | (NAME OF C | | | |
| ddress | | | | State | |
| Treat Well | | Well No. | | | |
| | | | | | |
| nge <u>38 3</u> | 339 3 E | County | Sumner | State | <u> </u> |
| to be neid liable for an lied, and no representa tment is payable. Ther invoicing department ir | y damage that may accrue i tions have been relied on, a e will be no discount allowe n accordance with latest pub | is agreed that Copeland Acid S n connection with said service is to what may be the results or d subsequent to such date. 6% blished price schedules. norized to sign this order for we | or treatment. Copeland reffect of the servicing or interest will be charged | Acid Service has made no re r treating said well. The con- | epresentation, expressed |
| ORDER MUST BE SIGN | | | Ву | / | |
| | | Well Owner or Operator | | Age | ent |
| CODE QUANTI | ITY | DESCRIF | PTION | UNIT COST | AMOUNT |
| 100 | Romp Ch | ung Poz phy | daj | | 700 00 |
| 1000 | Feb 60-40-4 | 120 Bz (30) | | | 8050 |
| 230 | les Extre opl | 1895 To mek | 42 | | 19 00 |
| IAU | Poly pips | Punte! | | | 150.00 |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| <i>[</i> | | | | | |
| | | | | | |
| +10 100 = | Bulk Charge | 25/ sack Min | 1500 | | 1500 |
| HO1 36518 | Bulk Truck Miles | | | | 4067 |
| Ener # | Process | License Fee on | Gallons | *************************************** | 700 |
| | | | | BILLING | |
| certify that the abnanner under the Copeland Represen | direction, supervision | n accepted and used; tha and control of the owner, | t the above service operator or his age | was performed in a goo nt, whose signature ap | od and workmanlike pears below. |
| Station | MRRYON | J | | | RECEIVED |
| Remarks | | NET 00 | | ell Owner, Operator or Agent | |
| | | NET 30 I | PATO | | UVI V I LUV! |



TREATMENT REPORT

Acid Stage No. P.J.

| 510 | ~P257 - | 12:4 | ر در | | Type Treatment: Amt | | | ize l'ounds | |
|---|-----------------|--|--|--|---|--|--|---|---|
| Date 125 PO District BURRTON F. O. No. | | | | Bkdown | | | | | |
| Company Bess Pert Well Name & No. Swenes w# 1 | | | | | Bbl./Gal | • | | | |
| | | ~ 10 20 m | | | I . | .Bbl./Gal | | | |
| County Summer State | | | | | Bbl. /Gal | | | | |
| | | | | Flush | | | | | |
| Casing: Size \$576 Type & Wt. Set at ft. | | | Treated from | | | | | | |
| | | | i | | | | | | |
| Formation: | ·· ····· | | Perf | to | | | | | |
| Formation:. | | | Perf | to | Actual Volume of Oil/ | | | | bld/Gal. |
| Liner: Size | Type & W | 't | Top atft. | . Bottom atft. | Pump Trucks. No. Use | d: Std. 3.3.3. | 8p. | Twin | |
| Cen | nented: Yes/No. | Perforated fr | om | ft. toft. | Auxiliary Equipment | Julk trenck | 322 T | 7 133 | |
| Tubing: Size | & Wt | | Swung at | f t, | Packer: | | ., Set at | | ft. |
| Per | rforated from | | ft. to | ft. | Auxiliary Tools . Pol | 4 pope TR | wiles | | |
| | | | | | Plugging or Scaling Ma | | | | |
| Open Hole Si | ze | т.р | ft. P.L | 3. toft. | | | | | 1b. |
| | | | | | 1 | \mathcal{A} | 1 | | |
| Company | Representativ | | | | _ Treater | To Kend | / | | |
| TIME a.m /p.m. | PRES: Tubing | SURES Casing | Total Fluid Pumped | | : | REMARKS Y | | | |
| 60 11 | | | | Bria MA | Dism Oslu A | 10 to 30 | 57 1 | | |
| n:15 | | | 14 BBE | Look Roal | e. | | | | |
| : | | | | Street m | 1218 285 | down b | Ì | | |
| : | | | 32 331 | 1200 221/2 | S The Sim | Avens PN | 1 - 1 - 0.4 | `+ | |
| 12:00 | | | | Thiesel Jam | Dark un | 1 242 1 | The Co | *7 > | |
| : | | | | 1 | 1 | ASSI VOCA | ALICS | | |
| : | | | | | | TO A CONTROL OF THE PROPERTY OF THE PARTY OF | | | |
| : | | | | | | | | ······································ | |
| : | | | | | | *************************************** | | | |
| : | | | | | | | | | |
| | | | | | | | *************************************** | *************************************** | |
| | | | | | | | | | |
| • | | | | | | The second secon | the state of the s | | |
| e 8 | | | | | | | | | |
| | | | | | | | | NAME OF TAXABLE PARTY. | *************************************** |
| : | | | | | | | | | *************************************** |
| : | | | | | | | | | |
| : | | | | | | | | | |
| | | | | | | | | | |
| ; | | | | | | | | | |
| ; | | | - | | | Control of the Contro | | | |
| : | | | | | *************************************** | | *************************************** | | |
| : | | | | | | | | | |
| -:- | | | | | | | | | |
| : | | | - | | | | | | |
| | | 78 F C (1000) | - | | | | | | |
| -: | | ************************************** | | | | | | | |
| : | | | | | | | | See 1 Constitution | |
| -:- | | | | THE RESERVE THE PERSON NAMED IN COLUMN 1 | | | KANSAS CORPC | CEIVED | langen a. |
| -:- | | ······································ | | | | , | | | WICCHWI |
| -:- | | | | | | | — net | 0 1 2007 | |
| : | | A TO THE WAY TO SHEET WAY TO SHE WAY TO SHEET WAY TO SHEET WAY TO SHEET WAY TO SHEET WAY TO SHEE | | | | | UU! | U ! | |
| -: | | | | | | | CONSERV | ATION DIVISIO | ۵ |
| • | | | | | | | Wir | HITA KS | 1 199 |