

4-041747

11-15

TO: STATE CORPORATION COMMISSION  
CONSERVATION DIVISION - PLUGGING  
130 SOUTH MARKET, SUITE 2078  
WICHITA, KANSAS 67202

API Number: 15- - N/A  
50' E. of  
NE NE SW /4 SEC. 13 , 09 S, 21 W  
2310 feet from S section line  
2360 feet from W section line

Operator license# 3613  
Operator: Hallwood Petroleum, Inc.  
Address: 4582 S. Ulster St. Pkwy - #1700  
Denver, CO 80237

Lease: Balthazor Well # 2  
County: Graham  
Well total depth 3775 feet  
Conductor Pipe: 0 inch @ 0 feet  
Surface pipe 8 5/8 Inch @ 195 feet

TWIN

122.69

Aband. oil well X, Gas well, Input well, SWD, D & A

Plugging contractor: Allied Cementing License# -

Address: Russell, Kansas 67665

Company to plug at: Hour: 8:00 A.M. Day: 15 Month: November Year 1995

Plugging proposal received from:

Company: Hallwood Petroleum, Inc. Phone: 303-850-6257

Were: 5 1/2" casing set at 3774' w/150 sxs cement. Perfs at 3452' - 3714'.  
Ordered 175 sxs. 60/40 pozmix - 10% gel with 1/4# F.C. plus 500# hulls, plus 9 sxs gel.  
Tubing and rods sanded in at 2800'.

Plugging Proposal Received by: Dennis L. Hamel

Plugging operations attended by agent? All [ X ], Part [ ], None [ ]

Completed: Hour: P.M., Day: 15, Month: November, Year: 1995

Actual plugging report: Ran tubing with packer to 2755'. Pressured tubing to 500# and pressure held. Pulled tubing and packer, ran tubing to 2750'. Pumped 9 sxs gel, 50 sxs cement, pulled tubing to 1700'. Circulated cement to surface with 110 sxs of 60/40 pozmix - 10% gel and 2 sxs hulls. Pulled tubing, capped off well with 300# pressured. Total cement 175 sxs 200# hulls, 9 sxs gel. Did not pump any in annulus. Cement visable at surface.

KANSAS CORPORATION COMMISSION

JAN 24 1996  
1-24-96

CONSERVATION DIVISION  
WICHITA, KS

Remarks:  
Condition of casing(in hole): GOOD X BAD  
Bottom plug(in place): YES, CALC X, NO  
Plugged through TUBING, CASING X  
Any plug: YES X NO  
Dakota plug: YES X, NO  
Elevation: GL

I did [ X ] did not [ ] observe the plugging.

Dennis L. Hamel  
(agent)

INVOICED  
DATE 1-26-96  
INV. NO. 44729

RD