

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

Form ACO-1
September 1999
Form: Must Be Typed

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

ORIGINAL

Operator: License # 32639
Name: Coral Production Corporation
Address: 1600 Stout Street, Suite 1500
City/State/Zip: Denver, Colorado 80202
Purchaser: N.C.R.A.
Operator Contact Person: Jim Weber
Phone: (303) 623-3573
Contractor: Name: Murfin Drilling Company, Inc.
License: 30606

Wellsite Geologist: Tim Lauer
Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SIOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:
Operator: _____
Well Name: _____
Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back _____ Plug Back Total Depth _____
 Commingled _____ Docket No. _____
 Dual Completion _____ Docket No. _____
 Other (SWD or Enhr.?) _____ Docket No. _____
02/24/04 02/28/04 02/29/04
Spud Date or Date Reached TD Completion Date or
Recompletion Date Recompletion Date

API No. 15 - 051-25273-00-00
County: Ellis
W2 SW NE
S72 SW NE Sec. 1 Twp. 13 S. R. 17 East West
975 feet from S / (N) (circle one) Line of Section
1200 feet from (E) / W (circle one) Line of Section


Footages Calculated from Nearest Outside Section Corner:
(circle one) (NE) SE NW SW
Lease Name: Schmidt Well #: 1
Field Name: Wildcat
Producing Formation: Lansing
Elevation: Ground: 2039 ft Kelly Bushing: 2044 ft
Total Depth: 3600 ft Plug Back Total Depth: 3547 ft
Amount of Surface Pipe Set and Cemented at 236 feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set DV tool set @ 1261 feet
If Alternate II completion, cement circulated from 1261 ft
feet depth to surface w/ 350 sx cmt.

Drilling Fluid Management Plan 60/40 POZ 6% gel
1# flocele/sk
(Data must be collected from the Reserve Pit) WIT #2 KGR 5/30/07
Chloride content 48,000 ppm Fluid volume 500 bbls
Dewatering method used allow to dry; then backfill
Location of fluid disposal if hauled offsite:
Operator Name: _____
Lease Name: _____ License No.: _____
Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
County: _____ Docket No.: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: James R. Weber
Title: President Date: April 11, 2004
Subscribed and sworn to before me this 8th day of _____
19_____.
Notary Public: Stacy R. Springton
Date Commission Expires: My Commission Expires 02-01-2005



KCC Office Use ONLY
NO Letter of Confidentiality Attached
If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution

JAN 1990

Operator Name: Coral Production Corporation Lease Name: Schmidt Well #: 1
 Sec. 1 Twp. 13 S. R. 17 East West County: Ellis

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <i>(Attach Additional Sheets)</i>	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Log	Formation (Top), Depth and Datum	<input type="checkbox"/> Sample
Samples Sent to Geological Survey	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Name	Top	Datum
Cores Taken	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	T. Anhydrite	1205'	+839'
Electric Log Run <i>(Submit Copy)</i>	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	B. Anhydrite	1245'	+799'
List All E. Logs Run:		Topeka	2976'	-932'
ELI Dual Induction 3598 - 236 ft		Queen Hill	3165'	-1121'
ELI Density/Neutron 3598 - 2900 ft		Heebner	3246'	-1202'
ELI Sonic Log 3598 - 2900 ft		Toronto	3264'	-1220'
ELI Microlog 3598 - 2900 ft		Lansing	3291'	-1247'
		B/LKC	3523'	-1479'
		Arbuckle	3574'	-1530'
		T.D.	3598'	-1544'

CASING RECORD <input type="checkbox"/> New <input checked="" type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacjs Used	Type and Percent Additives
surface	12 1/4"	8 5/8"	24#	236 ft	Com	160	3%cc; 2%gel
Production	7 7/8"	5 1/2"	15 1/2# & 17#/ft	3563 ft	Asc	125	2%gel; 500 gal WFR

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input checked="" type="checkbox"/> Perforate <input checked="" type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone	DV @ 1261'	60/40 POZ	350	6%gel; 1/4# floseal/sack

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
2 shots/ft	3317-3320 ft Lansing "B"	(Lansing "B" & "C" zones treated together)	
2 shots/ft	3334-3339 ft Lansing "C"	250 gal 20% mud acid; 2000 gal 20% NE acid	
2 shots/ft	3364-3368 ft Lansing "E"	(250 gal 20% mud acid channeled BP; no show	
2 shots/ft	3371-3374 ft Lansing "F"	From "F" zone 250 gal 20% mud acid; No show	
2 shots /ft	3381-3383 Lansing "G" CIBP set @ 3378 ft	no acid; rec 16 1/4 bbl wtr, tr oil & gassy	
TUBING RECORD Size 2 3/8" Set At 3370 ft Packer At		Liner Run <input type="checkbox"/> Yes <input type="checkbox"/> No	
Date of First, Resumerd Production, SWD or Enhr. 04/07/04		Producing Method <input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)	
Estimated Production Per 24 Hours	Oil Bbls. 47	Gas Mcf Tr	Water Bbls. 35 Gas-Oil Ratio 34

Disposition of Gas Vented Sold Used on Lease *(If vented, Sumit ACO-18.)*

METHOD OF COMPLETION Open Hole Perf. Dually Comp. Commingled Other (Specify) _____

Production Interval 3317-3374 ft

ALLIED CEMENTING CO., INC. 16089

ORIGINAL

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:
2

DATE <u>2-23-04</u>	SEC.	TWP.	RANGE	CALLED OUT	ON LOCATION <u>4:15 PM</u>	JOB START <u>5:45 AM</u>	JOB FINISH <u>6:00 PM</u>
LEASE <u>SCAMADT</u>	WELL # <u>1</u>	LOCATION <u>VICTORIA @ E I-70 SWN</u>		COUNTY <u>ELLIS</u>	STATE <u>KS</u>		
OLD OR <u>NEW</u> (Circle one)				<u>WEN</u>			

CONTRACTOR MURPHY B
 TYPE OF JOB SURFACE
 HOLE SIZE 12 1/4 T.D. 236
 CASING SIZE 8 5/8 DEPTH
 TUBING SIZE DEPTH
 DRILL PIPE DEPTH
 TOOL DEPTH
 PRES. MAX MINIMUM
 MEAS. LINE SHOE JOINT
 CEMENT LEFT IN CSG. 10-15'
 PERFS.
 DISPLACEMENT 14 BBL

EQUIPMENT

PUMP TRUCK CEMENTER MARK
 # 366 HELPER SHANE
 BULK TRUCK
 # 282 DRIVER CARY
 BULK TRUCK
 # DRIVER

REMARKS: RECEIVED

APR 12 2004

CEMENT CTR

KCC WICHITA

SERVICE

DEPTH OF JOB
 PUMP TRUCK CHARGE 520.00
 EXTRA FOOTAGE @
 MILEAGE 22 @ 3.50 77.00
8 5/8 wood @ 45.00
 @
 @

TOTAL 642.00

CHARGE TO: CORAL PROD.
 STREET
 CITY STATE ZIP

PLUG & FLOAT EQUIPMENT

MANIFOLD @
 @
 @
 @
 @

TOTAL

TAX

TOTAL CHARGE

DISCOUNT IF PAID IN 30 DAYS

SIGNATURE Louis McKeena

Louis McKeena
 PRINTED NAME

To Allied Cementing Co., Inc.
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

ALLIED CEMENTING CO., INC. 16803

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

ORIGINAL

SERVICE POINT: Russell

DATE <u>2/29/04</u>	SEC. <u>1</u>	TWP. <u>13</u>	RANGE <u>17</u>	CALLED OUT <u>10:00 AM</u>	ON LOCATION <u>NOON</u>	JOB START	JOB FINISH <u>5:25 PM</u>
LEASE <u>Schmidt</u>		WELL# <u>1</u>	LOCATION <u>Victoria S.N</u>			COUNTY <u>Ellis</u>	STATE <u>K</u>
OLD OR <input checked="" type="radio"/> NEW (Circle one)							

CONTRACTOR MURPHY HS

TYPE OF JOB TOP STAGE 1

HOLE SIZE 7 7/8 T.D. _____

CASING SIZE 5 7/8 DEPTH _____

TUBING SIZE _____ DEPTH _____

DRILL PIPE _____ DEPTH _____

TOOL _____ DEPTH _____

PRES. MAX _____ MINIMUM _____

MEAS. LINE _____ SHOE JOINT _____

CEMENT LEFT IN CSG. _____

PERFS. _____

DISPLACEMENT _____

OWNER _____

CEMENT

AMOUNT ORDERED

350 lbs 60/60-6% Gel

1/4" # Flo Seal

COMMON	<u>210</u>	@	<u>7.15</u>	<u>1501.50</u>
POZMIX	<u>140</u>	@	<u>3.80</u>	<u>532.00</u>
GEL	<u>18</u>	@	<u>10.00</u>	<u>180.00</u>
CHLORIDE		@		
ASC		@		
<u>Flo Seal</u>	<u>88 #</u>	@	<u>1.40</u>	<u>123.20</u>
		@		
		@		
		@		
		@		
		@		
		@		
HANDLING	<u>368</u>	@	<u>1.15</u>	<u>423.20</u>
MILEAGE	<u>54 / SK</u>	@	<u>7.40</u>	<u>404.80</u>
	<u>(22)</u>			
TOTAL				<u>3164.70</u>

EQUIPMENT

PUMP TRUCK CEMENTER Bill

366 HELPER SHANE

BULK TRUCK

362 DRIVER Craig

BULK TRUCK

_____ DRIVER _____

REMARKS:

#58

D.O. Tool @ 12.58

Cement w/ 350 gel

Pump plus w/ 30.00 bbls of water

Watch Plug @ 15.00

Cement did Circ

Louis McRena

CHARGE TO: Coral Prod. Corp.

STREET _____

CITY _____ STATE _____ ZIP _____

SERVICE

DEPTH OF JOB _____

PUMP TRUCK CHARGE _____ 650.00

EXTRA FOOTAGE _____ @ _____

MILEAGE _____ @ _____

_____ @ _____

_____ @ _____

RECEIVED _____

APR 12 2004

KCC WICHITA

TOTAL 650.00

PLUG & FLOAT EQUIPMENT

MANIFOLD _____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

TOTAL _____

TAX _____

TOTAL CHARGE _____

DISCOUNT _____ IF PAID IN 30 DAYS

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE J. C. [Signature]

PRINTED NAME _____

ALLIED CEMENTING CO., INC. 16802

ORIGINAL

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT: Russell

DATE <u>2/29/04</u>	SEC. <u>1</u>	TWP. <u>13</u>	RANGE <u>17</u>	CALLED OUT <u>10:00 AM</u>	ON LOCATION <u>12:00 PM</u>	JOB START	JOB FINISH <u>4:30 PM</u>
LEASE <u>Schmidt</u>	WELL # <u>1</u>	LOCATION <u>Victoria SW</u>			COUNTY <u>Ellis</u>	STATE <u>K</u>	
OLD OR NEW (Circle one)							

CONTRACTOR MUNFIER #2
 TYPE OF JOB Prod CSG
 HOLE SIZE 7 7/8 T.D. 3680
 CASING SIZE 5 1/2 DEPTH
 TUBING SIZE DEPTH
 DRILL PIPE DEPTH
 TOOL DEPTH
 PRES. MAX MINIMUM
 MEAS. LINE SHOE JOINT
 CEMENT LEFT IN CSG. 16
 PERFS.
 DISPLACEMENT 86 1/2
 EQUIPMENT

OWNER
 CEMENT
 AMOUNT ORDERED
125 gal ASC 24.00 gal
500 gal WFR 2
 COMMON @
 POZMIX @
 GEL 2 @ 10.00 20.00
 CHLORIDE @
 ASC 125 @ 9.00 1125.00
 WFR-2 500 gals @ 1.00 500.00
 HANDLING 127 @ 1.15 146.05
 MILEAGE 54 1/2 SK/MILE 139.75
 TOTAL 1930.75

PUMP TRUCK CEMENTER Bill
 # 366 HELPER SHARR
 BULK TRUCK
 # 362 DRIVER CR419
 BULK TRUCK
 # 213 DRIVER Brent

REMARKS:
Escorted 3558
Sheet 16
Insert 3542
Pump, 500 gal WFR 2 Cement w/
1000 lbs of Hsg Pump plug w/
86 bbls of water
Lat plug 1400 #
15 SK R.H
10 SK MIT
 CHARGE TO: CORAI Prod. Corp.
 STREET
 CITY STATE ZIP

SERVICE
 DEPTH OF JOB
 PUMP TRUCK CHARGE 1130.00
 EXTRA FOOTAGE @
 MILEAGE 22 @ 3.50 77.00
 RECEIVED @
 APR 12 2004 @
 KCC WICHITA TOTAL 1207.00

PLUG & FLOAT EQUIPMENT
1- Del. Tool
 MANIFOLD @ 2500.00
6- Cent. @ 40.00 240.00
2- BASKETS @ 128.00 256.00
1- Insert @ 235.00
1- Guide shoe @ 150.00
 TOTAL 3381.00

To Allied Cementing Co., Inc.
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE J. C. [Signature]

TAX
 TOTAL CHARGE
 DISCOUNT IF PAID IN 30 DAYS
 PRINTED NAME