

RECEIVED
APR 10 2004
KCC WICHITA

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION
WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

Form ACO-1
September 1999
Form Must Be Typed

ORIGINAL

Operator: License # 31725
Name: Shelby Resources, LLC
Address: 5893 Saddle Creek Trail
City/State/Zip: Parker, Co. 80134
Purchaser: Link Energy
Operator Contact Person: Jim Waechter
Phone: (303) 840-2183
Contractor: Name: Murfin Drilling Co., Inc
License: 30606
Wellsite Geologist: Ron Nelson

Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SLOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:

Operator: _____
Well Name: _____
Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back Plug Back Total Depth
 Commingled Docket No. _____
 Dual Completion Docket No. _____
 Other (SWD or Enhr.?) Docket No. _____

<u>11/28/03</u>	<u>12/3/03</u>	<u>1/2/05 DL</u>
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 065-22941-0000
County: Graham
NW NE SE SW Sec. 33 Twp. 9 S. R. 21 East West
1115 feet from (S) / N (circle one) Line of Section
2069 feet from E (W) (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:
(circle one) NE SE NW SW
Lease Name: Alphin Well #: 1
Field Name: Cooper

Producing Formation: Arbuckle
Elevation: Ground: 2315 Kelly Bushing: 2320
Total Depth: 3920 Plug Back Total Depth: N/A
Amount of Surface Pipe Set and Cemented at 219 Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set 1766 Feet
If Alternate II completion, cement circulated from 1766
feet depth to surface w/ 275 sx cmt.

Drilling Fluid Management Plan ALT #2 5/30/07
(Data must be collected from the Reserve Pit)

Chloride content 3100 ppm Fluid volume 180 bbls
Dewatering method used haul free fluids

Location of fluid disposal if hauled offsite:
Operator Name: Shelby Resources LLC
Lease Name: Bemis Shutts A License No.: 31725
Quarter NE Sec. 28 Twp. 11 S. R. 17 East West
County: Ellis Docket No.: D-00,351

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.


Signature: JA Waechter
Title: Managing Member Date: 4/12/04

Subscribed and sworn to before me this 13 day of April, 2004.

Notary Public: Sara Arends

Date Commission Expires: _____

My Commission Expires 10/23/2007



KCC Office Use ONLY

NO Letter of Confidentiality Attached
If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution

X

ORIGINAL

Side Two

Operator Name: Shelby Resources, LLC Lease Name: Allphin Well #: 1
 Sec. 33 Twp. 9 S. R. 21 East West County: Graham

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken Yes No
(Attach Additional Sheets)

Samples Sent to Geological Survey Yes No

Cores Taken Yes No

Electric Log Run Yes No
(Submit Copy)

Log Formation (Top), Depth and Datum Sample

Name	Top	Datum
Anhydrite	1778	+542
Heebner	3507	-1187
LKC	3546	-1226
Arbuckle	3869	-1549

List All E. Logs Run:

Neutron density, Dual Induction
Cement bond log

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs./ Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12 1/4	8 5/8	25	219	Common	160	3% cc 2% gel
Prod	7 7/8	5 1/2	14	3920	ASC	200	10% salt 2% gel

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input checked="" type="checkbox"/> Perforate				
<input type="checkbox"/> Protect Casing				
<input type="checkbox"/> Plug Back TD				
<input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
4 spf	3871-74	natural	

RECEIVED
 APR 16 2004
 KCC WICHITA

TUBING RECORD	Size	Set At	Packer At	Liner Run
	2 7/8"	3850	N/A	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

Date of First, Resumerd Production, SWD or Enhr.	Producing Method
1/2/04	<input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)

Estimated Production Per 24 Hours	Oil Bbis.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity
	60		3	N/A	25

Disposition of Gas Vented Sold Used on Lease Open Hole Perf. Dually Comp. Commingled Other (Specify) _____

METHOD OF COMPLETION _____

Production Interval _____

(If vented, Submit ACO-18.)

ALLIED CEMENTING CO., INC

15645
ORIGINAL

TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:

12

DATE <u>11-28-03</u>	SEC.	TWP.	RANGE	CALLED OUT	ON LOCATION <u>11:30am</u>	JOB START <u>12:00pm</u>	JOB FINISH <u>12:15pm</u>
LEASE <u>ALL RIGHTS</u>	WELL # <u>1</u>	LOCATION <u>CHURCH OF GOD 1W 15 36</u>		COUNTY <u>GRAHAM</u>	STATE <u>KS</u>		
OLD OR <u>NEW</u> (Circle one)							

CONTRACTOR MURFIN B

TYPE OF JOB SURFACE

HOLE SIZE 12 1/4 T.D. 219

CASING SIZE 8 5/8 DEPTH 219

TUBING SIZE DEPTH

DRILL PIPE DEPTH

TOOL DEPTH

PRES. MAX MINIMUM

MEAS. LINE SHOE JOINT

CEMENT LEFT IN CSG. 10-15'

PERFS.

DISPLACEMENT 13 BBL

OWNER

CEMENT

AMOUNT ORDERED 1160 COM 390cc 296GL

EQUIPMENT

PUMP TRUCK CEMENTER MARK

345 HELPER DAVE

BULK TRUCK

718 DRIVER

BULK TRUCK

DRIVER

COMMON	<u>160</u>	@	<u>7.15</u>	<u>1144.00</u>
POZMIX		@		
GEL	<u>3</u>	@	<u>10.00</u>	<u>30.00</u>
CHLORIDE	<u>5</u>	@	<u>30.00</u>	<u>150.00</u>
		@		
		@		
		@		
		@		
HANDLING	<u>160</u>	@	<u>1.45</u>	<u>232.00</u>
MILEAGE	<u>5 1/2</u>	@	<u>75.00</u>	<u>400.00</u>
TOTAL				<u>1908.00</u>

REMARKS: REPAIR TO SERVICE

CEMENT 1160

DEPTH OF JOB

PUMP TRUCK CHARGE 520.00

EXTRA FOOTAGE @

MILEAGE 50 @ 3.50 175.00

PLUG 8 5/8 @ 45.00

TOTAL 740.00

CHARGE TO: SHELBY

STREET

CITY STATE ZIP

DEPTH OF JOB

PUMP TRUCK CHARGE 520.00

EXTRA FOOTAGE @

MILEAGE 50 @ 3.50 175.00

PLUG 8 5/8 @ 45.00

TOTAL 740.00

RECEIVED
APR 16 2004

KCC WICHITA

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE Louis McRanna

FLOAT EQUIPMENT

TAX

TOTAL CHARGE

DISCOUNT IF PAID IN 30 DAYS

SIGNATURE Louis McRanna

PRINTED NAME

ALLIED CEMENTING CO., INC

13298
ORIGINAL

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT: Oakley

DATE <u>12-3-03</u>	SEC. <u>33</u>	TWP. <u>9^s</u>	RANGE <u>21^w</u>	CALLED OUT	ON LOCATION <u>1145^{AM}</u>	JOB START <u>6:10^{AM}</u>	JOB FINISH <u>6:45^{AM}</u>
LEASE <u>Allphin</u>	WELL # <u>1</u>	LOCATION <u>Church of God 1W-1S-34W</u>			COUNTY <u>Graham</u>	STATE <u>Kan</u>	
OLD OR <u>NEW</u> (Circle one)				<u>NS</u>			

CONTRACTOR Mur Fin Dils Co #8

TYPE OF JOB Production String

HOLE SIZE 1 7/8" T.D. 3921'

CASING SIZE 5 1/2" DEPTH 3920'

TUBING SIZE _____ DEPTH _____

DRILL PIPE _____ DEPTH _____

TOOL Port Collar DEPTH 1766'

PRES. MAX _____ MINIMUM _____

MEAS. LINE _____ SHOE JOINT 11.09'

CEMENT LEFT IN CSG. 11.09'

PERFS. _____

DISPLACEMENT 95 1/2 BBL

EQUIPMENT

PUMP TRUCK CEMENTER Walt

300 HELPER Wayne

BULK TRUCK

218 DRIVER Fuzzy

BULK TRUCK

_____ DRIVER _____

OWNER Same

CEMENT

AMOUNT ORDERED 200 sks Asc

2% Gel, 10% Salt

500 gal WFR-2

COMMON <u>Asc</u>	<u>200 sks</u>	@	<u>9⁰⁰</u>	<u>1,800⁰⁰</u>
POZMIX		@		
GEL	<u>4 sks</u>	@	<u>10⁰⁰</u>	<u>40⁰⁰</u>
CHLORIDE		@		
<u>Salt</u>	<u>19 sks</u>	@	<u>7⁵⁰</u>	<u>142⁵⁰</u>
<u>WFR-2</u>	<u>500 gal</u>	@	<u>1⁰⁰</u>	<u>500⁰⁰</u>
		@		
		@		
		@		
HANDLING	<u>200 sks</u>	@	<u>1¹⁵</u>	<u>230⁰⁰</u>
MILEAGE	<u>5¢ per sk/mil.</u>			<u>500⁰⁰</u>

TOTAL 3,212⁵⁰

REMARKS:

Pump Displacement @ 900#
landed Plug @ 1400#
Plug Held

Put 10 sks in M.H.
15 sks in Art.

[Signature]

SERVICE

DEPTH OF JOB _____

PUMP TRUCK CHARGE _____ 1,130⁰⁰

EXTRA FOOTAGE @ _____

MILEAGE 50-miles @ 3⁵⁰ 175⁰⁰

PLUG @ _____

@ _____

@ _____

TOTAL 1,305⁰⁰

CHARGE TO: Shelby Resources, LLC

STREET _____

CITY _____ STATE _____ ZIP _____

FLOAT EQUIPMENT

5 1/2

<u>1- Guide shoe</u>	@	<u>150⁰⁰</u>
<u>1- Latch down Plug</u>	@	<u>350⁰⁰</u>
<u>4- Centralizers</u>	@ <u>50⁰⁰</u>	<u>200⁰⁰</u>
<u>2- Baskets</u>	@ <u>128⁰⁰</u>	<u>256⁰⁰</u>
<u>1- Port Collar</u>	@	<u>1,750⁰⁰</u>

TOTAL 2,706⁰⁰

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE Brian Kalin

TAX _____

TOTAL CHARGE _____

DISCOUNT _____ IF PAID IN 30 DAYS

PRINTED NAME _____

ALLIED CEMENTING CO., INC. 13955

ORIGINAL

REMIT TO: P.O. BOX 31 RUSSELL, KANSAS 67665 SERVICE POINT: KANSAS

DATE <u>12-16-03</u>	SEC. <u>10</u>	TWP. <u>10N</u>	RANGE <u>11E</u>	CALLED OUT <u>10:00AM</u>	ON LOCATION <u>10:30AM</u>	JOB START <u>12:30AM</u>	JOB FINISH <u>12:30AM</u>
LEASE <u>ALL QUIZ</u>		WELL # <u>1</u>		LOCATION <u>CHURCH OF GOD 15 2 1/2 W</u>		COUNTY <u>GRAHAM</u>	STATE <u>KS</u>
<input checked="" type="radio"/> OLD <input type="radio"/> NEW (Circle one)							

CONTRACTOR <u>CASCHER</u>	OWNER _____
TYPE OF JOB <u>POET COLLAR</u>	CEMENT _____
HOLE SIZE _____ T.D. _____	AMOUNT ORDERED <u>350 60/40 670CEL</u>
CASING SIZE <u>5 1/2</u> DEPTH _____	<u>1/4# Floreal</u>
TUBING SIZE <u>2 1/2</u> DEPTH _____	<u>USED 275 SK</u>
DRILL PIPE _____ DEPTH _____	COMMON <u>165</u> @ <u>7.15</u> <u>1179.75</u>
TOOL <u>MAN</u> DEPTH _____	POZMIX <u>110</u> @ <u>3.00</u> <u>418.00</u>
PRES. MAX _____ MINIMUM _____	GEL <u>14</u> @ <u>10.00</u> <u>140.00</u>
MEAS. LINE _____ SHOE JOINT _____	CHLORIDE _____ @ _____
CEMENT LEFT IN CSG. _____	<u>Floreal 69#</u> @ <u>1.40</u> <u>96.60</u>
PERFS. _____	_____ @ _____
DISPLACEMENT _____	_____ @ _____

EQUIPMENT		TOTAL <u>3024.35</u>	
PUMP TRUCK CEMENTER <u>MARK</u>	HELPER <u>DAVE</u>	HANDLING <u>350</u>	MILEAGE <u>54 1/2</u> @ <u>1.45</u> <u>787.50</u>
# <u>345</u>			
BULK TRUCK	DRIVER <u>SCOTT CRALL</u>		
# <u>362</u>			
BULK TRUCK	DRIVER _____		
# _____			

REMARKS: B-PLUG C-2700 CTRC OIL OUT PRES
TO 1200" - BROKE ON OPENED TOOL - BROKE
CTRC - MOVED 275 SK - CTRC - CEMENT CLOSED
TOOL RAN 10 JTS REVERSE OUT

SERVICE

DEPTH OF JOB _____	PUMP TRUCK CHARGE <u>650.00</u>
EXTRA FOOTAGE _____ @ _____	MILEAGE <u>45</u> @ <u>3.50</u> <u>157.50</u>
PLUG _____ @ _____	
	TOTAL <u>807.50</u>

CHARGE TO: SHELBY

STREET _____

CITY _____ STATE _____ ZIP _____

FLOAT EQUIPMENT

TOTAL _____

TAX _____

TOTAL CHARGE _____

DISCOUNT _____ IF PAID IN 30 DAYS

To Allied Cementing Co., Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE Brian K. [Signature] PRINTED NAME _____