

**KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION
WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE**

Form ACO-1
September 1999
Form Must Be Typed

ORIGINAL


Operator: License # 32639
 Name: Coral Production Corporation
 Address: 1600 Stout Street, Suite 1500
 City/State/Zip: Denver, Colorado 80202
 Purchaser: N.C.R.A.
 Operator Contact Person: Jim Weber
 Phone: (303) 623-3573
 Contractor: Name: Murfin Drilling Company, Inc.
 License: 30606
 Wellsite Geologist: Gary Gensch **RECEIVED**
 Designate Type of Completion: **APR 12 2004**
 New Well Re-Entry Workover
 Oil SWD SIOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)
 If Workover/Re-entry: Old Well Info as follows:
 Operator: _____
 Well Name: _____
 Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back _____ Plug Back Total Depth _____
 Commingled _____ Docket No. _____
 Dual Completion _____ Docket No. _____
 Other (SWD or Enhr.?) _____ Docket No. _____
12/04/03 12/11/03 01/23/04
 Spud Date or Date Reached TD Completion Date or
 Recompletion Date Recompletion Date

API No. 15 - 163-23386-00-00
 County: Roos
W/2-W/2SW Sec. 6 Twp. 10 S. R. 18 East West
1470 feet from S / N (circle one) Line of Section
460 feet from E / W (circle one) Line of Section
 Footages Calculated from Nearest Outside Section Corner:
 (circle one) NE SE NW **SW**
 Lease Name: Thomas Well #: 1
 Field Name: Wildcat
 Producing Formation: Lansing/Kansas City
 Elevation: Ground: 2188 ft Kelly Bushing: 2193 ft
 Total Depth: 3770 ft Plug Back Total Depth: 3748 ft
 Amount of Surface Pipe Set and Cemented at 235 Feet
 Multiple Stage Cementing Collar Used? Yes No
 If yes, show depth set port collar @ 1640 ft Feet
 If Alternate II completion, cement circulated from 1640 ft
 feet depth to perf @690 ft w/ 200 sks (100 sks)
65 sks backside squeeze; 60/40 POZ sx cmt.
Drilling Fluid Management Plan
 (Data must be collected from the Reserve Pit) ALT #2 KGR 5/30/07 6% gel
 Chloride content 8,000 ppm Fluid volume 340 bbls
 Dewatering method used allow to dry; then backfill
 Location of fluid disposal if hauled offsite: _____
 Operator Name: _____
 Lease Name: _____ License No.: _____
 Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
 County: _____ Docket No.: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Jim R. Weber
 Title: President Date: April 17, 2004
 Subscribed and sworn to before me this 7th day of April, 2004
 Notary Public: Stacy R. Springton
 Date Commission Expires: 02-01-2005



KCC Office Use ONLY

yes Letter of Confidentiality Attached
 If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution

Operator Name: Coral Production Corporation Lease Name: Thomas Well #: 1
 Sec. 6 Twp. 10 S. 18 East West County: Rooks

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <i>(Attach Additional Sheets)</i>	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Log	Formation (Top), Depth and Datum	<input type="checkbox"/> Sample
Samples Sent to Geological Survey	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Name	Top	Datum
Cores Taken	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	T. Anhydrite	1594'	+599'
Electric Log Run <i>(Submit Copy)</i>	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	B. Anhydrite	1630'	+563'
List All E. Logs Run:		Topeka	3158'	-965'
ELI Dual Induction log from 3767 ft to 235 ft		Oread	3315'	-1122'
ELI Density/Neutron log from 3767' to 3000'		Heebner	3370'	-1177'
ELI Microlog 3767' to 3000'		Lansing	3411'	-1218'
		Stark	3592'	-1399'
		B/Lansing-Kansas City	3638'	-1445'
		Arbuckle 3750' -1557'	3666'	-1473'
		Conglomerate		

CASING RECORD <input type="checkbox"/> New <input checked="" type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacs Used	Type and Percent Additives
surface	12 1/4"	8 5/8" @235'	24#	235 ft	Com	160	3%cc;2%gel
production	7 7/8"	4 1/2"	10 1/2# new	3748 ft	ASC	150	3%gel;

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input checked="" type="checkbox"/> Perforate				
<input checked="" type="checkbox"/> Protect Casing	1640	60/40 POZ	100	6% gel; 1/4 lb flowseal/sack
<input type="checkbox"/> Plug Back TD				
<input type="checkbox"/> Plug Off Zone	perf@690'	60/40 POZ	265	6% gel; 3% cc (200 sks @690'; 65 sks @ sur)

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type		Acid, Fracture, Shot, Cement Squeeze Record		Depth
	Specify Footage of Each Interval Perforated		(Amount and Kind of Material Used)		
2 shots/ft	3575 ft to 3579 ft (Lansing "J")		250 gallons mud acid + 1500 gal 20% HCL		
2 shots /ft	3447-3452 ft (Lansing "B")		250 gal mud acid; 1500 gal 20% HCL		

TUBING RECORD	Size 2 3/8"	Set At 3450 ft	Packer At	Liner Run <input type="checkbox"/> Yes <input type="checkbox"/> No
---------------	----------------	-------------------	-----------	--

Date of First, Resumerd Production, SWD or Enhr. 02/12/04	Producing Method <input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)			
Estimated Production Per 24 Hours	Oil 35 Bbls.	Gas Tr Mcf	Water Tr Bbls.	Gas-Oil Ratio Gravity 33.3

Disposition of Gas	METHOD OF COMPLETION	Production Interval
<input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Sumit ACO-18.)</i>	<input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <input type="checkbox"/> Other (Specify)	

ALLIED CEMENTING CO., INC. ORIGINAL

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:
Russell

DATE <u>12/4/03</u>	SEC. <u>6</u>	TWP. <u>10</u>	RANGE <u>18</u>	CALLED OUT <u>3:00pm</u>	ON LOCATION <u>4:40pm</u>	JOB START	JOB FINISH <u>5:30pm</u>
LEASE <u>Thomas</u>	WELL # <u>1</u>	LOCATION <u>Pulle 4 w 1-2 S</u>			COUNTY <u>ROCK</u>	STATE <u>K</u>	
OLD OR <input checked="" type="radio"/> NEW (Circle one)				RECEIVED			

CONTRACTOR MURFIN #8

TYPE OF JOB SURFACE

HOLE SIZE 1 5/8" T.D. 236

CASING SIZE 8 5/8" DEPTH 235

TUBING SIZE _____ DEPTH _____

DRILL PIPE _____ DEPTH _____

TOOL _____ DEPTH _____

PRES. MAX _____ MINIMUM _____

MEAS. LINE _____ SHOE JOINT _____

CEMENT LEFT IN CSG. 15

PERFS. _____

DISPLACEMENT 14 bbls.

OWNER _____ DEC 16 2003

CEMENT CORAL PRODUCTION CORP.

AMOUNT ORDERED 160 lbs Cen 32

COMMON	<u>160</u>	@	<u>7.15</u>	<u>1144.00</u>
POZMIX		@		
GEL	<u>3</u>	@	<u>10.00</u>	<u>30.00</u>
CHLORIDE	<u>5</u>	@	<u>30.00</u>	<u>150.00</u>
		@		
		@		
		@		
		@		
		@		
HANDLING	<u>160</u>	@	<u>1.15</u>	<u>184.00</u>
MILEAGE	<u>54</u>	@	<u>7.40/mile</u>	<u>400.00</u>

EQUIPMENT

PUMP TRUCK # 345 CEMENTER Bill HELPER DAve

BULK TRUCK # 282 DRIVER Scott - Craig

BULK TRUCK # _____ DRIVER _____

RECEIVED
APR 12 2004
KCC WICHITA SERVICE

TOTAL 1968.00

REMARKS:

Ran 5 ft of 8 5/8" D 235

Cent w/ 160 lbs Cent

pump plug w/ 14 bbls of water

Cent did Circ.

DEPTH OF JOB _____

PUMP TRUCK CHARGE _____ 520.00

EXTRA FOOTAGE _____ @ _____

MILEAGE 50 @ 3.50 175.00

PLUG 1 3/8" Wood @ 45.00

TOTAL 740.00

CHARGE TO: Coral Prod. Corp.

STREET _____

CITY _____ STATE _____ ZIP _____

FLOAT EQUIPMENT

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

TOTAL _____

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX _____

TOTAL CHARGE _____

DISCOUNT _____ IF PAID IN 30 DAYS

SIGNATURE Laura McReanna

Louis McReanna
PRINTED NAME

ALLIED CEMENTING CO., INC.

15654

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT
Russell

ORIGINAL

DATE <u>12-12-03</u>	SEC. <u>6</u>	TWP. <u>10</u>	RANGE <u>18</u>	CALLED OUT <u>10:30PM</u>	ON LOCATION <u>12:40AM</u>	JOB START <u>4:00AM</u>	JOB FINISH <u>4:30AM</u>
LEASE <u>THOMAS</u>	WELL # <u>1</u>	LOCATION <u>Plainville 4 W 1/2 S 1/4 E</u>			COUNTY <u>ROOK'S</u>	STATE <u>KANSAS</u>	
OLD OR <input checked="" type="radio"/> NEW (Circle one)							

CONTRACTOR MURFIN Drlg Rig # 8

TYPE OF JOB PRODUCTION STRING

HOLE SIZE 7 7/8 T.D. 3720

CASING SIZE 4 1/2 DEPTH 3748

TUBING SIZE _____ DEPTH _____

DRILL PIPE _____ DEPTH _____

TOOL AFU INSERT DEPTH 3734'

PRES. MAX 1,000 MINIMUM _____

MEAS. LINE _____ SHOE JOINT 14'

CEMENT LEFT IN CSG. 14'

PERFS. _____

DISPLACEMENT 101 1/4 BBL

EQUIPMENT _____

OWNER Same

CEMENT
AMOUNT ORDERED 150 SK ASC
500 GAL WFR-2

COMMON	<u>150 ASC</u>	@	<u>9.00</u>	<u>1350.00</u>
POZMIX		@		
GEL	<u>3</u>	@	<u>10.00</u>	<u>30.00</u>
CHLORIDE		@		
WFR-2	<u>500 gals</u>	@	<u>1.00</u>	<u>500.00</u>
		@		
		@		
		@		
HANDLING	<u>150</u>	@	<u>1.15</u>	<u>172.50</u>
MILEAGE	<u>54/sk/mile</u>			<u>375.00</u>

PUMP TRUCK CEMENTER Glean

345 HELPER Dave

BULK TRUCK

213 DRIVER Scott - Craig

BULK TRUCK

_____ DRIVER _____

RECEIVED

TOTAL 2427.50

APR 12 2004

KCC WICHITA SERVICE

REMARKS:

Part collar on # 41 JT From
TOP. (1640)

10 SK @ mouse Hole
15 SK @ RAT Hole
LAND Plug @ 1,000#.
FLOAT HELD.

THANK'S

DEPTH OF JOB				
PUMP TRUCK CHARGE				<u>1135.00</u>
EXTRA FOOTAGE		@		
MILEAGE	<u>50</u>	@	<u>3.50</u>	<u>175.00</u>
PLUG <u>4 1/2 RUBBER</u>		@		<u>40.00</u>
		@		
		@		

TOTAL 1345.00

CHARGE TO CORAL PRODUCTION CORPORATION

STREET _____

CITY _____ STATE _____ ZIP _____

WEATHER FORD
FLOAT EQUIPMENT

1 - Guide Shoe	@		<u>125.00</u>
1 - AFU INSERT	@		<u>210.00</u>
6 - CENTRALIZERS	@	<u>40.00</u>	<u>240.00</u>
2 - BASKETS	@	<u>116.00</u>	<u>232.00</u>
1 - PORT COLLAR	@		<u>1400.00</u>

TOTAL 2207.00

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX _____

TOTAL CHARGE _____

DISCOUNT _____ IF PAID IN 30 DAYS

SIGNATURE

JCBurke

Joe Burke

PRINTED NAME

ALLIED CEMENTING CO., INC.

ORIGINAL 15249

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT: R

DATE <u>1-27-04</u>	SEC.	TWP.	RANGE	CALLED OUT	ON LOCATION	JOB START	JOB FINISH <u>1:15 pm</u>
LEASE <u>Thomas</u>	WELL# <u>1</u>	LOCATION <u>plainsville 4w165</u>			COUNTY <u>Rock</u>	STATE <u>Ks</u>	
OLD OR NEW (Circle one)							

CONTRACTOR Mars well Service

TYPE OF JOB port collar

HOLE SIZE _____ T.D. _____

CASING SIZE 4 1/2 DEPTH _____

TUBING SIZE _____ DEPTH _____

DRILL PIPE _____ DEPTH _____

TOOL _____ DEPTH 1637

PRES. MAX _____ MINIMUM _____

MEAS. LINE _____ SHOE JOINT _____

CEMENT LEFT IN CSG. _____

PERFS. _____

DISPLACEMENT _____

OWNER _____

CEMENT

AMOUNT ORDERED 450 @ 6% gel
14 16 fowseal per ft

EQUIPMENT

345 Dwg

PUMP TRUCK # _____ CEMENTER HELPER Shane

BULK TRUCK # _____ DRIVER _____

BULK TRUCK # 378 DRIVER Gary

COMMON	<u>270</u>	@	<u>7.15</u>	<u>1930.50</u>
POZMIX	<u>180</u>	@	<u>3.80</u>	<u>684.00</u>
GEL	<u>22</u>	@	<u>10.00</u>	<u>220.00</u>
CHLORIDE		@		
<u>Floset</u>	<u>112</u>	@	<u>1.40</u>	<u>156.80</u>
		@		
		@		
		@		
		@		
HANDLING	<u>472</u>	@	<u>1.15</u>	<u>542.80</u>
MILEAGE	<u>54 1/4</u>	@	<u>1.15</u>	<u>1180.00</u>

RECEIVED

APR 12 2004

TOTAL 4714.10

KCC WICHITA SERVICE

REMARKS:

tested plug @ 1000 psi
opened tool
mixed cement w/ no flow
mixed app 100 slk + had little
circ + ~~circ~~ circ quit + mixed
rest of cement

max 700 psi

Coral Prod

DEPTH OF JOB _____

PUMP TRUCK CHARGE 630.00

EXTRA FOOTAGE @ _____

MILEAGE 50 @ 3.50 175.00

PLUG @ _____

TOTAL 805.00

CHARGE TO: Coral Prod

STREET _____

CITY _____ STATE _____ ZIP _____

FLOAT EQUIPMENT

@ _____

@ _____

@ _____

@ _____

@ _____

To Allied Cementing Co., Inc.

You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TOTAL _____

TAX _____

TOTAL CHARGE _____

DISCOUNT _____ IF PAID IN 30 DAYS

SIGNATURE Joe Bork

PRINTED NAME Joe Bork

ALLIED CEMENTING CO., INC.

13997

ORIGINAL

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:

Russell

DATE <u>1/29/04</u>	SEC.	TWP.	RANGE	CALLED OUT <u>7:00 AM</u>	ON LOCATION <u>9:15 AM</u>	JOB START	JOB FINISH <u>5:30 PM</u>
LEASE <u>Thomas</u>	WELL # <u>1</u>	LOCATION <u>P. 11e 7 W 12 S</u>			COUNTY <u>ROCK</u>	STATE <u>Ka</u>	
OLD OR <u>NEW</u> (Circle one)							

CONTRACTOR maier well service

TYPE OF JOB Squeeze

HOLE SIZE _____ T.D. _____

CASING SIZE 4 1/2 DEPTH _____

TUBING SIZE 2 3/8 DEPTH _____

DRILL PIPE _____ DEPTH _____

TOOL _____ DEPTH _____

PRES. MAX _____ MINIMUM _____

MEAS. LINE _____ SHOE JOINT _____

CEMENT LEFT IN CSG. _____

PERFS. _____

DISPLACEMENT _____

OWNER _____

CEMENT AMOUNT ORDERED _____

2000 lbs 6 3/4 6% Gel

Scribe Cem 3% cc 1000 Sand

COMMON	<u>170</u>	@	<u>7.15</u>	<u>1215.50</u>
POZMIX	<u>80</u>	@	<u>3.80</u>	<u>304.00</u>
GEL	<u>10</u>	@	<u>10.00</u>	<u>100.00</u>
CHLORIDE	<u>2</u>	@	<u>30.00</u>	<u>60.00</u>
Sand	<u>1</u>	@	<u>7.50</u>	<u>7.50</u>
		@		
		@		
		@		
HANDLING	<u>263</u>	@	<u>1.15</u>	<u>302.45</u>
MILEAGE	<u>54.5</u>	@	<u>12.50/mile</u>	<u>681.25</u>

EQUIPMENT

PUMP TRUCK CEMENTER Bill

HELPER Brent

BULK TRUCK DRIVER Craig

DRIVER Gary

RECEIVED
APR 12 2004
KCC WICHITA SERVICE

TOTAL 2646.95

REMARKS:

BP 3050, spot when sand
part e 690, pump gel to establish
circ. cent of 2000 lb 6 3/4 6% Follow
w/ scribe Cem 3% cc, cent did not circ.
Squeeze to 1000'
pull tubing, place csg to 200'
Shot IN

DEPTH OF JOB _____

PUMP TRUCK CHARGE 630.00

EXTRA FOOTAGE _____ @ _____

MILEAGE 50 @ 3.50 175.00

PLUG _____ @ _____

TOTAL 805.00

CHARGE TO: Coral Prod.

STREET _____

CITY _____ STATE _____ ZIP _____

FLOAT EQUIPMENT

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

TOTAL _____

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX _____

TOTAL CHARGE _____

DISCOUNT _____ IF PAID IN 30 DAYS

SIGNATURE Joe Berla

Joe Berla
PRINTED NAME

ALLIED CEMENTING CO., INC.

15577

ORIGINAL

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT: R

DATE <u>1-30-04</u>	SEC.	TWP.	RANGE	CALLED OUT	ON LOCATION	JOB START	JOB FINISH <u>3:00 pm</u>
LEASE <u>Thomas</u>	WELL # <u>1</u>	LOCATION <u>plainsville 4w 1 1/2 s</u>			COUNTY <u>Rooks</u>	STATE <u>Ks</u>	
OLD OR <u>NEW</u> (Circle one)							

CONTRACTOR Maier Well Service

TYPE OF JOB Backside square

HOLE SIZE _____ T.D. _____

CASING SIZE 5 1/2 DEPTH _____

TUBING SIZE _____ DEPTH _____

DRILL PIPE _____ DEPTH _____

TOOL _____ DEPTH _____

PRES. MAX _____ MINIMUM _____

MEAS. LINE _____ SHOE JOINT _____

CEMENT LEFT IN CSG. _____

PERFS. _____

DISPLACEMENT _____

OWNER _____

CEMENT AMOUNT ORDERED 65 @ 6% gel

COMMON	<u>39</u>	@	<u>7.15</u>	<u>278.85</u>
POZMIX	<u>26</u>	@	<u>3.80</u>	<u>98.80</u>
GEL	<u>3</u>	@	<u>10.00</u>	<u>30.00</u>
CHLORIDE		@		
		@		
		@		
		@		
		@		
		@		
HANDLING	<u>68</u>	@	<u>1.15</u>	<u>78.20</u>
MILEAGE	<u>54</u>	@	<u>3.33</u>	<u>177.00</u>

EQUIPMENT

345 PUMP TRUCK CEMENTER Doug

_____ HELPER Shane

BULK TRUCK _____ DRIVER _____

_____ DRIVER Brent

RECEIVED
APR 12 2004

TOTAL 655.85

KCC WICHITA SERVICE

REMARKS:
Mixed 65 sk down 8 1/2
max pressure @ 100 psi
Shut in @ 50 psi

DEPTH OF JOB _____

PUMP TRUCK CHARGE _____ 520.00

EXTRA FOOTAGE _____ @ _____

MILEAGE _____ @ _____

PLUG _____ @ _____

_____ @ _____

_____ @ _____

TOTAL 520.00

CHARGE TO: Coral Prod.

STREET _____

CITY _____ STATE _____ ZIP _____

FLOAT EQUIPMENT

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TOTAL _____

TAX _____

TOTAL CHARGE _____

DISCOUNT _____ IF PAID IN 30 DAYS

SIGNATURE Joe Borla

Joe Borla
PRINTED NAME