RECEIVED KANSAS CORPORATION COMMISSION

For KCC Use:	/2
Effective Date: _	12501
District #	1
CCAO Voo	No.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOV 3 0 2007

December 2002

Form must be Typed CONSERVATION DIVISION must be Signed

NOTICE OF INTENT TO DRILL

L40, 2008	
Expected Spud Date	Spot *90'S & 20'E of East
month day year	S2 - N2 - NE Sec. 13 Twp. 17 S. R. 32 ✓ West
OPERATOR: License# 5214 OPERATOR: License#	1080 feet from VN / S Line of Section
Name: Lario Oil & Gas Company	1eet from V E / W Line of Section
Address: 301 S. Market	Is SECTIONRegularIrregular?
City/State/Zip:Wichita, KS 67202	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Jay G. Schweikert	County: Scott
Phone: 316-265-5611	Lease Name: Griffith Well #: 1-13
30606	Field Name: Brookover
CONTRACTOR: License#	Is this a Prorated / Spaced Field?
Name: Mornin Brining Co., Inc.	Target Formation(s): St. Louis
Well Drilled For: Well Class: Type Equipment:	Nearest Lease of unit boundary.
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation: 2965' est. feet MSL
Gas Storage ✓ Pool Ext. Air Rotary	Water well within one-quarter mile:
OWO Disposal Wildcat Cable	Public water supply well within one mile: Yes V No
Seismic: # of Holes Other	Depth to bottom of fresh water: 280,000
Other	Depth to bottom of usable water:
	Surface Pipe by Alternate: 1 2 2
f OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Fibe required.
Well Name:	Projected Total Depth: 4700' Formation at Total Depth: St. Louis
Original Completion Date:Original Total Depth:	Formation at 10ta Deptili
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:
	Well Farm Pond Other ^
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR) Will Cores be taken? Yes V No
KCC DKT #:	
	If Yes, proposed zone:
	DAVIT
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met:	
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the search of the approved notice of intent to drill <i>shall be</i> posted on each and the search of	in drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set It e underlying formation. It is office on plug length and placement is necessary prior to plugging; It ged or production casing is cemented in; It is office on blow any usable water to surface within 120 days of spud date. It is 33,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plants is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug. 6. If an ALTERNATE 11 COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing orders.	in drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set It e underlying formation. It is office on plug length and placement is necessary prior to plugging; It ged or production casing is cemented in; It is office on blow any usable water to surface within 120 days of spud date. It is 33,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the second of the approved notice of intent to drill <i>shall be</i> posted on each and the second of	in drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set It is underlying formation. It is office on plug length and placement is necessary prior to plugging; It is office on plug length and placement is necessary prior to plugging; It is office on plug length and placement in the set of the s
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the threby certify that the statements made herein are true and to the best of	In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. It is strict office on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 days of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. If it is a plugged in all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plants is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an expectation of the approved notice of intent to drill <i>shall be</i> posted on each an expectation of the specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the specified will be district office will be notified before well is either plug. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the policy. Signature of Operator or Agent: **Date:** **Incomplete:** **Inco	In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. It is is increased as a surface pipe shall be set to underlying formation. It is increased as a surface pipe shall be set to surface on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 days of spud date. It is 33,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. It is increased as a surface within 120 days of spud date. It is a surface within 120 days of spud date. It is a surface within 120 days of spud date. It is a surface prior to any cementing. It is a surface pipe shall be set to underly prior to plugging; and the surface prior to any cementing. It is a surface pipe shall be set to underly prior to plugging; and the surface pipe shall be set to plugging; and the surface pipe
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the specified below shall be set into the specified below shall be completed within 30 days of the spud date or the well shall be the specified below shall be set into the specifi	In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. It is strict office on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 days of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. If it is prior to any cementing. If the prior to any cementing in the plugged in all cases, NOTIFY district office prior to any cementing. If the prior to any cementing in the plugged in all cases, NOTIFY district office prior to any cementing. If the prior to any cementing in the plugged in the prior to any cementing in the plugged in the prior to any cementing in the plugged in the prior to any cementing in the plugged in the prior to any cementing in the plugged in the prior to any cementing in the plugged in the prior to any cementing in the plugged in the prior to any cementing in the plugged in the plug
The undersigned hereby affirms that the drilling, completion and eventual plants is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each as the second of the approved notice of intent to drill <i>shall be</i> posted on each as the second of t	In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. It is strict office on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 days of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. If it is prior to any cementing. If it is prior to any cementing. If it is prior to any cementing in the prior to any cementing. If it is prior to any cementing in the prior to any cementing in the prior to any cementing. If it is prior to any cementing in the prior to any cement in the prior to any cementing in the prior to any c
The undersigned hereby affirms that the drilling, completion and eventual plants is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the season of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug for a parpopriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to the hereby certify that the statements made herein are true and to the best of Date:	In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. It is is included in the set of the
The undersigned hereby affirms that the drilling, completion and eventual plants is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and a specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all	In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. It is strict office on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 days of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. In the prior to any cementing. In the prior to any cementing. In the prior to any cementing in the plugged in the prior to any cementing. In the prior to any cementing in the plugged in the prior to any cementing. In the prior to any cementing in the plugged in the prior to any cementing in the plugged in the plugged in the plugged in the plugged in the plugging is completed; In the prior to the plugging is completed; In the plugging is completed;
The undersigned hereby affirms that the drilling, completion and eventual plants is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the search appropriate district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be computed within 30 days of the spud date or the well shall to the search appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to the hereby certify that the statements made herein are true and to the best of Date: 1. 1. 1. 1. 1. 1. 2. 1.	In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. It is strict office on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 days of spud date. It 33,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. If it is private the control of
The undersigned hereby affirms that the drilling, completion and eventual plants is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an expectation of the approved notice of intent to drill <i>shall be</i> posted on each an expectation of the approved notice of intent to drill <i>shall be</i> posted on each an expectation of the approved of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the specified below <i>shall be</i> set through all unconsolidated materials plus a minimum of 20 feet into the specified below <i>shall be</i> set through all unconsolidated materials plus a minimum of 20 feet into the specified below <i>shall be</i> set through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date:	In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. It is strict office on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 days of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. If it is private to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
The undersigned hereby affirms that the drilling, completion and eventual plants is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the seath of the well is dry hole, an agreement between the operator and the first the well is dry hole, an agreement between the operator and the first of the appropriate district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: The conductor pipe required	In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. It is production casing is cemented in; it is necessary prior to plugging; ged or production casing is cemented in; it is from below any usable water to surface within 120 days of spud date. It is 33,891-C, which applies to the KCC District 3 area, alternate II cementing in plugged. In all cases, NOTIFY district office prior to any cementing. If it is prior to any cementing. If it is Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual plants is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an expectation of the approved notice of intent to drill <i>shall be</i> posted on each an expectation of the approved notice of intent to drill <i>shall be</i> posted on each an expectation of the approved of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the specified below <i>shall be</i> set through all unconsolidated materials plus a minimum of 20 feet into the specified below <i>shall be</i> set through all unconsolidated materials plus a minimum of 20 feet into the specified below <i>shall be</i> set through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date:	In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. It is is included in the surface within 120 days of spud date. It is a specific and belief. It is premiser to: File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 171-20680-0000	Location of Well: County: Scott
Operator: Lario Oil & Gas Company	1080 feet from ✓ N / S Line of Section
Lease: Griffith	1300 feet from VE / W Line of Section
Well Number: 1-13 Field: Brookover	Sec13 Twp17 S. R32
Number of Acres attributable to well:	Is Section: 🗸 Regular or 🗌 Irregular
QTR / QTR / QTR of acreage: S2 - N2 - NE	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

APPLICATION FOR SURFACE PIT

NON 30 5005

Form CDP-1 April 2004 Form must be Typed

CONSERVATION DIVISION WICHITA, KS

Submit in Duplicate

Operator Name: Lario Oil & Gas Company			License Number: 5214	
Operator Address: 301 S. Market, Wichita, KS 67202				
Contact Person: Jay G. Schweikert		Phone Number: (316) 265 - 5611		
Lease Name & Well No.: Griffith #1-13			Pit Location (QQQQ): *90' S & 20' E of	
Type of Pit:	Pit is:		<u>S2 N2 NE</u>	
Emergency Pit Burn Pit	✓ Proposed Existing		Sec. 13 Twp. 17 R. 32 ☐ East ✓ West	
Settling Pit	If Existing, date constructed:		1080 Feet from 🗸 North / 🗌 South Line of Section	
Workover Pit Haul-Off Pit	Pit capacity:		1300 Feet from ✓ East / West Line of Section	
(If WP Supply API No. or Year Drilled)	7100 (bbls)		Scott County	
is the pit located in a Sensitive Ground Water	Area? ☐ Yes ✓	Chloride concentration: mg/l		
is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?	
✓ Yes No	Yes V	No	not be the promoter to the access	
Pit dimensions (all but working pits):	00 Length (fe	et) 100	Width (feet) N/A: Steel Pits	
Depth fi	om ground level to de	epest point:	4 (feet)	
If the pit is lined give a brief description of the liner Describe procedures for periodic maintenance and determining				
material, thickness and installation procedure	3.	iner integrity, ii	ncluding any special monitoring.	
Distance to nearest water well within one-mile of pit Depth to s			west fresh water 130 feet.	
1566 fact Don'th of water wall	182 faat	Source of infor	, l	
leet Deptil of water well leet		measuredwell owner electric log KDWR Drilling, Workover and Haul-Off Pits ONLY:		
Emergency, Settling and Burn Pits ONLY: Producing Formation:		Type of material utilized in drilling/workover: Bentonite Mud		
Number of producing wells on lease:			king pits to be utilized:	
Barrels of fluid produced daily:		Abandonment	procedure: Allow for evaporation.	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Fill in & cover pits.		
		Drill pits must l	pe closed within 365 days of spud date.	
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.				
()				
11/26/07 Date Jay G. Schweikert Signature of Applicant or Agent				
Date Jay G. Schweikert Signature of Applicant or Agent				
KCC OFFICE USE ONLY				
Date Received: 11/30/07 Permit Number: Permit Date: 11/30/07 Lease Inspection: Yes No				