# For KCC Use: Effective Date: /2-5-07 District #

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
October 2007
Form must be Typed
Form must be Signed

#### NOTICE OF INTENT TO DRILL

For KCC Use ONLY  API # 15 - 007 - 23240 - 0000  Conductor pipe required  Minimum surface pipe required  ADD  feet per ALT. I III  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);		(5) days prior to commencing well	e Filled
Content Part   Content	xpecied Spud Date:	Spot Description: SE NW NW NE	1000 100 1 10 100 100 100 100 100 100 1
OPERATOR: Licenses 90022  Marine: VLE Energia Co.  Address 1: 200 West Douglas #520  Address 1: 200 West Douglas #520  Address 2: 200, Wars 1: 200 West Douglas #520  Concated Person, K Todd Allam  Less Name: VLE Energy Inc.  Well Digited For: West Class  Well Digited For: Well Digited For: Well Class  Well Digited For: Well Digited For: Well Class  Well Digited For: We			
Name: VAL Energy Inc.  delfores 1 200 west Douglas #520  Address 2:  Contract Person. K Todd Allam  Stare: Ks. Zip: 67202 *  Contract Person. K Todd Allam	DPERATOR: License# 5822	feet from  X N /   S Line of S	Section
Moise   Lacate well on the Section Plat on reverse side	lame: VAL Energy Inc.	leet from ME / Line of S	Section
State   Stat	· In·	Is SECTION: X Regular Inregular?	
Less Name   Mode Alam	Address 2:	·	
Season   S			
SONTHACTOR: Licensed   5822   Storage   April   Target Formation (s): Miss.   Miss	Phone: 316-263-6688		
Target Formallor(s): Miss.	roop /		
Cot MSt.   Storage   Sto	JONTACTOR. Licenser	Target Formation(s): Miss.	<b>△</b> 100
Construction   Cons	Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 493	+ MOI
Gas   Storing   Pool Ext   Millocat   Cable   Other   Obeph to bottom of freen water: 180   Oeph to bottom of sushe water: 180   Oeph to bottom of usable water   Surface Pipe Planned to be set: 200+   Length of Surface Pipe Planned to be set: 200+   Length of Surface Pipe Planned to Des set: 200+   Length of Surface Pipe Planned to Des set: 200+   Length of Surface Pipe Planned to Des set: 200+   Length of Surface Pipe Planned to Des set: 200+   Length of Surface Pipe Planned to Des set: 200+   Length of Surface Pipe Planned to Des set: 200+   Length of Surface Pipe Planned to Des set: 200+   Length of Surface Pipe Planned to Des set: 200+   Length of Conductor Pipe (if any): norms   Projected Total Depth: Mills   Projected Total Depth: Mills   Mi	Oil Enh Rec Infield Mud Rotary	r— 1	
Depth to bottom of fresh water: 180   Depth to bottom of fresh water: 180   Depth to bottom of usable water   180   Depth to			
Depth to bottom of usable water. 180  Operator:  Operator:  Operator:  Original Completion Date:  Water Source fipe dramyh. Robe  Formation at Total Depth. #800  Water Source for Original Confider Completion Date:  (Note: Apply for Permit with DWS)  Formation At Total Depth. #800  Form			<u></u>
Surface Pipe by Alternates			_
Length of Surface Pipe Planned to be set: 2004		Surface Pipe by Alternate:	
Well Name: Original Completion Date: Origina	If OWWO: old well information as follows:		_
Well Name:	Operator:	Length of Conductor Pipe (if any): none	
Water Source for Drilling Operations:  Water Apply for Permit with DWB    Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COM  AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  NOV 2 7 2007  AFFIDAVIT  ANSAS CORPORATION COM  NOV 2 7 2007  AFFIDAVIT  Lis agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well:  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig:  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in Set our face within 120 DAYS of spud date.  Or pursuant to Appendix 'B'- Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  hereby certify that the statements made herein are true and correct to the best of my knowledge and ploted.  President  For KCC Use ONLY  API # 15 . 007 - 23 240 - 000  This authorization expires:  If you are very large and within 120 days of spud date;  File Completion plat according to field proration orders;  Notify appropriate district office or alternate to the added (within 60 days);  Obtain written approval before disposing or injecting salt water.	,	Projected Total Depth: 4800	
Ves, true vertical depth:   DWR Permit #:	Original Completion Date: Original Total Depth:		
Post, true vertical depth:   DWR Permit #:     DWR Permit #:	No. 11		
In the Location:    CCC DKT #:			
If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COM  AFFIDAVIT  KANSAS CORPORATION COM  AFFIDAVIT  KANSAS CORPORATION COM  NOV 2 7 2007  It yes, proposed zone:  RECEIVED  KANSAS CORPORATION COM  KANSAS CORPORATION COM  NOV 2 7 2007  It yes, proposed zone:  KANSAS CORPORATION COM  NOV 2 7 2007  CONSERVATION DIVIS  WICHITA KS  CONSERVATION DIVIS  CONSERVATION DIVIS  WICHITA KS  CONSERVATION DIVIS  NOTAL DIVISION DIVISION DIVISION  INCHITA  CONSERVATION DIVIS  WICHITA KS  CONSERVATION DIVIS  NOTAL DIVISION  INCHITA  CONSERVATION DIVIS  WICHITA  CONSERVATION DIVISION  NOTAL DIVISION  CONSERVATION DIVISION  INCHITA  CONSERVATION D	•		
AFFIDAVIT  KANSAS CORPORATION COM  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  NOV 2 7 2007  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig:  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133.891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  hereby certify that the statements made herein are true and correct to the best of my knowledge and belief.  For KCC Use ONLY  API # 15 - DOT - 23 240 - DOD  Conductor pipe required  None  feet  Minimum surface pipe required  None  feet  Minimum surface pipe required  None  feet  None  feet  None  feet  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If this permit best plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If this permit has explie		Will Cores he taken?	XINo
AFFIDAVIT  CANSAS CORPORATION CON  AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  NOV 2 7 2007  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  hereby certify that the statements made herein are true and correct to the best of my knowledge and bolief.  President  For KCC Use ONLY  API # 15 - DOT - 23 240 - DOD  Conductor pipe required		If Yes, proposed zone:	
AFFIDAVIT This authorization void if drilling not started within 12 months of approval date.)  NOV 2 7 2007  AFFIDAVIT  APProval by Internation of the started within 12 months of approval date.)  NOV 2 7 2007  AFFIDAVIT  APProval has the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  hereby certify that the statements made herein are true and correct to the best of my knowledge and belief.  President  For KCC Use ONLY  API # 15		RECEIV	
In Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B". Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  hereby certify that the statements made herein are true and correct to the best of my knowledge and belief.  President  For KCC Use ONLY  API # 15 - 007 - 23 240 - 0000  Conductor pipe required  None feet  Minimum surface pipe required feet per ALT I I Be Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File Completion Form ACO-1 within 120 days of spud date;  File Completion Form ACO-1 within 120 days of spud date;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  Well Not Drilled - Permit Expired  Well Not Drilled - Permit Expired  Well No	AFFI	IDAVIT KANSAS CORPORATIO	ON COMMISS
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  hereby certify that the statements made herein are true and correct to the best of my knowledge and belief.  President  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  Well Not Drilled - Permit Expired  Well Not Drilled - Permit Expired  Description of the Drilled - Permit Expired  Well Not Drilled - Permit Expired  Description of the Drilled - Permit Expired  President - Total - Total - Total - Total	he undersigned hereby affirms that the drilling, completion and eventual plug	ging of this well will comply with K.S.A. 55 et. seq.	2007
2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  hereby certify that the statements made herein are true and correct to the best of my knowledge and belief.  President  Title:  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File completion Form ACO-1 within 120 days of spud date;  - File completion Form ACO-1 within 120 days of spud date;  - File completion Form ACO-1 within 120 days of spud date;  - File completion Form ACO-1 within 120 days of spud date;  - File completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;  - Submit plugging report (CP-4) after plugging is completed (within 60 days);  - Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  Well Not Drilled - Permit Expired  Date:  Well Not Drilled - Permit Expired	is agreed that the following minimum requirements will be met:	NOV 2 /	2007
3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  hereby certify that the statements made herein are true and correct to the best of my knowledge and belief.  Date:  For KCC Use ONLY  API # 15 - DOT - 23 240 - DOO  Approved by: Limit - Limi		CONSERVATION	I DIVISIO
through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  hereby certify that the statements made herein are true and correct to the best of my knowledge and belief.  Date: // 30/07 Signature of Operator or Agent: President  For KCC Use ONLY  API # 15	2. A copy of the approved notice of intent to drill <b>shall be</b> posted on each	drilling rig; WICHITA	KS
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  hereby certify that the statements made herein are true and correct to the best of my knowledge and belief.  Date: Signature of Operator or Agent: President  For KCC Use ONLY  API # 15 - 007 - 23240 - 0000  Conductor pipe required Nove feet  Minimum surface pipe required feet per ALT. I I II  Approved by: Mater /1-30-07  This authorization expires: 1-30-08  (This authorization expires: 1-30-08  (This authorization void if drilling not started within 12 months of approval date.)  Well Not Drilled - Permit Expired Date:	through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge	underlying formation.  ict office on plug length and placement is necessary <b>prior to plugging</b> ;  ad or production casing is cemented in;	
President  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 007 - 23240 - 0000  Conductor pipe required  Minimum surface pipe required  Approved by:  Minimum surface pipe required  Approved by:  Title  Remember to:  File Completion (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  Well Not Drilled - Permit Expired  Date:  Mell Not Drilled - Permit Expired  Da	<ol> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13</li> </ol>	from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing	
For KCC Use ONLY  API # 15 - 007 - 23 240 - 0000  Conductor pipe required	hereby certify that the statements made herein are true and correct to the be	st of my knowledge and belief.	
For KCC Use ONLY  API # 15 - 007 - 23 240 - 0000  Conductor pipe required  Minimum surface pipe required  Approved by: 1-30-07  This authorization expires: 1-30-08  (This authorization void if drilling not started within 12 months of approval date.)  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  Well Not Drilled - Permit Expired Date:	Date: 1/120/107 Signature of Operator or Agent:	Title: President	
API # 15 - 007 - 23240 - 0000  Conductor pipe required	,	Remember to:	6
Conductor pipe required  None.  feet  Minimum surface pipe required  Approved by:	007-23240-0000	···	
Conductor pipe required  Minimum surface pipe required  Approved by:   Minimum surface pipe required  Approved by:	Mass		34
Approved by:	Confederal pipe required	<ul> <li>Notify appropriate district office 48 hours prior to workover or re-entry;</li> </ul>	į į
This authorization expires:  (This authorization void if drilling not started within 12 months of approval date.)  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  Well Not Drilled - Permit Expired Date:    Well Not Drilled - Permit Expired   Date:	minimal cariaco pipo reganos		
This authorization expires:  (This authorization void if drilling not started within 12 months of approval date.)  Well Not Drilled - Permit Expired Date:	Approved by: 11-30-01		0
Well Not Drilled - Permit Expired Date:	11110 de 111011 expiros:		
Simply of Operator or Appat	(This authorization void if drilling not started within 12 months of approval date.)	Well Not Drilled - Permit Expired Date:	
Spud date	Church distar	<u> </u>	$ \mathbf{X} $
The state of the s	Spud date		~~ <del>\</del>

## IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 007-23240-0000	
Operator: VAL Energy Inc.	Location of Well: County: Barber
Lease: Lindy	495 feet from X N / S Line of Section
Well Number: 1-6	2,145 feet from X E / W Line of Section
Field:	Sec. 6 Twp. 34 S. R. 10 E X W
Number of Acres attributable to well:  QTR/QTR/QTR/QTR of acreage: SE _ NW _ NW _ NE	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW


# PLAT (Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

			``			
			0 4/8	- 2	145	/
******						
		,				
	 		· · · · · · · · · · · · · · · · · · ·		,,,,,,,,,,,	
		<i>(</i>	7			3 25 25 25 25 25 25 25 25 25 25 25 25 25
,	 					

RECEIVED KANSAS CORPORATION COMMISSION

NOV 2 7 2007

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# Kansas Corporation Commission Oil & Gas Conservation Division

MISSION KA**ns<sup>as (</sup>** Vision

RECEIVED

KANSAS CORPORATION COMMISSION:

Form CDP-1

NOV 2 7 2007

April 2004

Form must be Typed

CONSERVATION DIVISION WICHITA, KS

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: VAL Energy Inc.			License Number: 5822				
Operator Address: 200 West Douglas #520			Wichita Ks 67202				
Contact Person: K Todd Allam			Phone Number: 316-263-6688				
Lease Name & Well No.: Lindy	1-6	3	Pit Location (QQQQ):				
Type of Pit:	Pit is:		SE NW NE				
Emergency Pit Burn Pit	Proposed		Sec. 6 Twp. 34 R. 10 East West				
Settling Pit Drilling Pit	If Existing, date of	onstructed:	495 Feet from North / South Line of Section				
Workover Pit Haul-Off Pit	Pit capacity:	<del></del>	2,145 Feet from East / West Line of Section				
(If WP Supply API No. or Year Drilled)	3,000	(bbis)	Barber County				
Is the pit located in a Sensitive Ground Water	Area? Yes	Nο	Chloride concentration: mg/l				
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only)  How is the pit lined if a plastic liner is not used?				
Yes No	Yes X	No	clay bottom				
Pit dimensions (all but working pits):	20 Length (fe	eet)120	Width (feet) N/A: Steel-Pits				
Depth fr	om ground level to de						
If the pit is lined give a brief description of the material, thickness and installation procedure		•	edures for periodic maintenance and determining ncluding any special monitoring.				
material, thickness and historiation procedure	·.	miler integrity, i	including any special monitoring.				
Distance to nearest water well within one-mile	e of pit		owest fresh waterfeet.				
Source of info  NA feet Depth of water wellfeet measurements.							
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:				
Producing Formation:		Type of materia	al utilized in drilling/workover: Fresh mud				
Number of producing wells on lease: Number of producing wells on lease.		Number of wor	Number of working pits to be utilized:1				
Barrels of fluid produced daily: Abandonm			procedure: <u>let dry and cover</u>				
Does the slope from the tank battery allow all spilled fluids to flow into the pit?  Yes No  Drill pits must		Drill pits must	be closed within 365 days of spud date.				
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.							
11/20/07		K	Told Allon				
Date		S	ignature of Applicant or Agent				
	KCC	OFFICE USE O	NLY Steel Pit RFAC RFAS				
Date Received: 11/27/07 Permit Num	ber:	Perm	it Date: 11/30/07 Lease Inspection: X Yes No				



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

November 30, 2007

K Todd Allam VAL Energy Inc. 200 West Douglas, Ste 520 Wichita, KS 67202

Re:

Drilling Pit Application Lindy Lease Well No. 1-6 NE/4 06-34S-10W Barber County, Kansas

Dear Mr. Allam:

District staff has inspected the above referenced location and has determined that the reserve pit shall be **kept away from waterways**, constructed **without slots**, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: http://kcc.ks.gov/conservation/forms/

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Jonelle Rains, Supervisor

Department of Environmental Protection and Remediation

CC:

Steve Durrant

Joselle Rains

File