For KCC Use:	11
Effective Date:	12-5-07
District #	
CC 40 X V	N-

Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

	IENI IO DRILL	All blanks must be Filled
Must be approved by KCC five	(5) days prior to commencing well	
Expected Spud Date: 12 15 2007	Spot Description: NESWSWNE	
month day year	NE SW SW NE Sec. 9 Twp. 34	0 D 11 D D D W
5822 🗸	(q/q/q/q) 2 145	
JPERAIOR: License#	2,145 feet from 2	N / S Line of Section
lame: VAL Energy Inc.	teet from [X	E / W Line of Section
Address 1: 200 West Douglas #520	Is SECTION: Regular Irregular?	
Address 2:	(Note: Locate well on the Section Plat of	n reverse side)
City: Wichita State: Ks Zip: 67202 +	County: Barber	
Contact Person: K Todd Allam Phone: 316-263-6688	Lease Name: Michel	Well #: 1-9
hone:	Field Name:	
CONTRACTOR: License#5822	Is this a Prorated / Spaced Field?	Yes XNo
Name: VAL Energy Inc.	Target Formation(s). Miss.	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 49	5 /
	Ground Surface Elevation: 1367 est.	feet MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:	☐Yes ⊠No ✓
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:	Yes X No
Disposal Wildcat Cable	Depth to bottom of fresh water: 180	
Seismic ; # of Holes Other	Depth to bottom of usable water: 180	
Other:	Surface Pipe by Alternate: XI III	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 200+	•
	Length of Surface Pipe Planned to be set:	
Operator:	Length of Conductor Pipe (if any):	
Well Name:	Projected Total Depth: 4850	
Original Completion Date: Original Total Depth:	•	
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore? Yes No I Yes, true vertical depth:	Well Sarm Fond Other:	
Bottom Hole Location:	DWR Permit #:	
KCC DKT #:	(Note: Apply for Permit with DV	
	Will Cores be taken?	☐ Yes ☑ No
	If Yes, proposed zone:	
		RECEIVED
		KANSAS CORPORATION COMMISSION
he undersigned hereby affirms that the drilling, completion and eventual plug	gging of this well will comply with K.S.A. 55 et. seq.	MOV 2 7 0007
is agreed that the following minimum requirements will be met:		NOV 2 7 2007
1. Notify the appropriate district office <i>prior</i> to spudding of well;		
2. A copy of the approved notice of intent to drill shall be posted on each		COMPEDIATION DRAGGE
1.7	drilling rig;	CONSERVATION DIVISION
3. The minimum amount of surface pipe as specified below shall be set b	y circulating cement to the top; in all cases surface pi	
 The minimum amount of surface pipe as specified below shall be set be through all unconsolidated materials plus a minimum of 20 feet into the 	y circulating cement to the top; in all cases surface pi underlying formation.	pe <i>shall be WEHITA,</i> KS
 3. The minimum amount of surface pipe as specified below shall be set be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distri 	y circulating cement to the top; in all cases surface pi underlying formation. ict office on plug length and placement is necessary i	pe <i>shall be WEHITA,</i> KS
 The minimum amount of surface pipe as specified below shall be set be through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugger 	y circulating cement to the top; in all cases surface pi underlying formation. ict office on plug length and placement is necessary ped or production casing is cemented in;	pe shall be WETHITA, KS
 The minimum amount of surface pipe as specified below shall be set be through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented 	y circulating cement to the top; in all cases surface pi underlying formation. ict office on plug length and placement is necessary ped or production casing is cemented in; from below any usable water to surface within 120 D	pe shall be WEFHITA, KS prior to plugging; AYS of spud date.
 The minimum amount of surface pipe as specified below shall be set be through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 	y circulating cement to the top; in all cases surface pi underlying formation. ict office on plug length and placement is necessary p ed or production casing is cemented in; from below any usable water to surface within 120 D 13,891-C, which applies to the KCC District 3 area, al	pe shall be WSHITA, KS prior to plugging; AYS of spud date. ternate II cementing
 The minimum amount of surface pipe as specified below shall be set be through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the distriction. The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided to the statement of the spud date or the well shall be provided to the statement of t	y circulating cement to the top; in all cases surface pi underlying formation. ict office on plug length and placement is necessary ped or production casing is cemented in; from below any usable water to surface within 120 D 13,891-C, which applies to the KCC District 3 area, all plugged. In all cases, NOTIFY district office prior to	pe shall be WSHITA, KS prior to plugging; AYS of spud date. ternate II cementing
 The minimum amount of surface pipe as specified below shall be set be through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the distriction. The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plugged that the statements made herein are true and correct to the beautiful to the statements. 	by circulating cement to the top; in all cases surface pin underlying formation. In orderlying formation. In order of the control of the case of the c	pe shall be WSFHITA, KS prior to plugging; AYS of spud date. ternate II cementing be any cementing.
3. The minimum amount of surface pipe as specified below shall be set be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be phereby certify that the statements made herein are true and correct to the beautiful 1.15, 2007.	y circulating cement to the top; in all cases surface pi underlying formation. ict office on plug length and placement is necessary ped or production casing is cemented in; from below any usable water to surface within 120 D 13,891-C, which applies to the KCC District 3 area, all plugged. In all cases, NOTIFY district office prior to	pe shall be WSFHITA, KS prior to plugging; AYS of spud date. ternate II cementing be any cementing.
3. The minimum amount of surface pipe as specified below shall be set be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the appropriate distriction of the will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be phereby certify that the statements made herein are true and correct to the be	y circulating cement to the top; in all cases surface pi underlying formation. ict office on plug length and placement is necessary and or production casing is cemented in; from below any usable water to surface within 120 D 33,891-C, which applies to the KCC District 3 area, all plugged. In all cases, NOTIFY district office prior to est of my knowledge and belief. President	pe shall be WSFHITA, KS prior to plugging; AYS of spud date. ternate II cementing be any cementing.
3. The minimum amount of surface pipe as specified below shall be set be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the appropriate distriction of the well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be phereby certify that the statements made herein are true and correct to the because: 11-15-2007 Signature of Operator or Agent:	y circulating cement to the top; in all cases surface pictunderlying formation. ict office on plug length and placement is necessary and or production casing is cemented in; from below any usable water to surface within 120 B B3,891-C, which applies to the KCC District 3 area, all plugged. In all cases, NOTIFY district office prior to the set of my knowledge and belies. President Title:	pe shall be WEHITA, KS prior to plugging; AYS of spud date. ternate II cementing of any cementing. dent
3. The minimum amount of surface pipe as specified below shall be set be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the appropriate distriction of the will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be demented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be phereby certify that the statements made herein are true and correct to the because: 11-15-2007 Signature of Operator or Agent: For KCC Use ONLY	y circulating cement to the top; in all cases surface pictunderlying formation. ict office on plug length and placement is necessary and or production casing is cemented in; from below any usable water to surface within 120 B B3,891-C, which applies to the KCC District 3 area, all plugged. In all cases, NOTIFY district office prior to the set of my knowledge and belief. President Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to	pe shall be WSHITA, KS prior to plugging; AYS of spud date, sernate II cementing of any cementing. dent
3. The minimum amount of surface pipe as specified below shall be set be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be phereby certify that the statements made herein are true and correct to the because: 11-15-2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - OO7 - 2324/1-OOO	y circulating cement to the top; in all cases surface pictunderlying formation. ict office on plug length and placement is necessary and or production casing is cemented in; from below any usable water to surface within 120 B B3,891-C, which applies to the KCC District 3 area, all plugged. In all cases, NOTIFY district office prior to the set of my knowledge and belief. President Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of specific prior in the set of the prior to the set of the prior to the set of the prior to the pr	pe shall be WEHITA, KS prior to plugging; AYS of spud date, ternate II cementing o any cementing. Drill; and date:
3. The minimum amount of surface pipe as specified below shall be set be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be phereby certify that the statements made herein are true and correct to the because: 11-15-2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - OO7 - 2324/1-OOO Conductor pipe required feet	y circulating cement to the top; in all cases surface pictunderlying formation. ict office on plug length and placement is necessary and or production casing is cemented in; from below any usable water to surface within 120 Bigs,891-C, which applies to the KCC District 3 area, all plugged. In all cases, NOTIFY district office prior to the set of my knowledge and belief. President Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of specific acreage attribution plat according to field prores.	pe shall be WISHITA, KS prior to plugging; AYS of spud date. ternate II cementing be any cementing. Drill; and date; tition orders;
3. The minimum amount of surface pipe as specified below shall be set be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the appropriate distriction of the well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be phereby certify that the statements made herein are true and correct to the because: 11-15-2007 Signature of Operator or Agent:	y circulating cement to the top; in all cases surface pictunderlying formation. ict office on plug length and placement is necessary and or production casing is cemented in; from below any usable water to surface within 120 B B3,891-C, which applies to the KCC District 3 area, all plugged. In all cases, NOTIFY district office prior to set of my knowledge and belief. President File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of specific acreage attribution plat according to field proved. Notify appropriate district office 48 hours prior to we	pe shall be WSHITA, KS prior to plugging; AYS of spud date, sernate II cementing of any cementing. Drill; and date; stion orders; orkover or re-entry;
3. The minimum amount of surface pipe as specified below shall be set be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the appropriate distriction of the well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be phereby certify that the statements made herein are true and correct to the because: 11-15-2007 Signature of Operator or Agent:	y circulating cement to the top; in all cases surface pictunderlying formation. ict office on plug length and placement is necessary and or production casing is cemented in; from below any usable water to surface within 120 Bigs,891-C, which applies to the KCC District 3 area, all plugged. In all cases, NOTIFY district office prior to set of my knowledge and belief. President File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of specific acreage attribution plat according to field proress. Notify appropriate district office 48 hours prior to we Submit plugging report (CP-4) after plugging is continued.	pe shall be WSHITA, KS prior to plugging; AYS of spud date, ternate II cementing or any cementing. Drill; and date; tion orders; orkover or re-entry; enpleted (within 60 days);
3. The minimum amount of surface pipe as specified below shall be set be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the because: 11-15-2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - OOT - 23 24/1-OOO Conductor pipe required feet Minimum surface pipe required feet feet per ALT. II III Approved by: Furth 11-30-07	y circulating cement to the top; in all cases surface pictunderlying formation. ict office on plug length and placement is necessary and or production casing is cemented in; from below any usable water to surface within 120 B 33,891-C, which applies to the KCC District 3 area, all plugged. In all cases, NOTIFY district office prior to set of my knowledge and belief. President Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of specific acreage attribution plat according to field prored Notify appropriate district office 48 hours prior to we Submit plugging report (CP-4) after plugging is conducted. Obtain written approval before disposing or injecting the surface plugging of the surface plugging or injecting to find the surface plugging is conducted.	pe shall be WSHITA, KS prior to plugging; AYS of spud date, sernate II cementing of any cementing. Drill; and date; attion orders; orkover or re-entry; apleted (within 60 days); g salt water.
3. The minimum amount of surface pipe as specified below shall be set be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be phereby certify that the statements made herein are true and correct to the because: 11-15-2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 007 - 23 24/1-0000 Conductor pipe required feet Minimum surface pipe required feet per ALT. II III Approved by: 11-30-07 This authorization expires: 11-30-09	y circulating cement to the top; in all cases surface pictunderlying formation. ict office on plug length and placement is necessary and or production casing is cemented in; from below any usable water to surface within 120 Bigs,891-C, which applies to the KCC District 3 area, all plugged. In all cases, NOTIFY district office prior to set of my knowledge and belief. President File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of specific acreage attribution plat according to field proress. Notify appropriate district office 48 hours prior to we Submit plugging report (CP-4) after plugging is continued.	pe shall be WEHITA, KS prior to plugging; AYS of spud date, ternate II cementing of any cementing. Drill; and date; tition orders; orkover or re-entry; inpleted (within 60 days); g salt water. In date) please
3. The minimum amount of surface pipe as specified below shall be set be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the because: 11-15-2007	y circulating cement to the top; in all cases surface pictunderlying formation. ict office on plug length and placement is necessary and or production casing is cemented in; from below any usable water to surface within 120 B 13,891-C, which applies to the KCC District 3 area, all plugged. In all cases, NOTIFY district office prior to the set of my knowledge and belief. President Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of spice acreage attribution plat according to field prore. Notify appropriate district office 48 hours prior to we submit plugging report (CP-4) after plugging is conditionally of the completion of the provided of the completion of the completion of the provided of the completion	pe shall be WSHITA, KS prior to plugging; AYS of spud date, ternate II cementing of any cementing. Drill; but date; thion orders; orkover or re-entry; orkover or re-entry; on pleted (within 60 days); go salt water. In date) please ow.
3. The minimum amount of surface pipe as specified below shall be set be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be phereby certify that the statements made herein are true and correct to the because: 11-15-2007	y circulating cement to the top; in all cases surface pi underlying formation. ict office on plug length and placement is necessary and or production casing is cemented in; from below any usable water to surface within 120 District 3 area, all plugged. In all cases, NOTIFY district office prior to set of my knowledge and belief. President Pit Application (form CDP-1) with Intent to be prior to be p	pe shall be WEHITA. KS prior to plugging; AYS of spud date. ternate II cementing of any cementing. Drill; and date; attion orders; orkover or re-entry; an pleted (within 60 days); and salt water. In date) please

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 007 - 23241 - 0000 Operator: VAL Energy Inc.	Location of Well: County: Barber
Lease: Michel	2,145 feet from N / S Line of Section
Well Number: 1-9	2,145 feet from E / W Line of Section
Field:	Sec. 9 Twp. 34 S. R. 11 E 🔀 W
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage: NE - SW - SW - NE	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)


(Show footage to the nearest lease or unit boundary line.)

П				. 14 100 000 000 000 000 000 000 000 000				
ш								
- 1								
- 1		•						•
- 1		•						•
ш		-						•
- 1			. ,					•
ш								
- 1								
- 1		-						
ш		•						
ш					1			
- 1					1 1			
ш								
- 1					1 1			
		_			i .			
		•			· ~ .			
ī		•			: ' '			•
ш		•						
i.		•						•
ш								
ш					. 🔾 🥆 .			
ш								
ŀ		•						
ш		•						•
- 1								
Ť.								
ı,								
1								
,					· • • • • • • • • • • • • • • • • • • •			
•					4.			
- 6		•						
-1								
П								•
- 1		•			. , .			
П					i.			
-1			:		. 1:			
-1		-			. 1 .			-
П		•						
-1		•			, 1.			
П					,			
-1								4 4 1 4 1 4 1 1 4
П						_ 2	1111	
-1							143	
- 1							, , -	
ш		•						•
- 1								
- 1		•						
- 1								
- 1			:		, .			i
ш			•		1			
- 1		•						
- 1		•						
ш				_				
- 1								
- 1				_	7			
- 11				P-11	,			
- 1								
- 6								
- 5				,	,			
. !								
- 7								
-)								
			• :			•		
,		•			!			
					:			
÷								
		•						
٠								
1								
ì						:		
i								
1								
i.					•		,	
1		•						
1		•						
1					1			
1								
П								
1					I			
i					I			
1		-						
1		•						
1								
1								
							_	
П								
П								
		•						
			: :					
П	:		:			;		
	;				:			
					:		:	
					:			
					:			
					:			
					:			
					:			
			· · · · · · · · · · · · · · · · · · ·		: :		:	
					:			
					:: :			
					:			•••••
1					:			

RECEIVED KANSAS CORPORATION COMMISSION

NOV 2 7 2007

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

RECEIVED KANSAS CORPORATION COMMISSION

NOV 2 7 2007 April 2004 Form must be Typed

CONSERVATION DIVISION WICHITA, KS

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: VAL Energy Inc.			License Number: 5822		
Operator Address: 200 West Doug	las #520		Wichita Ks 67202		
Contact Person: K Todd Allam		Phone Number: 316-263-6688			
Lease Name & Well No.: Michel	1-9)	Pit Location (QQQQ):		
Type of Pit:	Pit is:		NE _ SW _ SW _ NE		
Emergency Pit Burn Pit	Proposed Existing		Sec. 9 Twp. 34 R. 11 East West		
Settling Pit Drilling Pit	If Existing, date constructed:		2,145 Feet from North / South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		2,145 Feet from East / West Line of Section		
(If WP Supply API No. or Year Drilled)	3,000	(bbls)	Barber County		
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration:mg/l		
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?		
Yes No	Yes X	No			
Pit dimensions (all but working pits):	20 Length (fe	eet)120	Width (feet) N/A: Steel Pits		
Depth fr	om ground level to de		5		
l ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '			dures for periodic maintenance and determining		
material, thickness and installation procedure.		iner megniy, ii	ncluding any special monitoring.		
Distance to nearest water well within one-mile of pit Depth to shallo		west fresh water F eet.			
Source of ir		Source of infor	mation:		
3412 feet Depth of water well 32 feet L		Drilling Work	inch control dissilating		
			over and Haul-Off Pits ONLY: I utilized in drilling/workover: fresh mud		
Number of producing wells on lease:			king pits to be utilized:1		
			procedure: let dry & cover		
Does the slope from the tank battery allow all spilled fluids to		Drill pits must t	pe closed within 365 days of spud date.		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
, ,		/_	10 11 011		
11-15-2007			July Allon		
Date		\$	ignature of Applicant or Agent		
	КСС	OFFICE USE OI	NLY Steel Pit RFAC RFAS		
Date Received: (1/21/67) Permit Num	ber:	Perm	t Date: 11/30/07 Lease Inspection: K Yes No		



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

November 30, 2007

K Todd Allam VAL Energy Inc. 200 West Douglas, Ste 520 Wichita, KS 67202

Re:

Drilling Pit Application

Michel Lease Well No. 1-9

NE/4 09-34S-11W

Barber County, Kansas

Dear Mr. Allam:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed **without slots**, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: http://kcc.ks.gov/conservation/forms/

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Jonelle Rains, Supervisor

Somelle Rains

Department of Environmental Protection and Remediation

CC:

Steve Durrant

File