# For KCC Use: Effective Date: District # SCA2 Vec VNe

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

October 260° Form must be Typed Form must be Signed All blanks must be Filled

Form C-1

## NOTICE OF INTENT TO DRILL

		Must be	approved by KCC five	(5) days prior to commencing well	
Expected Spud Date:	12-	8	07	Spot Description:	
Exist of opin bate.	month	day	ycar	C NE SW Sec. 5 Twp. 28	S B 14 NE W
3	3539 /			(0'0'0') 1,980 feet from	
OPERATOR: License#		and the second of the second o	, a copie a management and a substitute of transmitted of	1,980 feet from	E / X W Line of Section
D.O. D 000				Is SECTION: Regular Irregular?	
				<u> </u>	
Address 2:	State K	S zin 66	3736 .	(Note: Locate well on the Section Plat o	n reverse side)
Contact Person: Tracy Miller				County: Wilson	
202 274 2254				Lease Name: Claiborne Field Name: Cherokee Basin Coal Gas Area	Well #: // 12
					F7. K7.
CONTRACTOR: License# 3: Name: Well Refined Drilling			No. 44 to NAME OF THE PARTY OF	Is this a Prorated / Spaced Field? Target Formation(s): Mississippian	Yes No
Well Drilled For:	Well Class.	Тур	e Equipment:	Nearest Lease or unit boundary line (in footage): 196	
Oil Enh Rec	X Infield	<b>/</b>	Mud Rotary		feet MSL
Gas Storage	Pool E		Air Rotary	Water well within one-quarter mile:	Yes No_
Disposal	Wildea		Cable	Public water supply well within one mile:	Yes X No
Seismic: # of H		_	-	Depth to bottom of fresh water: est. 100'	
Other				Depth to bottom of usable water: est. 200'	
				Surface Pipe by Alternate. I I III	um /
If OWWO: old well info	rmation as folio	ows.		Length of Surface Pipe Planned to be set: 40' Minim	um
Operator:					
Well Name:					and to be a complete of the state of the sta
Original Completion Date:		Original Tota	I Depth:	Formation at Total Depth. Mississippian	
				Water Source for Drilling Operations:	
Directional, Deviated or Horizo			Yes X No	Well X Farm Pond Other:	A CONTRACTOR OF THE PROPERTY O
If Yes, true vertical depth:				DWR Permit #	
Bottom Hole Location: KCC DKT #:				(Note: Apply for Permit with DW	
NOO DN I #-				Will Cores be taken?	
				If Yes, proposed zone:	RECEIVED
			A F.F	PANCAC C	ORPORATION COMMISSION
I ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '		2112		IDAVII	
				gging of this well will comply with K.S.A. 55 et. seq.	EC 0 3 2007
It is agreed that the following	minimum reg	uirements w	ill be met:		<b>EQ 0 0 200</b> .
<ol> <li>Notify the appropriate</li> </ol>				CON	ISERVATION DIVISION
2. A copy of the approve	d notice of inte	ent to drill <i>st</i>	nall be posted on each	drilling rig; by circulating cement to the top; in all cases surface pi	
3. The minimum amount through all unconsolid	oi surrace pip atad matariale	e as specilie : nlue a minii	ou below <b>snall be set</b> t mum of 20 feet into the	by circulating cement to me top, in all cases surface pre- sunderlying formation	ve snan be ser
4. If the well is dry hole.	an agreement	between the	e operator and the dist	rict office on plug length and placement is necessary	orior to plugging;
<ol><li>The appropriate district</li></ol>	ct office will be	notified bef	ore well is either plugg	ed or production casing is cemented in:	
6. If an ALTERNATE II C	OMPLETION,	production	pipe shall be cemented	d from below any usable water to surface within 120 D	AYS of spud date.
Or pursuant to Append	dix "B" - Easte	rn Kansas s	urface casing order #1	33,891-C, which applies to the KCC District 3 area, all	ernate II cementing
•				plugged. In all cases, NOTIFY district office prior to	any cemening.
I hereby certify that the state	ments made f	nerein are tri	ue and correct to the b	est of my knowledge and belief.	
Date: 11/27/07	Signature c	of Operator o	or Agent:	Title: Admir	nistrative Assistant
				Remember to:	(J)
For KCC Use ONLY				- File Drill Pit Application (form CDP-1) with Intent to	Drill;
API # 15 - 205-2	7371:0	000		- File Completion Form ACO-1 within 120 days of sp	ud date:
1	No	A /7	tont	- File acreage attribution plat according to field prote	
Conductor pipe required	71	$\circ$	.teet	Notify appropriate district office 48 hours prior to w	
Minimum surface pipe requ		<b>/</b>	teet per ALT. I LIII	- Submit plugging report (CP-4) after plugging is cor	· · · · · · · · · · · · · · · · · · ·
Approved by: full 12-3	3-U7			- Ootain written approval before disposing or injectin	
This authorization expires:		P		If this permit has expired (See: authorized expiration check the box below and return to the address below.)	
(This authorization void if drill			hs of approval date.)	ļ <b></b> -	凶
				Well Not Drilled - Permit Expired Date:	
				· — ·	,,,
Spud date:	Agent:			Signature of Operator or Agent:	

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please snow all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - <b>205-27371-000</b>	34.0	
Operator: Cherokee Wells, LLC Lease: Claiborne	Location of Well: County: Wills 1,980	feet from N / X S Line of Section
Well Number: A-12	1,980 Sec 5 Twp. 28	
Field: Cherokee Basin Coal Gas Area	Sec 5 Twp 28	S. R. 14 X E W
Number of Acres attributable to well:	is Section: Regular or	irregular
	If Section is Irregular, locate Section corner used:	well from nearest corner boundary.

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)


(Show footage to the nearest lease or unit boundary line.)

:	:	:		;	:	;
		•	İ	•	,	!
:	:	:	!	:	:	;
		•		•		•
:	•	:		:	•	
			l			
			!			
*******			********	******	******	,,,,,,,,,
			i			
:		:		;	:	:
•			i	-	-	٠ .
:	•	•		:	•	:
	:		i		:	
•		•		•	-	•
•		•		•		•
			!			
-						
•		•		•	•	:
:	:	:		:	:	:
•	,					
		•				:
:	:	:	!	:	:	:
-					•	
					-	
:	*	:	1	:	•	:
:	;				3	-
•		•		•	•	•
:	:	:		:	:	: :
-				•	-	. i
•		•		!	-	:
•	•	•		•	•	•
	: :			- 11/-	;	:
	:		7	ONE	• •	
		<b>41</b>	120	eNE		
		C1	AIBO	PNE		
MACA! r	-W/	CL	AIBO	PNE		
1940' [	-WL	CL	AIBO	eNE 12		
1980' F	-WL	CL	AIBO A-	PNE 12		
1980' F	WL	CL	AIBO A-	ent 12	N-1/11/P-	,,,,,,,,,
1980' F	WL	CL	A1BO A-	ene 12	N. 44 P. I. N. P. +	,,,,,,,,,
1980' F	WL	, CL	AIBO A	ene 12	N-41/11	,
1980' F	-WL	CL	AIBO A-	ene 12	N/-	,,,,,,,,,,
1980' F	WL	CL	AIBO A-	ene 12		,
1980' F			A1BO A-	ene 12		,,,,,,,,,,,
1950'_F			AIBO A-	ene 12	,	,
1980' F			AIBO A-	ene 12		,
1980'_F			AIBO A-	ene 12	,	
1950' F			AIBO A	ent 12		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
<u>1980' F</u>			AIBO A-	ene 12		
1940' F			A180	eNE 12		, , , , , , , , , , , , , , , , , , , ,
1980' F			AIBO A-	eNE 12		,
<u>1980' F</u>			AIBO A-	eNE 12		
1980' F			A180	eNE 12		
<u>1980' F</u>			A180 A-	eNE 12		, , , , , , , , , , , , , , , , , , , ,
<u>1940' F</u>			A180 A-	eNE 12		
1980' F			AIBO A-	eNE 12		
<u>1980' F</u>			A180 A-	eNE 12		
1940' F			AIBO A	PNE 12		
<u>1980' F</u>			A180 A-	eNE 12		
1980' F		CL 1990 F51	AIBO A	eNE 12		
1980' F			A180 A-	PNE 12		
<u>1980' F</u>			AIBO A-	eNE 12		
1940' F			A180	ene 12		
1980' F			A180 A-	ene 12		

RECEIVED KANSAS CORPORATION COMMISSION

DEC 0 3 2007

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

## In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1
April 2004
Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Cherokee Wells, LLC			License Number: 33539		
Operator Address: P.O. Box 296			Fredonia KS 6673		
Contact Person: Tracy Miller			Phone Number: 620-378-3650		
Lease Name & Well No.: Claiborne	A-1	12	Pit Location (QQQQ):		
Type of Pit:	Pit is:		CSW		
Emergency Pit Burn Pit	Proposed	Existing	Sec. 5 Twp. 28 R. 14 East West		
Settling Pit Drilling Pit	If Existing, date co	onstructed:	1,980 Feet from North / South Line of Sect		
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		1,980 Feet from East / West Line of Sect		
	800	(bbls)	Wilson Cou		
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration: mg		
Is the better tellers are und level?	Artificial Liner?		(For Emergency Pits and Settling Pits only)  How is the pit lined if a plastic liner is not used?		
Is the bottom below ground level?  Yes No	Yes X	No	Natural Clay & Earth		
If the pit is lined give a brief description of the material, thickness and installation procedure		Describe proce	edures for periodic maintenance and determining notuding any special monitoring.		
Distance to nearest water well within one-mit		Depth to shallo			
	feet	Source of info	rmation:		
N/A / feet Depth of water well	feet	Source of info	rmation: ured well owner electric log KDWR		
N/A feet Depth of water well  Emergency, Settling and Burn Pits ONLY	feet	Source of information measurements  Drilling, Work  Type of materi  Number of work	rmation: ured well owner electric log KDWR  tover and Haul-Off Pits ONLY: al utilized in drilling/workover: rking pits to be utilized:  1		
N/A feet Depth of water well  Emergency, Settling and Burn Pits ONLY  Producing Formation:	feet	Source of information measurements  Drilling, Work  Type of materi  Number of work	rmation: ured well owner electric log KDWR  tover and Haul-Off Pits ONLY: al utilized in drilling/workover:		
N/A feet Depth of water well  Emergency, Settling and Burn Pits ONLY  Producing Formation:  Number of producing wells on lease:	feet	Drilling, Work Type of materi Number of work Abandonment	rmation: ured well owner electric log KDWR  tover and Haul-Off Pits ONLY: al utilized in drilling/workover: Fresh Water rking pits to be utilized:  procedure: Remove Fluids, Allow to Dry, Level Surface be closed within 365 days of spud date.  RECEIVER		
N/A feet Depth of water well  Emergency, Settling and Burn Pits ONLY  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow a	feet	Drilling, Work Type of materi Number of work Abandonment Drill pits must	rmation: ured well owner electric log KDWR  tover and Haul-Off Pits ONLY: al utilized in drilling/workover: rking pits to be utilized: procedure: Remove Fluids, Allow to Dry, Level Surface be closed within 365 days of spud date. RECEIVED  KANSAS CORPORATION C		
N/A feet Depth of water well  Emergency, Settling and Burn Pits ONLY  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow alflow into the pit?  Yes No	feet	Source of informeasing measing prilling, Work Type of matering Number of work Abandonment Drill pits must correct to the besides.	rmation: ured well owner electric log KDWR  tover and Haul-Off Pits ONLY: al utilized in drilling/workover: Fresh Water rking pits to be utilized:  procedure: Remove Fluids, Allow to Dry, Level Surface  be closed within 365 days of spud date.  RECEIVED  KANSAS CORPORATION OF STATE		
N/A feet Depth of water well  Emergency, Settling and Burn Pits ONLY  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow al flow into the pit?  Yes No  I hereby certify that the above stat	feet  I spilled fluids to  ements are true and c	Source of informeasing measing prilling, Work Type of matering Number of work Abandonment Drill pits must correct to the besides.	rmation: ured well owner electric log KDWR  rover and Haul-Off Pits ONLY: al utilized in drilling/workover: Fresh Water rking pits to be utilized: procedure: Remove Fluids, Allow to Dry, Level Surface be closed within 365 days of spud date. RECEIVED KANSAS CORPORATION CO strong knowledge and belief.  DEC 0 3 20 CONSERVATION DIVI		