# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2001 Form must be Typed Form must be Signed All blanks must be Filled

## NOTICE OF INTENT TO DRILL

Expected Soud Date: 2 /2 8 07	Spot Description:
month day year	C _ NE _ NW Sec. 11 _ Twp. 28 _ S. R. 14 _ XE _ W
33539	(2/0/0/0) 660 feet from N / S Line of Section
PERATOR: License# lame: Cherokee Wells, LLC	1,980 feet from E / X W Line of Section
lame: Cherokee Weils, LLC	la SECTION: Regular Inregular?
Name O	(Note: Locate well on the Section Plat on reverse side)
State: KS Zip: 66736 +	County: Wilson
Contact Person Tracy Miller	Lease Name: G. Duckworth Well #. A-3
Phone: 620-378-3650	Field Name: Cherokee Basin Coal Gas Area
CONTRACTOR: License# 33072	Is this a Prorated / Spaced Field?
iame: Well Refined Drilling	
	Target Formation(s): Mississippian  Nearest Lease or unit boundary line (in footage): VVO'
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: Unknown feet MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
Disposal Wildcat Cable	Depth to bottom of fresh water: est. 100'
Seismic : # of HolesOther	Depth to bottom of usable water: est. 200'
Other	Surface Pine hy Alternate
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 40' Minimum
<del>_</del>	NA CO advisor Bira (Marros N/A
Operator:	Projected Total Depth: 1350'
Well Name:Original Total Depth:	Formation at Total Depth: Mississippian
Original Completion Date.	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes XNo	Well X Farm Pond Other:
f Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	
KCC DKT #	Will Cores be taken? Yes X No
	If Yes, proposed zone:
	RECEIVED
	FIDAVIT KANSAS CORPORATION COMMISSION
	FIDAVIT KANSAS CORPORATION COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual pl	FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  DEC 0 3 2007
The undersigned hereby affirms that the drilling, completion and eventual place it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;	FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq. DEC 0 3 2007  CONSERVATION DIVISION
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  DEC 9 3 2007  CONSERVATION DIVISION WICHITA, KS
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> .	FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq. DEC 0 3 2007  CONSERVATION DIVISION  th drilling rig;  wichita, KS  t by circulating cement to the top; in all cases surface pipe shall be set
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the second of surface pipe as specified below <i>shall be second</i> .	RECEIVED  KANSAS CORPORATION COMMISSION  FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  DEC 0 3 2007  CONSERVATION DIVISION  WICHITA, KS  If by circulating cement to the top; in all cases surface pipe shall be set  ne underlying formation.
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead.  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the district of the well is dry hole, an agreement between the operator and the district of the set of the protection well is either plug	KANSAS CORPORATION COMMISSION  FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  CONSERVATION DIVISION  wichita. KS  if by circulating cement to the top; in all cases surface pipe shall be set  ne underlying formation.  strict office on plug length and placement is necessary prior to plugging; uded or production casing is cemented in:
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district	KANSAS CORPORATION COMMISSION  FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  CONSERVATION DIVISION  th drilling rig;  wichita. KS  they circulating cement to the top; in all cases surface pipe shall be set  ne underlying formation.  strict office on plug length and placement is necessary prior to plugging;  iged or production casing is cemented in:  ed from below any usable water to surface within 120 DAYS of spud date
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the appropriate district office will be notified before well is either plug if an ALTERNATE II COMPLETION, production pipe shall be cement.	KANSAS CORPORATION COMMISSION  FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  CONSERVATION DIVISION  th drilling rig;  wichtra. KS  they circulating cement to the top; in all cases surface pipe shall be set  ne underlying formation.  strict office on plug length and placement is necessary prior to plugging;  iged or production casing is cemented in:  ed from below any usable water to surface within 120 DAYS of spud date  133,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the first the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug than ALTERNATE II COMPLETION, production pipe shall be cementative or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be	FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq. DEC 0 3 2007  CONSERVATION DIVISION  th drilling rig;  the production casing is cemented in: ed from below any usable water to surface within 120 DAYS of spud date e133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the second of the minimum amount of surface pipe as specified below <i>shall be second</i> through all unconsolidated materials plus a minimum of 20 feet into the second of	FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  CONSERVATION DIVISION  CONSERVATION DIVISION  th drilling rig;  thy circulating cement to the top; in all cases surface pipe shall be set ne underlying formation.  strict office on plug length and placement is necessary prior to plugging: igged or production casing is cemented in: ed from below any usable water to surface within 120 DAYS of spud date 133,891-C, which applies to the KCC District 3 area, alternate II cementing is plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the second of the approved notice of intent to drill <i>shall be</i> posted on each of the second of th	FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  CONSERVATION DIVISION  CONSERVATION DIVISION  WICHITA, KS  to by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation.  strict office on plug length and placement is necessary prior to plugging: uged or production casing is cemented in: ed from below any usable water to surface within 120 DAYS of spud date 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Administrative Assistant
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the second of the approved notice of intent to drill <i>shall be</i> posted on each of the second of th	FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  DEC 0 3 2007  CONSERVATION DIVISION WICHITA. KS If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  strict office on plug length and placement is necessary prior to plugging: leged or production casing is cemented in: led from below any usable water to surface within 120 DAYS of spud date in 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Best of my knowledge and belief.  Administrative Assistant
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and correct to the date:  11/27/07  Signature of Operator or Agent:	FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  DEC 0 3 2007  CONSERVATION DIVISION WICHITA. KS If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  strict office on plug length and placement is necessary prior to plugging: leged or production casing is cemented in: led from below any usable water to surface within 120 DAYS of spud date et 133,891-C, which applies to the KCC District 3 area, alternate if cementing lee plugged. In all cases, NOTIFY district office prior to any cementing.  Best of my knowledge and belief.  Title:  Administrative Assistant
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the second of the proved in the post of the second of the proved in the proved in the post of the second of the proved in the	FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  DEC 0 3 2007  CONSERVATION DIVISION  with drilling rig;  thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in: ed from below any usable water to surface within 120 DAYS of spud date en 133,891-C, which applies to the KCC District 3 area, alternate if cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Better to:  Administrative Assistant  Title:  Administrative Assistant
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the High the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for the well stall be appropriate district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for the well stall be appropriate district office will be notified before well is either plug for the well stall be appropriate district office will be notified before well is either plug for the well stall be appropriate district office will be notified before well is either plug for the well stall be appropriate district office will be notified b	FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  CONSERVATION DIVISION  CONSERVATION DIVISION  WICHITA, KS  the production cannot be top; in all cases surface pipe shall be set the underlying formation.  strict office on plug length and placement is necessary prior to plugging; tiged or production casing is cemented in: ted from below any usable water to surface within 120 DAYS of spud date tala3,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  best of my knowledge and belief.  Administrative Assistant  Title:  Administrative Assistant  File Drill Pit Application (form CDP-1) with intent to Drill: File Completion Form ACO-1 within 120 days of spud date:
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the sear through all unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a specified below shall be exercised and search through all unconsolidated materials plus as specified below shall be exercised and search through all unconsolidated materials plus as specified below shall be exercised and search through all unconsolidated materials plus as specified below shall be exercised and search through all unconsolidated materia	FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  CONSERVATION DIVISION  CONSERVATION DIVISION  WICHITA, KS  the production cannot be top; in all cases surface pipe shall be set the underlying formation.  strict office on plug length and placement is necessary prior to plugging; tiged or production casing is cemented in: ted from below any usable water to surface within 120 DAYS of spud date tatasa,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Best of my knowledge and belief.  Administrative Assistant  Title:  Administrative Assistant  Title:  File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders:
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the second of the proved in the posted on each and the posted of the provided and the posted on each and the provided and the provided and the provided end of the provid	FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  DEC 0 3 2007  CONSERVATION DIVISION  th drilling rig;  wichita. Ks  the circulating cement to the top; in all cases surface pipe shall be set ne underlying formation.  strict office on plug length and placement is necessary prior to plugging; uged or production casing is cemented in: ed from below any usable water to surface within 120 DAYS of spud date e133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  best of my knowledge and belief.  Administrative Assistant  Title:  Administrative Assistant  Title:  Notify appropriate district office 48 hours prior to workover or re-entry: Submit plugging report (CP-4) after plugging is completed (within 60 days):
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the second of all unconsolidated materials plus a minimum of 20 feet into the second of a surface pipe as specified below <i>shall be second</i> through all unconsolidated materials plus a minimum of 20 feet into the second of t	FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  DEC 0 3 2007  CONSERVATION DIVISION  th drilling rig;  wichita. Ks  the circulating cement to the top; in all cases surface pipe shall be set ne underlying formation.  strict office on plug length and placement is necessary prior to plugging;  ged or production casing is cemented in:  ed from below any usable water to surface within 120 DAYS of spud date  133,891-C, which applies to the KCC District 3 area, alternate II cementing  the plugged. In all cases, NOTIFY district office prior to any cementing.  best of my knowledge and belief.  Administrative Assistant  Title:  Administrative Assistant  Title:  Notify appropriate district office 48 hours prior to workover or re-entry:  Submit plugging report (CP-4) after plugging is completed (within 60 days):  Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set appropriate district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and correct to the Date:    11/27/07	FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  DEC 0 3 2007  CONSERVATION DIVISION WICHTA. KS WICHITA. KS W
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the High well is dry hole, an agreement between the operator and the district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the Date:    11/27/07	FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  DEC 0 3 2007  CONSERVATION DIVISION WICHITA. KS If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  strict office on plug length and placement is necessary prior to plugging: aged or production casing is cemented in: ged from below any usable water to surface within 120 DAYS of spud date en 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing, best of my knowledge and belief.  Hemember to:  File Drill Pit Application (form CDP-1) with Intent to Drill: File Completion Form ACO-1 within 120 days of spud date:  Notity appropriate district office 48 hours prior to workover or re-entry: Submit plugging report (CP-4) after plugging is completed (within 60 days): Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please sheck the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the search of the minimum amount of surface pipe as specified below <i>shall be search</i> through all unconsolidated materials plus a minimum of 20 feet into the search of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate of the case of the spud date or the well shall be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the date:    11/27/07	FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq. DEC 0 3 2007  CONSERVATION DIVISION WICHTA. KS If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  strict office on plug length and placement is necessary prior to plugging: aged or production casing is cemented in: led from below any usable water to surface within 120 DAYS of spud date en 133,891-C, which applies to the KCC District 3 area, alternate il cementing le plugged. In all cases, NOTIFY district office prior to any cementing.  Best of my knowledge and belief.  Administrative Assistant  Title:  Administrative Assistant  Title:  Administrative Assistant  File Completion Form ACO-1 within 120 days of spud date:  File acreage attribution plat according to field protetion orders:  Notify appropriate district office 48 hours prior to workover or re-entry:  Submit plugging report (CP-4) after plugging is completed (within 60 days):  Obtain written approved (See: authorized expiration date) please

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 205 - 27372-0000		
Operator: Cherokee Wells, LLC	Location of Well: County: W	Vilson
Lease: G. Duckworth	660	feet from X N / S Line of Section
Well Number: A-3	1,980	
Field: Cherokee Basin Coal Gas Area	Sec. 11 Twp 28	S. R. 14 <b>X</b> E <b>W</b>
Number of Acres attributable to well:  OTR/QTR/QTR/QTR of acreage:  C NE NW -	Is Section: Regular o	r Irregular
	If Section is Irregular, local Section corner used	ate well from nearest corner boundary. NE NW SE SW

### **PLAT**


(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)

:		6601 FNL		•	
1980' F	NCV DCV	ORTH	4		
	1				
			,,,,,,,,,		

## RECEIVED KANSAS CORPORATION COMMISSION

DEC 0 3 2007

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections. 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage)
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

## APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Cherokee Wells, LLC		License Number: 33539		
Operator Address: P.O. Box 296			Fredonia KS 6673	36
Contact Person: Tracy Miller			Phone Number: 620-378-3650	
Lease Name & Well No.: G. Duckwort	h A-3	3	Pit Location (QQQQ):	
Type of Pit:	Pit is:		C _ NE _ NW _	
Emergency Pit Burn Pit	X Proposed	Existing	Sec. 11 Twp. 28 R. 14 East West	
Settling Pit Drilling Pit	If Existing, date co	onstructed:	660 Feet from North / South Line of Sect	ion
Workover Pit Haul-Off Pit			1,980 Feet from East / West Line of Sect	
(if WP Supply API No. or Year Drilled)	Pit capacity: 800	(bbls)	Wilson	
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration: mg  (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?  Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?  Natural Clay & Earth	
Pit dimensions (all but working pits):	iO Length (fe	eet)40	Width (feet) N/A: Steel Pits	
•	om ground level to de	epest point:	6 (feet) No Pit	Ì
material, thickness and installation procedure			ncluding any special monitoring.	000
Distance to nearest water well within one-mile	e of pit	Depth to shallo	west fresh water100feet.	C
N/A feet Depth of water well	feet		ired well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY:	, <u>, , , , , , , , , , , , , , , , , , </u>	Drilling, Work	over and Haul-Off Pits ONLY:	
Producing Formation:		Type of materi	al utilized in drilling/workover: Fresh Water	- <b>Š</b>
Number of producing wells on lease:			king pits to be utilized:	- }
Barrels of fluid produced daily:		Abandonment	procedure: Remove Fluids, Allow to Dry, Level Surface	
Does the slope from the tank battery allow all flow into the pit? Yes No	spilled fluids to	Drill pits must	be closed within 365 days of spud date.	_
I hereby certify that the above state	ements are true and	correct to the bes	t of my knowledge and belief. KANSAS CORPORATION	
11/27/07 Date			DEC 0 3  ignature of Applicant or Agent  CONSERVATION	2007
	ксс	OFFICE USE C	NLY Steel Pit RFAC RFAS	KS
Date Received: /2/s/07 Permit Num	nber:	Pern	it Date: 12/5/07 Lease Inspection: Yes \ \No	,