## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
October 2007
Form must be Typed
Form must be Signed
All blanks must be Filled

## NOTICE OF INTENT TO DRILL

Must be approved by KCC five		
Expected Spud Date: 12	Spot Description:	
month day year	sw _ sw _ nw _ nw Sec. 29 Twp. 22	S. R. 16 XE W
31488	(0.0/0/0) 1,280 feet from XN	
OPERATOR: License#	165 feet from E	/ X W Line of Section
Name: mark george	Is SECTION: Regular Irregular?	
Address 1: 817 C street	<del></del>	
Address 2:	(Note: Locate well on the Section Plat on re	everse side)
City: Leroy State: ks Zip: 66857 +	County: coffey	
Contact Person: mark george	Lease Name: beard	Well #: 8
Phone: 620 363 0250	Field Name: leroy	
CONTRACTOR: License# 32642	Is this a Prorated / Spaced Field?	Yes <mark>X</mark> No
Name: nick brown	Target Formation(s): squirrel	
	Nearest Lease or unit boundary line (in footage):	5
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation:	feet MSL
☑Oil ☑ Enh Rec ☑Infield ☑Mud Rotary	Water well within one-quarter mile:	Yes X No
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:	Yes No
Disposal Wildcat Cable		
Seismic ; # of Holes Other	Depth to bottom of fresh water: 100	45 M
Other:	Depth to bottom of usable water:	and when the second sec
The output of the state of the	Surface Pipe by Alternate: II III	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 40	
Operator:	Length of Conductor Pipe (if any):	A CAN LA VIAN III
Well Name:	Projected Total Depth: 1100	
Original Completion Date: Original Total Depth:	Formation at Total Depth: squirrel	
/	Water Source for Drilling Operations	
Directional, Deviated or Horizontal wellbore?	Well Farm Pond X Other:	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR	7
KCC DKT #:	Will Cores be taken?	Yes X No
	If Yes, proposed zone:	
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:	gging of this well will comply with K.S.A. 55 et. seq.	INSAS CORPORATION COMMISSI
<ol> <li>Notify the appropriate district office prior to spudding of well;</li> <li>A copy of the approved notice of intent to drill shall be posted on each</li> <li>The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the distriction.</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented.</li> <li>Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be</li> <li>I hereby certify that the statements made herein are true and correct to the be</li> </ol>	by circulating cement to the top; in all cases surface pipe aunderlying formation. rict office on plug length and placement is necessary price of or production casing is cemented in; if from below any usable water to surface within 120 DAY 33,891-C, which applies to the KCC District 3 area, altern plugged. In all cases, NOTIFY district office prior to a	WICHITA, KS or to plugging; S of spud date. nate II cementing
<ol> <li>A copy of the approved notice of intent to drill shall be posted on each</li> <li>The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be</li> <li>I hereby certify that the statements made herein are true and correct to the but the statements made herein are true and correct to the but the statements made herein are true and correct to the but the statements made herein are true and correct to the but the statements made herein are true and correct to the but the statements made herein are true and correct to the statements.</li> </ol>	by circulating cement to the top; in all cases surface pipe aunderlying formation. rict office on plug length and placement is necessary price of or production casing is cemented in; if from below any usable water to surface within 120 DAY 33,891-C, which applies to the KCC District 3 area, altern plugged. In all cases, NOTIFY district office prior to a	shalonservation on issue with the without with the wind wind with the wind wind with the wind wind wind wind with the wind wind wind wind wind wind wind wind
<ol> <li>A copy of the approved notice of intent to drill shall be posted on each</li> <li>The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district.</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be</li> <li>I hereby certify that the statements made herein are true and correct to the broad of the statements.</li> </ol>	by circulating cement to the top; in all cases surface pipe a underlying formation. rict office on plug length and placement is necessary priced or production casing is cemented in; of from below any usable water to surface within 120 DAY 33,891-C, which applies to the KCC District 3 area, altern plugged. In all cases, NOTIFY district office prior to a est of my knowledge and belief.	shall bleen varion division Wichita, Ks or to plugging; S of spud date. nate II comenting in comenting.
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be commented.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the boate.  Date:  30 -07 Signature of Operator or Agent:	by circulating cement to the top; in all cases surface pipe anderlying formation. rict office on plug length and placement is necessary priced or production casing is cemented in; of from below any usable water to surface within 120 DAY 33,891-C, which applies to the KCC District 3 area, altern plugged. In all cases, NOTIFY district office prior to a est of my knowledge and belief.  Remember to:	shall block with the state of t
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district of the appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the both the statements of Operator or Agent:  For KCC Use ONLY	by circulating cement to the top; in all cases surface pipe anderlying formation. rict office on plug length and placement is necessary priced or production casing is cemented in; of from below any usable water to surface within 120 DAY 33,891-C, which applies to the KCC District 3 area, altern plugged. In all cases, NOTIFY district office prior to a sest of my knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to D.	shall be sha
<ol> <li>A copy of the approved notice of intent to drill shall be posted on each</li> <li>The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the bedate:</li> </ol> Date: 30-07 Signature of Operator or Agent: For KCC Use ONLY API # 15-031-22355-0000	by circulating cement to the top; in all cases surface pipe anderlying formation. rict office on plug length and placement is necessary priced or production casing is cemented in; d from below any usable water to surface within 120 DAY 33,891-C, which applies to the KCC District 3 area, altern plugged. In all cases, NOTIFY district office prior to a sest of my knowledge and belief.    Remember to:   File Drill Pit Application (form CDP-1) with Intent to D File Completion Form ACO-1 within 120 days of spud	shall be servation division Wichita, ks or to plugging; Sof spud date. nate il cementing my cementing.
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district of the appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the bound to the statements of Operator or Agent:    Signature of Operator or Agent:   Sign	by circulating cement to the top; in all cases surface pipe anderlying formation. rict office on plug length and placement is necessary priced or production casing is cemented in; of from below any usable water to surface within 120 DAY 33,891-C, which applies to the KCC District 3 area, altern plugged. In all cases, NOTIFY district office prior to a sest of my knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to D.	shall be servation on is ion with its and is in the interest of the interest o
2. A copy of the approved notice of intent to drill shall be posted on each  3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be inhereby certify that the statements made herein are true and correct to the branch of the specific plants.  For KCC Use ONLY  API # 15 - 031 - 22355-0000	by circulating cement to the top; in all cases surface pipe anderlying formation.  rict office on plug length and placement is necessary priced or production casing is cemented in;  d from below any usable water to surface within 120 DAY 33,891-C, which applies to the KCC District 3 area, altern plugged. In all cases, NOTIFY district office prior to a sest of my knowledge and belief.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to D File Completion Form ACO-1 within 120 days of spud File acreage attribution plat according to field proration.	shallowervation division Wichita, Ks or to plugging; S of spud date, nate il cementing my cementing.  All; date; no orders; cover or re-entry; eted (within 60 days);
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district of the appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the bit in the statements of Operator or Agent:  For KCC Use ONLY  API #15 - O31 - 22355-0000  Conductor pipe required	by circulating cement to the top; in all cases surface pipe anderlying formation. rict office on plug length and placement is necessary priced or production casing is cemented in; a from below any usable water to surface within 120 DAY 33,891-C, which applies to the KCC District 3 area, altern plugged. In all cases, NOTIFY district office prior to a est of my knowledge and belief.    Remember to:   File Drill Pit Application (form CDP-1) with Intent to D File Completion Form ACO-1 within 120 days of spud File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to work.	shall be servation on is ion with its w
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district of the specified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the bit hereby certify that the statements made herein are true and correct to the bit in the statement of Operator or Agent:    Signature of Operator or Agent:	by circulating cement to the top; in all cases surface pipe anderlying formation. rict office on plug length and placement is necessary priced or production casing is cemented in; d from below any usable water to surface within 120 DAY 33,891-C, which applies to the KCC District 3 area, altern plugged. In all cases, NOTIFY district office prior to a sest of my knowledge and betief.    Remember to:	shall be servation division witchita, ks or to plugging; Sof spud date, nate il cementing my cementing.  26  rill; date; n orders; cover or re-entry; eted (within 60 days); salt water.
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the both the statements of Operator or Agent:    Signature of Operator or Agent:	by circulating cement to the top; in all cases surface pipe anderlying formation. rict office on plug length and placement is necessary priced or production casing is cemented in; d from below any usable water to surface within 120 DAY 33,891-C, which applies to the KCC District 3 area, altern plugged. In all cases, NOTIFY district office prior to a sest of my knowledge and belief.    Title: Cur	shall be servation division with the plugging;  Sof spud date, nate il cementing my cementing.  Fill; date; n orders; tover or re-entry; leted (within 60 days); salt water.  date) please
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district of the specified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the bit hereby certify that the statements made herein are true and correct to the bit in the statement of Operator or Agent:    Signature of Operator or Agent:	by circulating cement to the top; in all cases surface pipe anderlying formation. rict office on plug length and placement is necessary priced or production casing is cemented in; d from below any usable water to surface within 120 DAY 33,891-C, which applies to the KCC District 3 area, altern plugged. In all cases, NOTIFY district office prior to a sest of my knowledge and betief.    Remember to:	shall be servation division witchita, ks or to plugging; Sof spud date, nate il cementing my cementing.  A C C C C C C C C C C C C C C C C C C
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the bound to be completed. Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 031 - 22355-0000  Conductor pipe required Move feet per ALT. Feet Purple Approved by: Lett 2-4-07  This authorization expires: 12-4-08	by circulating cement to the top; in all cases surface pipe anderlying formation. rict office on plug length and placement is necessary priced or production casing is cemented in; d from below any usable water to surface within 120 DAY 33,891-C, which applies to the KCC District 3 area, altern plugged. In all cases, NOTIFY district office prior to a sest of my knowledge and betief.    Remember to:   File Drill Pit Application (form CDP-1) with Intent to D File Completion Form ACO-1 within 120 days of spudents of the product o	shall be servation division witchita, ks or to plugging; Sof spud date, nate il cementing my cementing.  A C C C C C C C C C C C C C C C C C C

## IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 031-22355-0000	
Operator: mark george	Location of Well: County: coffey
Lease; beard	1,280 feet from X N / S Line of Section
Well Number: 8	165 feet from E / X W Line of Section
Field: leroy	Sec. 29 Twp. 22 S. R. 16 X E W
Number of Acres attributable to well:	
QTR/QTR/QTR of acreage:swswnwnw	ls Section: 🔀 Regular or 🔲 Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used:NENWSESW

### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)


(Show footage to the nearest lease or unit boundary line.)

	1	1	:	:		:	2	:	1
	1	:	:	:		:	•	•	į
	يرا	;	:	:		:	-		ļ
	1117	C A	:	:		:	:		Ì
	00	<i>y</i> 0		•	İ		;	:	ļ
	<b>- </b>		*******						ļ
166	11						**********		į
165	[	•	:	:	i	:	:	:	i
	! L	:	:	:	j	:	•	:	i
-	——	:	;	:	ì	:		•	
		:	•	<u>:</u>		•	:		ļ
								`	ļ
	:		_	_	į				i
	1	:			Ĺ	:	:	:	ĺ
	ļ	:		•		:	:	:	
	!	<u>:</u>				:	;	;	ł
	,	:	:	:		:	:	:	į
	ļ	•	•	•		•	•	•	Ì
					*******	*******		*********	l
					i				l
	<u> </u>	:	: :			:	i		ļ
	1	:	: :	:	į	:	:	:	ì
	1	:			'		:	:	ĺ
		:				:	;	:	Į
				·				•	i
	1	:	: :				:		ί
	i	:	: :			:	:		ı
	İ	;	: :						ı
		:	: :		! :				ł
		•				•			ĺ
			******						
	ì				ĺ.				
		:	: :		į :			i	
		:	:		!		:		
	!	:	: :					:	
	i	•			į į		•		
		: .							
	!		: :		! :		: :		
			; ;				:		
i			:				:		
		:	: :		!		:		
			: :					!	
i			:					!	
			:	ĺ				i	
			:					Ĭ	
					:				

RECEIVED KANSAS CORPORATION COMMISSION

DEC 0 3 2007

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

## In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: mark george		License Number: 31488				
Operator Address: 817 C street			Leroy ks 6685			
Contact Person: mark george		Phone Number: 620 363 0250				
Lease Name & Well No.: beard 8		Pit Location (QQQQ):				
Type of Pit: Pit is:		sw _ sw _ nw _ nw				
Emergency Pit Burn Pit	Proposed	Existing	Sec. 29 Twp. 22 R. 16 East West			
Settling Pit Drilling Pit	If Existing, date of	constructed:	1,280 Feet from North / South Line of Section			
Workover Pit Haul-Off Pit	Pit capacity:		165 Feet from East / West Line of Section			
(If WP Supply API No. or Year Drilled)	200	(bbls)	coffey Coun			
Is the pit located in a Sensitive Ground Water	Is the pit located in a Sensitive Ground Water Area? Yes		Chloride concentration:mg/			
777777777777777777777777777777777777777			(For Emergency Pits and Settling Pits only)			
is the bottom below ground level?  Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?  clay silt			
Pit dimensions (all but working pits):2	0 Length (f	eet) 8	Width (feet) N/A: Steel Pits			
l l			4 (feet) No Pit			
If the pit is lined give a brief description of the			edures for periodic maintenance and determining			
			nctuding any special monitoring.			
na		na				
Distance to nearest water well within one-mile	of pit	Depth to shallo	west fresh water			
na feet Depth of water well	feet	Source of infor				
Emergency, Settling and Burn Pits ONLY:	leet	Drilling Works	over and Haul-Off Pits ONLY:			
Producing Formation:		1	al utilized in drilling/workover: water			
Number of producing wells on lease:			king pits to be utilized: 4			
Barrels of fluid produced daily:		Abandonment				
Does the slope from the tank battery allow all	spilled fluids to		RECEIVED KANSAS CORPORATION COMI			
flow into the pit? Yes No		Drill pits must b	be closed within 365 days of spud date.			
I hereby certify that the above states	ments are true and	correct to the best	of my knowledge and belief.  DEC U 3 2007			
		11	CONSERVATION DIVISION WICHITA, KS			
11/30/2007 Date		Si Si	ignature of Applicant or Agent			
		· · · · · · · · · · · · · · · · · · ·				
	KCC	OFFICE USE ON	NLY Steel Pit RFAC RFAS			
Date Received: $\frac{\sqrt{2}/3}{\sqrt{0.7}}$ Permit Numb	per:	Permi	t Date: 12/3/07 Lease Inspection: Yes KNo			