For KCC Use: 12-9-07 Effective Date: 12-9-07 District # 2 No.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date: December 8th 2007	Spot Description:
month day year	apr _ nw _ nw Sec. 15 Twp. 31 S. R. 7 EXW
OPERATOR: License#	(QQQQQ) 625 feet from N / S Line of Section
Name: Red Oak Energy, Inc.	945 feet from E / W Line of Section
Address 1: 7701 E. Kellogg ste. 710	Is SECTION: 🔀 Regular 🔲 Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: Wichita State: KS. Zip: 67207 +	County: Harper
Contact Person: Kevin Davis	Lease Name: Drumwright Well #: 1-15
Phone: 316-652-7373	Field Name: Wildcat
CONTRACTOR: License#5822	is this a Prorated / Spaced Field?
Name: Val Energy, Inc.	Target Formation(s): Simpson
	Nearest Lease or unit boundary line (in footage): 625
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 1578 est. feet MSL
☑Oil ✓ ☐ Enh Rec ☐ Infield ☑ Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
Disposal Wildcat Cable	Depth to bottom of fresh water: 100'
Seismic; # of Holes Other	Depth to bottom of usable water:
Other:	Surface Pipe by Alternate: XI III
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 200'
_	Length of Conductor Pipe (if any): na
Operator:	Projected Total Depth: 4800'
Well Name:Original Total Depth:	Formation at Total Depth: Simpson
Original Completion Date. Original Total Depth.	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR
KCC DKT #:	Will Cores be taken? ☐ Yes ☒ No
	If Yes, proposed zone:
AFF	RECEIVED
AFF The undersigned hereby affirms that the drilling, completion and eventual plug	RECEIVED KANSAS CORPORATION COMMISSIO
The undersigned hereby affirms that the drilling, completion and eventual plug	RECEIVED IDAVIT KANSAS CORPORATION COMMISSION gging of this well will comply with K.S.A. 55 et. seq.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:	RECEIVED KANSAS CORPORATION COMMISSIO
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	RECEIVED KANSAS CORPORATION COMMISSIO gging of this well will comply with K.S.A. 55 et. seq. NOV 2 9 2007
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	RECEIVED KANSAS CORPORATION COMMISSION Uping of this well will comply with K.S.A. 55 et. seq. NOV 2 9 2007 drilling rig: CONSERVATION DIVISION.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the	RECEIVED KANSAS CORPORATION COMMISSIO gging of this well will comply with K.S.A. 55 et. seq. NOV 2 9 2007 drilling rig; conservation division y circulating cement to the top; in all cases surface pipe shall begrething. KS underlying formation.
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distri	RECEIVED KANSAS CORPORATION COMMISSION And this well will comply with K.S.A. 55 et. seq. NOV 2 9 2007 drilling rig; And the complete of the control of the
The undersigned hereby affirms that the drilling, completion and eventual plug it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugger.	RECEIVED KANSAS CORPORATION COMMISSION And this well will comply with K.S.A. 55 et. seq. NOV 2 9 2007 drilling rig; And conservation division And conservation
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	RECEIVED KANSAS CORPORATION COMMISSION AND 2 9 2007 drilling rig; And compared to the top; in all cases surface pipe shall be VERCHITA, KS underlying formation. In the compared to the top of the compared to the compare
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	RECEIVED KANSAS CORPORATION COMMISSION giging of this well will comply with K.S.A. 55 et. seq. NOV 2 9 2007 drilling rig;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distrection of the surface district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	RECEIVED KANSAS CORPORATION COMMISSION giging of this well will comply with K.S.A. 55 et. seq. NOV 2 9 2007 drilling rig; y circulating cement to the top; in all cases surface pipe shall beverbilly. KS underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plug it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a like the statements made herein are true and correct to the best of the spud date.	RECEIVED KANSAS CORPORATION COMMISSION giging of this well will comply with K.S.A. 55 et. seq. NOV 2 9 2007 drilling rig; The conservation division of conservation division of conservation division of conservation division of conservation. It office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC district 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plug it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a like the statements made herein are true and correct to the best of the spud date.	RECEIVED KANSAS CORPORATION COMMISSION giging of this well will comply with K.S.A. 55 et. seq. NOV 2 9 2007 drilling rig; y circulating cement to the top; in all cases surface pipe shall beverbilly. KS underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distrection of the surface district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	RECEIVED KANSAS CORPORATION COMMISSION Biging of this well will comply with K.S.A. 55 et. seq. NOV 2 9 2007 Conservation division y circulating cement to the top; in all cases surface pipe shall be with HITA KS underlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Stoff my knowledge and belief. Title:
The undersigned hereby affirms that the drilling, completion and eventual plug it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the best of the control of the statements. Signature of Operator or Agent: For KCC Use ONLY	RECEIVED KANSAS CORPORATION COMMISSION Riging of this well will comply with K.S.A. 55 et. seq. NOV 2 9 2007 drilling rig; CONSERVATION DIVISION Or circulating cement to the top; in all cases surface pipe shall be with HTA. KS underlying formation. Ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Figure 1. Title: Remember to:
The undersigned hereby affirms that the drilling, completion and eventual plug it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the best of the control of the statements. Signature of Operator or Agent: For KCC Use ONLY	RECEIVED KANSAS CORPORATION COMMISSION Origing of this well will comply with K.S.A. 55 et. seq. NOV 2 9 2007 drilling rig; Original comment to the top; in all cases surface pipe shall be with HITA. KS underlying formation. Into office on plug length and placement is necessary prior to plugging; Into or production casing is cemented in; Inform below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual plug it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be inhereby certify that the statements made herein are true and correct to the best of the complete of the co	RECEIVED KANSAS CORPORATION COMMISSION drilling rig;
The undersigned hereby affirms that the drilling, completion and eventual plug it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the behalf of the complete of the	RECEIVED KANSAS CORPORATION COMMISSION In this well will comply with K.S.A. 55 et. seq. NOV 2 9 2007 Additing rig; Conservation division Conservation divis
The undersigned hereby affirms that the drilling, completion and eventual plug it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the beater. Date: 11-11-07	RECEIVED KANSAS CORPORATION COMMISSION Riging of this well will comply with K.S.A. 55 et. seq. NOV 2 9 2007 drilling rig; Py circulating cement to the top; in all cases surface pipe shall be WRCHITA. KS underlying formation. Into office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; If rom below any usable water to surface within 120 DAYS of spud date. B3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. STOF my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging general (CP-4) after plugging is completed (within 60 days):
The undersigned hereby affirms that the drilling, completion and eventual plug it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the beater. Date: 11-11-07	RECEIVED KANSAS CORPORATION COMMISSION In this well will comply with K.S.A. 55 et. seq. NOV 2 9 2007 Additionally a comparation of the sequence of the sequ
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed. If hereby certify that the statements made herein are true and correct to the bodge. 1 Date: 11-21-07 Signature of Operator or Agent: 11 The provided by the spud date of the provided feet per ALT. In the statements must be conductor pipe required feet per ALT. In the statement of the provided by the spud date of the provided feet per ALT. In the statement of the statement of the provided feet per ALT. In the statement of the spud date of the spud date or the set of the spud date or the s	RECEIVED KANSAS CORPORATION COMMISSION drilling rig; CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shall be WRHITA. KS underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plug it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the test of 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the complete of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the complete of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the complete of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the complete of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the complete of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the complete of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the complete of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the complete of the spud date or the well shall be 1 hereby certified between the complete of the spud date or the spud date or the shall be set to the spud date or the spud date or the spud date or the	RECEIVED KANSAS CORPORATION COMMISSION drilling rig; V circulating cement to the top; in all cases surface pipe shall be with HITA. KS underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 83,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual plug it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be inhereby certify that the statements made herein are true and correct to the beater. 1. Por KCC Use ONLY API # 15 - D 77 - 2 I UD 4 - COOD Conductor pipe required	RECEIVED KANSAS CORPORATION COMMISSION drilling rig;
The undersigned hereby affirms that the drilling, completion and eventual plug it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE if COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be in hereby certify that the statements made herein are true and correct to the best of the specific productor of the statements of the spud date or the well shall be intended to the statements of the spud date or the well shall be intended to the statements of the spud date or the well shall be intended to the statements of the spud date or the well shall be intended to the statements of the spud date or the set of the spud date or the well shall be intended to the statements of the spud date or the set	RECEIVED KANSAS CORPORATION COMMISSION drilling rig; V circulating cement to the top; in all cases surface pipe shall be with HITA. KS underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 83,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 077-21604-0000	
Operator: Red Oak Energy, Inc.	Location of Well: County: Harper
Lease: Drumwright	625 feet from N / S Line of Section
Well Number: 1-15	945 feet from E / W Line of Section
Field: Wildcat	Sec. 15 Twp. 31 S. R. 7 E W
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage: apr _ nw _ nw	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW


PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)

945'	65	:	:		•	:	:
945'	-0					:	
			•			* * * * * * * * * * * * * * *	
		•••••					:
			I	5	<u>-</u>	·	<u>. </u>
	•••••						

RECEIVED KANSAS CORPORATION COMMISSION

NOV 2 9 2007

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Red Oak Energy, Inc.		License Number: 3581					
Operator Address: 7701 E. Kellogg	ste. 710		Wichita KS. 6	7207			
Contact Person: Kevin Davis		Phone Number: 316-652-7373					
Lease Name & Well No.: Drumwright	1-1	15	Pit Location (QQQQ):				
Type of Pit:	Pit is:		aprNWNW				
Emergency Pit Burn Pit	Proposed Existing If Existing, date constructed:		Sec. 15 Twp. 31 R. 7 East West 625 Feet from North / South Line of Section				
Settling Pit Drilling Pit							
Workover Pit Haul-Off Pit	Pit capacity:	**	945 Feet from East / West Line of S	•			
(If WP Supply API No. or Year Drilled)	600	(bbls)	Harper	County			
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration:	_mg/l			
is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?				
Yes No		No	Bentonite and native soilids	ļ			
Pit dimensions (all but working pits):	00 Length (fe	net) 100	Width (feet) N/A: Steel Pits				
	om ground level to de	•	5 (feet) No Pit	`			
If the pit is lined give a brief description of the material, thickness and installation procedure			dures for periodic maintenance and determining notuding any special monitoring.	15:07			
Distance to nearest water well within one-mile	of pit	Depth to shallo	west fresh water 35 feet.	77-211004-0C			
1400			Source of information: measured well owner electric log KDWR				
Emergency, Settling and Burn Pits ONLY:			over and Haul-Off Pits ONLY:	1/2			
		al utilized in drilling/workover: Fresh mud					
Number of producing wells on lease: Number of work		king pits to be utilized: Steel -	- 8				
Barrels of fluid produced daily:		Abandonment procedure: <u>remove</u> & lds - backfill		<u> </u>			
Does the slope from the tank battery allow all flow into the pit? Yes No	spilled fluids to	Drill pits must b	e closed within 365 days of spud date. KANSAS CORPOR	EIVED RATION COMM			
I hereby certify that the above state	ments are true and o	correct to the best	of my knowledge and belief.	2 9 2007			
11-27-07		KC	CONSERVA	TION DIVISION			
Date		Si	gnature of Applicant or Agent	**************************************			
	ксс	OFFICE USE ON	ILY Steel Pit RFAC RFAS				
Date Received: 1 25 07 Permit Numb	per:	Permi	Date: 12 4 07 Lease Inspection: Yes	No			



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

December 4, 2007

Mr. Kevin Davis Red Oak Energy, Inc. 7701 E. Kellogg Ste 710 Wichita, KS 67207

Re: Drilling Pit Application

Drumwright Lease Well No. 1-15

NW/4 Sec. 15-31S-07W Harper County, Kansas

Dear Mr. Davis:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and **all pits must be lined with bentonite**. The free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again within 72 hours after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (316) 630-4000 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Haynes

Environmental Protection and Remediation Department

cc: File