For KCC Use:		12-9-07	
Effective	Date:	70-101	
District #		<u> </u>	
SGA?	Yes	☐ No	

Kansas Corporation Commission Oil & Gas Conservation Division

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

WHEAS CORP.

WO 3 0 2007

WO 3 0 2007

WO 3 0 2007

Form C-1

December 2002

Form must be Typed

Form must be Signed

All blanks must be Filled

	Spot X Ea
Expected Spud Date	NE SE NW Sec. 6 Two, 29S S. R. 16E We
32912	1650 / feet from XN / S Line of Section
DPERATOR: License#	2310 feet from E / X W Line of Section
200 Arco Place, Suite 230, Box 149	is SECTIONRegularX Irregular?
Independence KS 67301	(Note: Locate well on the Section Plat on reverse side)
Tom: Carroll le	Wilson
(620) 332-1600	County: Wison Lease Name: EIESELE N Well #: 6-B2
hone: (020) 552-1660	Field Name: Fredonia
ONTRACTOR: License# 33374	Is this a Prorated / Spaced Field?
lame: L & S Well Service, LLC	Target Formation(s): Cherokee Coals
	Nearest Lease or unit boundary: 360'
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 820 feet M
X Oil / Enh Rec X Infield Mud Rotary	Water well within one-quarter mile:
X Gas Storage Pool Ext. X Air Rotary	Public water supply well within one mile:
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 100'+
Seismic; # of Holes Other	Depth to bottom of usable water: 300+750
Other	Surface Pipe by Alternate: 1 X 2
	Length of Surface Pipe Planned to be set: 20'
f OWWO: old well information as follows:	Length of Conductor Pipe required:
Operator:	Projected Total Depth: 1200'
Well Name:	Formation at Total Depth: Mississippi
Original Completion Date: Original Total Depth:	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well X Farm Pond Other
Yes true vertical depth:	DWR Permit #:
Softon Hole Location:	(Note: Apply for Permit with DWR
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met:	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq.
The undersigned hereby affirms that the drilling, completion and eventual parts agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eather as the minimum amount of surface pipe as specified below shall be sufficiently that the uniform the surface pipe as the surface below shall be sufficiently an immum of 20 feet into the surface will be driven the operator and the composition of the surface will be notified before well is either plus of the surface casing order must be completed within 30 days of the spud date or the well shall.	ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133.891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met: 1. Notity the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be sufficiently that the uniform and the sufficient of the well is dry hote, an agreement between the operator and the constitution of the surface will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate of the surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the surface casing that the statements made herein are true and to the best of the surface casing the surface casing that the statements made herein are true and to the best of the surface casing the surface casing the surface casing order must be completed within 30 days of the spud date or the well shall be the surface casing the surf	ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133.891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual pt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be stringly all unconsolidated materials plus a minimum of 20 feet into the string of the well is dry hole, an agreement between the operator and the composition of the string of the surface will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate of the surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the surface of the surface plus of the surface of Operator or Agent: For KCC Use ONLY API = 15 = 205 - 27374-0000 Contributor pipe required Minimum surface pipe required Minimum surface pipe required Minimum surface pipe required	the drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. distinct office on plug length and placement is necessary prior to plugging goed or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133.691-C, which applies to the KCC District 3 area, alternate II cements be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and be of. Title: Land Manager
The undersigned hereby affirms that the drilling, completion and eventual processing the sagreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on easy through all unconsolidated materials plus a minimum of 20 feet into the drill shall be posted on easy through all unconsolidated materials plus a minimum of 20 feet into the drill shall be determined to the well is dry hote, an agreement between the operator and the drill shall be determined to the district office will be notified before well is either plus of the suppropriate district office will be notified before well is either plus of the suppropriate to appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the complete shall be determined by the statements of the operator of Agent: 11/29/2007 Signature of Operator or Agent: For KCC Use ONLY API = 15 - 205 - 27374-0000 Conductor pipe required Minimum surface pipe required Approved by: 244 12-4-07 This authorization expires: 12-4-07	ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. distinct office on plug length and placement is necessary prior to plugging gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133.891-C, which applies to the KCC District 3 area, alternate II cements be plugged. In all cases, NOTIFY district office prior to any cementing, of my knowledge and beingt. Title: Land Manager Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
The undersigned hereby affirms that the drilling, completion and eventual processing that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on east through all unconsolidated materials plus a minimum of 20 feet into the firm well is dry hole, an agreement between the operator and the construction of the sum of the construction of the well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the confidence of th	ch drilling rig; In this well will comply with K.S.A. 55 et. seq. In the drilling rig; In the provided provi
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be sufficiently than the properties of the well is dry hote, an agreement between the operator and the completed strict office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the plus of the spud date or the well shall be posted to the plus of the spud date or the well shall be posted to the plus of the spud date or the well shall be posted to the plus of the spud date or the well shall be posted to the plus of the spud date or the well shall be posted to the plus of	chiddrilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. distinct office on plug length and placement is necessary prior to plugging gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133.891-C, which applies to the KCC District 3 area, alternate II cemention be plugged. In all cases, NOTIFY district office prior to any cementing. In all cases, NOTIFY district office prior to any cementing. Title: Land Manager Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Cobtain written approval before disposing or injecting sait water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 205-27374-0000		Location of Well: County: Wilson	
	Carroll Energy, LLC	1650 feet from X N / S Line of Section	
Lease:	EIESELE N	2310 feet from E / X W Line of Section	
Well Number:	6-B2	Sec. 6 Twp. 29S S. R. 16E X East West	
Field:	Fredonia		
Number of Acres attributable to well: QTR / QTR of acreage: NE - SF - NW		is Section: Regular or X Irregular	
		If Section is irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW	

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

APPLICATION FOR SURFACE PIT

RECEIVE COMMISSION
REPORATION COMMISSION
NOV 3 0 2007
NOV 3 0 2007
Form CDP-4
April 2004
CONSERVATION ON KS
Form must be Typed

Submit in Duplicate

Operator Name: Carroll Energy, LLC			License Number: 32912		
Operator Address: 200 Arco Place, Suite 230, Box 149, Independence, KS 67301					
Contact Person: Terry Carroll Jr.			Phone Number: (620) 332-1600		
Lease Name & Well No.: EIESELE N 6-B			Pit Location (QQQQ):		
Type of Pit: Pit is:			_C <u>NE</u> - <u>SE</u> - <u>NW</u>		
Emergency Pit Burn Pit	Proposed Existing		Sec. 6 Twp. 29S R. 16E X East West		
Settling Pit X Drilling Pit	If Existing, date constructed:		1650 Feet from X North / South Line of Section		
Workover Pit Haul-Off Pit (if WP Supply API No. or Year Drilled)	Pit capacity:		2310 Feet from East / [X] West Line of Section		
	300	(bbls)	Wilson County		
Is the pit located in a Sensitive Ground Water	Area? Yes] No	Chloride concentration: NA mg/l		
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pite and Settling Pite only) How is the pit lined if a plastic liner is not used?		
X Yes No			CLAY		
Pit dimensions (all but working pits):	20 Length (fe	et)8	Width (feet) N/A: Steel Pits		
Depth fr	om ground level to de	epest point:	5 (feet)		
If the pit is lined give a brief description of the liner material, thickness and installation procedure. Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.					
material, monitors and material procedure	··	mor mogray, n	induling any special montoning.		
			i		
Distance to nearest water well within one-mile	of pit	Depth to shallowest fresh water			
NA feet Depth of water wellfeet		measuredwell owner electric logKDWR			
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:			
Producing Formation:		Type of material utilized in drilling/workover: FRESH WATER			
Number of producing wells on lease:		Number of working pits to be utilized: 1			
Barrels of fluid produced daily:		Abandonment	procedure: AIR DRY		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
11/29/2007					
Date		Si	gnature of Applicant or Agent		
KCC OFFICE USE ONLY REAC					
Date Received: 11/30/07 Permit Number: Permit Date: 12/04/07 Lease Inspection: Yes No					



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

December 4, 2007

Terry Carroll Jr. Carroll Energy, LLC 200 Arco Place, Ste 230 Independence KS 67301

Re: Drilling Pit Application

Eiesele N Lease Well No. 6-B2

NW/4 06-29S-16E Wilson County, Kansas

Dear Mr. Carroll:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 432-2300 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: http://kcc.ks.gov/conservation/forms/

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Jonelle Rains, Supervisor

Somelle Rains

Department of Environmental Protection and Remediation

cc: Steve Korf

File