# For KCC Use: Effective Date: District # SGA2 Wes No

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

### NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Stud Date:		
Expected Spud Date:	Spot Description:  SE - NW - NW - SE Sec. 8 Twp. 18 S. R. 22 XE W	
/	(a/a/a/a) 2240 feet from N / X S Line of Section	
OPERATOR: License# 6142	2300 feet from X E / W Line of Section	
Name: Town Oil Company, Inc.		
Address 1: 16205 W. 287th St.	is SECTION: X Regular Irregular?	
Address 2:	(Note: Locate well on the Section Plat on reverse side)	
City: Paola State: KS Zip: 66071+	County: Miami	-
Contact Person: <u>Lester Town</u> Phone: 913-294-2125	Lease Name: Owen Well #: 07-1	-
1 1101101	Field Name: Paola-Rantou1	-
CONTRACTOR: License# Company Tools / 0142	Is this a Prorated / Spaced Field?	
Name:	Target Formation(s): Squirre1	_
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 340'	
_	Ground Surface Elevation:feet MSL	
Oil Enh Rec X Infield Mud Rotary  V Gas Storage Pool Ext. X Air Rotary	Water well within one-quarter mile:	
X Gas Storage Pool Ext. X Air Rotary Disposal Wildcat Cable	Public water supply well within one mile:	)
Seismic : # of Holes Other	Depth to bottom of fresh water: 35	
Other:	Depth to bottom of usable water:	_
Oliver.	Surface Pipe by Alternate: XIII	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20	_
Operator:	Length of Conductor Pipe (if any): None	_
Well Name:	Projected Total Depth:	-
Original Completion Date: Original Total Depth:	Formation at Total Depth:Squirre1	-
	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?  Yes X No	Well Farm Pond X Other:	_
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR )	
KCC DKT #:	Will Cores be taken?	)
	If Yes, proposed zone:RECEIVED	_
	KANSAS CORPORATION COM	MISSI
	DAVIT	
The undersigned hereby affirms that the drilling, completion and eventual plugg	ging of this well will comply with K.S.A. 55 et. seq. NOV 3 0 2007	
It is agreed that the following minimum requirements will be met:		
1. Notify the appropriate district office <b>prior</b> to spudding of well;	CONSERVATION DIV. SI	
1. Notify the appropriate district office <i>prior</i> to spudding of well;	drilling rig: WCHITA, KS	
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by</li> </ol>	drilling rig; WICHITA, KS y circulating cement to the top; in all cases surface pipe shall be set	
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the time.</li> </ol>	drilling rig; WICHITA, K\$ y circulating cement to the top; in all cases surface pipe <b>shall be set</b> underlying formation.	
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the unconsolidated materials plus a minimum of 20 feet</li></ol>	drilling rig; WICHITA, K\$  y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in;	
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the unit the well is dry hole, an agreement between the operator and the distriction. The appropriate district office will be notified before well is either pluggers.</li> <li>If an ALTERNATE IL COMPLETION production sine shall be cemented.</li> </ol>	drilling rig; WICHITA, K\$ y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.	
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the unit of the un</li></ol>	drilling rig; WICHITA, KS y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing	
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugger.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be presented.</li> </ol>	drilling rig;  WiCHITA, KS  y circulating cement to the top; in all cases surface pipe shall be set  underlying formation.  ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.	
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the unit the well is dry hole, an agreement between the operator and the distriction. The appropriate district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "8" - Fastern Kansas surface casing order #13".</li> </ol>	drilling rig;  WiCHITA, KS  y circulating cement to the top; in all cases surface pipe shall be set  underlying formation.  ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.	
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the outline of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugger.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided that the statements made herein are true and correct to the beside.</li> </ol>	drilling rig; WICHITA, KS y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  The set of my knowledge and belief.	
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugger.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be presented.</li> </ol>	drilling rig;  y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  ct office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  15 as of my knowledge and belief.  Title: Agent	
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the uniform of the uniform of the district office will be notified before well is either plugger.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be comented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plugger.</li> <li>I hereby certify that the statements made herein are true and correct to the beautiful of the plugger.</li> </ol>	drilling rig;  y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  ct office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  15 as of my knowledge and belief.  16 Agent  17 Title: Agent	
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office will be notified before and the district office will be notified before well is either plugger.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be presented that the statements made herein are true and correct to the beautiful content.</li> </ol>	drilling rig;  y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  ct office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  15 Set of my knowledge and belief.  16 Title: Agent  17 Remember to:  18 File Drill Pit Application (form CDP-1) with Intent to Drill;	
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the outline of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugger.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be comented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plate:</li> <li>I hereby certify that the statements made herein are true and correct to the bediened.</li> </ol> For KCC Use ONLY  API # 15 - 121 - 28543-0000	drilling rig;  y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  ct office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  15 Est of my knowledge and belief.  16 Prille Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;	
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugger.  5. The appropriate district office will be notified before well is either plugger.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be put thereby certify that the statements made herein are true and correct to the because.  For KCC Use ONLY  API # 15 - 121 - 28543-0000	drilling rig;  y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  ct office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  est of my knowledge and belief.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;	- <b>≥</b>
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the other through all unconsolidated materials plus a minimum of 20 feet into the other through all unconsolidated materials plus a minimum of 20 feet into the other through all unconsolidated materials plus a minimum of 20 feet into the other through all unconsolidated materials plus a minimum of 20 feet into the other through all unconsolidated materials plus a minimum of 20 feet into the other through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugger or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plus be completed within 30 days of the spud date or the well shall be plus before the complete of the spud date or the well shall be plus before the complete of the spud date or the well shall be plus before the complete of the spud date or the well shall be plus before the complete of the spud date or the well shall be plus before the complete of the spud date or the well shall be plus before the complete of the spud date or the well shall be plus before the complete of the spud date or the well shall be plus before the complete of the spud date or the well shall be plus before the complete of the spud date or the well shall be plus before the complete of the spud date or the well shall be plus before the complete of the spud date or the well shall be plus before the complete of the spud date or the well shall be plus before the complete of the spud date or the well shall be plus before the complete of the spud date or the well shall be plus before the complete of the spud date or the spud da	drilling rig;  y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  ct office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  est of my knowledge and belief.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;	- <b>≥</b>
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the outline of 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugger 6. If an ALTERNATE II COMPLETION, production pipe shall be comented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plate:  I hereby certify that the statements made herein are true and correct to the bediene in the complete of the prior of the plate:  For KCC Use ONLY  API # 15 - 121 - 28543-0000  Conductor pipe required	drilling rig;  y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  ct office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  est of my knowledge and belief.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;	- <b>≥</b>
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office will be notified before well is either plugger.  4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugger.  5. The appropriate district office will be notified before well is either plugger.  6. If an ALTERNATE II COMPLETION, production pipe shall be comented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by that the statements made herein are true and correct to the best of the complete of the complete of the placed of the spud date or Agent:  For KCC Use ONLY  API #15 - 121 - 285 43 - ODDD  Conductor pipe required 100 feet per ALT. It Plik Approved by: 100 -	drilling rig;  y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  15 are of my knowledge and belief.  16 Title: Agent  Remember to:  17 File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to filed proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please	- <b>≥</b>
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office will be notified before well is either plugger.  4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugger.  5. The appropriate district office will be notified before well is either plugger.  6. If an ALTERNATE II COMPLETION, production pipe shall be comented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by that the statements made herein are true and correct to the best placed by the statement of Operator or Agent:  For KCC Use ONLY  API # 15 - 121 - 28543-ODD  Conductor pipe required	drilling rig;  y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  ct office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  est of my knowledge and belief.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;	
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office will be notified before well is either plugger.  4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugger.  5. The appropriate district office will be notified before well is either plugger.  6. If an ALTERNATE II COMPLETION, production pipe shall be comented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by that the statements made herein are true and correct to the best of the complete of the complete of the placed of the spud date or Agent:  For KCC Use ONLY  API #15 - 121 - 285 43 - ODDD  Conductor pipe required 100 feet per ALT. It Plik Approved by: 100 -	drilling rig;  y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  15 ast of my knowledge and belief.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  Well Not Drilled - Permit Expired  Date:	- <b>≥</b>
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office will be notified before well is either plugger.  4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugger.  5. The appropriate district office will be notified before well is either plugger.  6. If an ALTERNATE II COMPLETION, production pipe shall be comented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by that the statements made herein are true and correct to the best placed by the statement of Operator or Agent:  For KCC Use ONLY  API # 15 - 121 - 28543-ODD  Conductor pipe required	drilling rig;  y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  15 ast of my knowledge and belief.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	8-18-22

## IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

	1-28543-0000	Location of Well: County:
Lease:		feet from N / S Line of Section
Well Number:		location W Line of Section
Field:		Sec. Twp. S. R. East West
Number of Acres	attributable to well:	Is Section: Regular or Irregular
QTR / QTR / QT	R of acreage:	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW
	(Show location of the well and si (Show footage to	PLAT hade attributable acreage for prorated or spaced wells.) the nearest lease or unit boundary line.)
-		
1		
	8	EXAMPLE
		2300'
}		

NOTE: In all cases locate the spot of the proposed drilling locaton.

## In plotting the proposed location of the well, you must show:

1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.

SEWARD CO.

- .2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary tine.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

#### Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

#### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

<u> </u>		<del></del>			
Operator Name: Town Oil Company, Inc.			License Number: 6142		
Operator Address: 16205 West 287	th St. Paol	a, Kansas (	56071		
Contact Person: Lester Town		Phone Number: 913-294-2125			
Lease Name & Well No.: Owen 07-1			Pit Location (QQQQ):		
Type of Pit:	Pit is:		SE - NW - NW - SE		
Emergency Pit Burn Pit	X Proposed	Existing	Sec. 8 Twp. 18 R. 22 X East West		
Settling Pit X Drilling Pit	If Existing, date constructed:				
Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit capacity:	<u></u>	2300 Feet from X East / West Line of Section		
(II VVF Supply AFT No. or fear Drined)	100	(bbls)	Miami County		
Is the pit located in a Sensitive Ground Water	Area? Yes -X	No	Chloride concentration:mg/l		
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only)		
X Yes No	Yes X	No	How is the pit lined if a plastic liner is not used?		
			Pits not lined unless not holding fluid		
Pit dimensions (all but working pits):8	Length (fe	eet) <u>12</u>			
Depth fro	om ground level to d	eepest point:	5 (feet) No Pit		
If the pit is lined give a brief description of the liner material, thickness and installation procedure.		Describe procedures for periodic maintenance and determine EIVED liner integrity, including any special monitoring.			
			NOV 3 0 2007		
			CONSERVATION ELECTRON MICHTEL SE		
Distance to nearest water well within one-mile of pit		Depth to shallowest fresh waterfeet.			
NA feet Depth of water wellfeet		Source of information:  measured well owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:			
Producing Formation:		Type of material utilized in drilling/workover: fresh water			
Number of producing wells on lease:Num		Number of worl	Number of working pits to be utilized: 2		
Barrels of fluid produced daily: Abandonm		Abandonment	bandonment procedure: Pits filled as soon as well		
		is comple	ted.		
flow into the pit? Yes No Drill pits		Drill pits must b	Orill pits must be closed within 365 days of spud date.		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
11-26-07 Roberta Join					
Date Signature of Applicant or Agent					
KCC OFFICE USE ONLY Steel Pit RFAC RFAS					
Date Received: 11/30/07 Permit Number: Permit Date: 12/4/07 Lease Inspection: Yes No					
Date Received: 11/30/01 Permit Numb	or:	5	Date: 12/4/07 Lease Inspection: Tyes No		