For KCC Use: Effective Date: _ District #_ SGA? Yes No

Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Fifled

Must be approved by KCC five (5) days prior to commencing well

| Expected Spud Date | C |
|---|--|
| month day year | Spot |
| , | Sec Iwp S. H vve |
| OPERATOR: License# 33344 | 1980 feet from VN / S Line of Section |
| Name. Quest Cherokee LLC | teet from VE / W Line of Section |
| Address: 210 Park Avenue, Suite 2750 | Is SECTION Regular Irregular? |
| City/State/Zip: Oklahoma City Oklahoma 73102 | (Note: Locate well on the Section Plat on reverse side) |
| Contact Person, Richard Marlin | County: Neosho |
| Phone: 405-702-7480 | Lease Name. Meador, Rick Well #. 6-2 |
| | Field Name: Cherokee Basin CBM |
| CONTRACTOR: License# Will be licensed by the KCC | Is this a Prorated / Spaced Field? |
| Name: Will advise on the ACO-1 | Target Formation(s): Cherokee Coal |
| | Nearest Lease or unit boundary: 660 |
| Well Drilled For: Well Class: Type Equipment: | Ground Surface Elevation: 947 feet M |
| Oil Enh Rec 🗸 Infield Mud Rotary | Water well within one-quarter mile: |
| Gas Storage Pool Ext. Air Rotary | Public water supply well within one mile: Yes V |
| OWWO Disposal Wildcat Cable | Depth to bottom of fresh water: |
| Seismic; # of Holes Other | Depth to bottom of usable water: NA 150 |
| ✓ Other Coalbed Methane | |
| | Surface Pipe by Alternate: |
| f OWWO: old well information as follows: | Length of Surface Pipe Planned to be set: 25 |
| Operator: | Length of Conductor Pipe required: |
| Well Name: | Projected Total Depth: 1300 Formation at Total Depth: Cherokee Coals |
| Original Completion Date:Original Total Depth: | Formation at local Deptin. |
| | Water Source for Drilling Operations: |
| Directional, Deviated or Horizontal wellbore?Yes ✓ No | Well Farm Pond Other Air |
| f Yes, true vertical depth: | DWR Permit #: |
| Bottom Hole Location: | (Note: Apply for Permit with DWR) |
| | (Note: Apply for Fernil Wall DVII) |
| | Will Cores be taken? |
| | |
| KCC DKT #: | Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION CO |
| AF The undersigned hereby affirms that the drilling, completion and eventual | Will Cores be taken? If Yes, proposed zone: FIDAVIT KANSAS CORPORATION CO |
| AF The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: | Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION CO |
| AFI The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plue 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order | Will Cores be taken? If Yes, proposed zone: FIDAVIT RECEIVED KANSAS CORPORATION CO DEC 0 5 200 ach drilling rig; set by circulating cement to the top; in all cases surface pipe sur |
| AF The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plue 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall | Will Cores be taken? If Yes, proposed zone: FIDAVIT Plugging of this well will comply with K.S.A. 55 et. seq. DEC 0 5 200 Finach drilling rig; Fig. Conservation Division and cases surface pipe set. If the underlying formation. Conservation plugics the underlying formation and placement is necessary prior to plugging ugged or production casing is cemented in; need from below any usable water to surface within 120 days of spud date. Fig. 133,891-C, which applies to the KCC District 3 area, alternate II cemential be plugged. In all cases, NOTIFY district office prior to any cementing. |
| AF The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plue 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best | Will Cores be taken? If Yes, proposed zone: FIDAVIT Plugging of this well will comply with K.S.A. 55 et. seq. DEC 0 5 200 Finach drilling rig; Fig. Conservation Division and cases surface pipe set. If the underlying formation. Conservation plugics the underlying formation and placement is necessary prior to plugging ugged or production casing is cemented in; need from below any usable water to surface within 120 days of spud date. Fig. 133,891-C, which applies to the KCC District 3 area, alternate II cemential be plugged. In all cases, NOTIFY district office prior to any cementing. |
| AF The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plue 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best. | Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION CO plugging of this well will comply with K.S.A. 55 et. seq. DEC 0 5 200 ach drilling rig; set by circulating cement to the top; in all cases surface pipe said the underlying formation. district office on plug length and placement is necessary prior to plugging, ugged or production casing is cemented in; need from below any usable water to surface within 120 days of spud date. or #133,891-C, which applies to the KCC District 3 area, alternate II cementi II be plugged. In all cases, NOTIFY district office prior to any cementing. |
| AFI The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plue 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best. Date: December 4, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 | Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION CO plugging of this well will comply with K.S.A. 55 et. seq. DEC 0 5 200 ach drilling rig; set by circulating cement to the top; in all cases surface pipe with the underlying formation. district office on plug length and placement is necessary prior to plugging ugged or production casing is cemented in; need from below any usable water to surface within 120 days of spud date. ar #133,891-C, which applies to the KCC District 3 area, alternate II cementi II be plugged. In all cases, NOTIFY district office prior to any cementing. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; |
| AFI The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plue. 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme. 7. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best. 8. Date: December 4, 2007 Signature of Operator or Agent: 8. For KCC Use ONLY API # 15 | Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION CO plugging of this well will comply with K.S.A. 55 et. seq. DEC 0 5 200 ach drilling rig; set by circulating cement to the top; in all cases surface pipe set the underlying formation. district office on plug length and placement is necessary prior to plugging, ugged or production casing is cemented in; need from below any usable water to surface within 120 days of spud date. ar #133,891-C, which applies to the KCC District 3 area, alternate II cementi II be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Title: Vice President Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. |
| AFI The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plue 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best. Date: December 4, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 | Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION CO plugging of this well will comply with K.S.A. 55 et. seq. DEC 0 5 200 ach drilling rig; set by circulating cement to the top; in all cases surface pipe with the underlying formation. district office on plug length and placement is necessary prior to plugging ugged or production casing is cemented in; need from below any usable water to surface within 120 days of spud date. ar #133,891-C, which applies to the KCC District 3 area, alternate II cementi II be plugged. In all cases, NOTIFY district office prior to any cementing. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; |
| AF The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plue. 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best. Date: December 4, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 | FIDAVIT RECEIVED KANSAS CORPORATION CO plugging of this well will comply with K.S.A. 55 et. seq. DEC 0 5 200 ach drilling rig; set by circulating cement to the top; in all cases surface pipe set. the underlying formation. district office on plug length and placement is necessary prior to plugging, ugged or production casing is cemented in; need from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementi II be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water. - If this permit has expired (See: authorized expiration date) please |
| AF The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plue. 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best. Date: December 4, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 | Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION CO Plugging of this well will comply with K.S.A. 55 et. seq. DEC 0 5 200 Place drilling rig; CONSERVATION DIVIS The underlying formation. district office on plug length and placement is necessary prior to plugging ugged or production casing is cemented in; Intel from below any usable water to surface within 120 days of spud date. If the plugged. In all cases, NOTIFY district office prior to any cementing. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. |


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

| API No. 15-/33-27321-0000 | Location of Well: County: Neosho |
|---------------------------------------|---|
| Operator: Quest Cherokee LLC | 1980 feet from V N / S Line of Section |
| Lease: Meador, Rick | 1980 feet from V N / S Line of Section 1980 feet from V E / W Line of Section |
| Well Number: 6-2 | Sec. 6 Twp. 29 S. R. 19 ✓ East Wes |
| Field: Cherokee Basin CBM | |
| Number of Acres attributable to well: | Is Section: ✓ Regular or Irregular |
| QTR / QTR / QTR of acreage: SW NE | If Section is Irregular, locate well from nearest corner boundary. |
| | Section corner used: NE NW SE SW |

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

| Operator Name: Quest Cherokee LLC | | License Number: 33344 | | | |
|--|--|---|---|--|--|
| Operator Address: 210 Park Avenu | ie, Suite 275 | 0, Oklahom | na City Oklahoma 73102 | | |
| Contact Person: Richard Marlin | | Phone Number: (405) 702 - 7480 | | | |
| Lease Name & Well No.: Meador, Rick 6-2 | | Pit Location (QQQQ): | | | |
| Type of Pit: | Pit is: | | <u>SW</u> _ <u>NE</u> | | |
| Emergency Pit Burn Pit | ✓ Proposed Existing | | Sec. 6 Twp. 29 R. 19 ✓ East West | | |
| Settling Pit | If Existing, date constructed: | | 1980 Feet from 🗸 North / 🗌 South Line of Section | | |
| Workover Pit Haul-Off Pit | | | Feet from ✓ East / West Line of Sectio | | |
| (If WP Supply API No. or Year Drilled) | Pit capacity: | (bbls) | Neosho County | | |
| Is the pit located in a Sensitive Ground Water | the pit located in a Sensitive Ground Water Area? Yes Area | | Chloride concentration: mg/l (For Emergency Pits and Settling Pits only) | | |
| is the bottom below ground level? Yes V No | Artificial Liner? ☐ Yes ✓ No | | How is the pit lined if a plastic liner is not used? | | |
| Pit dimensions (all but working pits): | BO Length (fe | eet)10 | Width (feet) N/A: Steel Pits | | |
| Depth from ground level to deepest point: 10 (feet) | | | | | |
| | | | Operation Lasting Approx 3 Days | | |
| Distance to nearest water well within one-mile of pit Depth to shall | | owest fresh waterfeet. | | | |
| N/A feet Depth of water well feet | | Source of information: measured well owner electric log KDWR | | | |
| Emergency, Settling and Burn Pits ONLY: | | Drilling, Workover and Haul-Off Pits ONLY: | | | |
| | | Type of material utilized in drilling/workover: Air -Drilled | | | |
| | | | Number of working pits to be utilized: One | | |
| Barrels of fluid produced daily: | | Abandonment procedure: Air dry, Back fill and cover | | | |
| Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits mu | | Drill pits must | must be closed within 365 days of spud date. | | |
| I hereby certify that the above state | ements are true and | correct to the bes | A | | |
| December 4, 2007 Date | * Ku | Gaw ' | DEC 0 5 2007 Signature of Applicant or Agent CONSERVATION DIVISIO | | |
| KCC OFFICE USE ONLY | | | | | |
| Date Received: 12/5/07 Permit Num | | | nit Date: 12/5/07 Lease Inspection: Yes No | | |