For KCC Use: Effective Date: 12-11-07 District # No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

	_ Spot Description:
Expected Spud Date: month day year	
6142	(Orocara) 1980 Sec. 8 Twp. 16 S. R. 21 XE W
OPERAIOH: License#	(2980 feet from N / X S Line of Section
Name: Town Oil Company. Inc. Address 1: 16205 West 287th St.	2980 feet from X E / W Line of Section Is SECTION: X Regular Irregular?
Address 2:	
City: Paola State: KS Zip: 66071+	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Lester Town	County: Franklin
Phone: 913-294-2125	Lease Name: Eversmeyer Well #: CW-8
CONTRACTOR: License# 6142	Field Name: Paola-Rantoul
Name: Town Oil Company, Inc.	Is this a Prorated / Spaced Field?
Town Oll Company inc.	Target Formation(s): Squirre1
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):340
Oil X Enh Rec X Infield Mud Rotary	Ground Surface Elevation:feet MSL
Gas Storage Pool Ext. X Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water: 60
Other:	Depth to bottom of usable water: 108 200
If OWWO: old well information as follows:	Surface Pipe by Alternate: XIII
	Length of Surface Pipe Planned to be set: 20
Operator:	
Well Name:	Projected Total Depth:
Original Completion Date: Original Total Depth:	<u> </u>
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes X No If Yes, true vertical depth:	Well Farm Pond X Other:
Bottom Hole Location:	DWR Permit #:
KCC DKT #;	(Note: Apply for Permit with DWR)
	Will Cores be taken?
	If Yes, proposed zone: RECEIVED
	KANSAS CORPORATION CONMISSION
	FIDAVIT KANSAS CORPORATION COMMISSI
The undersigned hereby affirms that the drilling, completion and eventual pl	KANSAS CORPORATION COMMISSI FIDAVIT lugging of this well will comply with K.S.A. 55 et. seg. NOV 2.0 2027
The undersigned hereby affirms that the drilling, completion and eventual plates agreed that the following minimum requirements will be met:	FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. NOV 3 0 2007
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each	FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. NOV 3 0 2007 RECEIVED NOV 3 0 2007 CONSERVATION DIVISION WICHTA KS
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each approved notice of the posted on each approved to surface pipe as specified below that the content to drill shall be posted on each approved to surface pipe as specified below that the content to drill shall be posted to be approved to surface pipe as specified below that the content to drill shall be posted to be approved to the province of the province of the prior to the province of the prior to	FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. NOV 3 0 2007 RECEIVED NOV 3 0 2007 CONSERVATION DIVISION WICHITA, KS
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the	KANSAS CORPORATION COMMISSI FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. NOV 3 0 2007 CONSERVATION DIVISION WICHITA, KS t by circulating cement to the top; in all cases surface pipe shall be set ne underlying interest AUCLUTA
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distance of the surface	KANSAS CORPORATION COMMISSI Lugging of this well will comply with K.S.A. 55 et. seq. NOV 3 0 2007 CONSERVATION DIVISION WICHITA, KS It by circulating cement to the top; in all cases surface pipe shall be set the underlying temperature placement is necessary prior to plugging:
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of weil; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plugical.	KANSAS CORPORATION COMMISSI FIDAVIT Lugging of this well will comply with K.S.A. 55 et. seq. NOV 3 0 2007 CONSERVATION DIVISION WICHITA, KS thy circulating cement to the top; in all cases surface pipe shall be set the underlying temperature HITA strict office on pury length are HITA get or production casing is cemented in:
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of weil; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eacl 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the lif the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #	KANSAS CORPORATION COMMISSI FIDAVIT Lugging of this well will comply with K.S.A. 55 et. seq. NOV 3 0 2007 CONSERVATION DIVISION WICHITA, KS It by circulating cement to the top; in all cases surface pipe shall be set the underlying firm for WCHITA strict office on plug length are placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of weil; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eacl 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the lif the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #	KANSAS CORPORATION COMMISSI FIDAVIT Lugging of this well will comply with K.S.A. 55 et. seq. NOV 3 0 2007 CONSERVATION DIVISION WICHITA, KS thy circulating cement to the top; in all cases surface pipe shall be set the underlying temperature HITA strict office on pury length are HITA get or production casing is cemented in:
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the second of the approved notice of intent to drill <i>shall be posted on each and the property of the property of the property of the posted on each and the property of the pr</i>	KANSAS CORPORATION COMMISSING THE PROPERTY OF
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of weil; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eacl 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the temporary in the statements made herein are true and correct to the temporary in the statements made herein are true and correct to the temporary in the statements made herein are true and correct to the temporary in the statements made herein are true and correct to the temporary in the statements made herein are true and correct to the temporary in the statements made herein are true and correct to the temporary in the statements made herein are true and correct to the temporary in the statements made herein are true and correct to the temporary in the statements made herein are true and correct to the temporary in the statements made herein are true and correct to the temporary in the statements made herein are true and correct to the temporary in the statements are true and correct to the temporary in the statements made herein are true and correct to the temporary in the statement in the stateme	KANSAS CORPORATION COMMISSION TO BE CEIVED KANSAS CORPORATION COMMISSION CONSERVATION COMMISSION CONSERVATION DIVISION WICHITA, KS by circulating cement to the top; in all cases surface pipe shall be set the underlying tring the complete in the conservation of the conservation of the conservation division di division di division di divisione di divisione di divisione di divisione di
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of weil; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eacl 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and correct to the temporary in the statements made herein are true and correct to the temporary in the statements made herein are true and correct to the temporary in the statements made herein are true and correct to the temporary in the statements made herein are true and correct to the temporary in the statements made herein are true and correct to the temporary in the statements made herein are true and correct to the temporary in the statements made herein are true and correct to the temporary in the statements made herein are true and correct to the temporary in the statements made herein are true and correct to the temporary in the statements made herein are true and correct to the temporary in the statements made herein are true and correct to the temporary in the statements made herein are true and correct to the temporary in the statements made herein are true and correct to the temporary in the statement in th	KANSAS CORPORATION COMMISSION TO BE CEIVED CONSERVATION DIVISION WICHITA, KS by circulating cement to the top; in all cases surface pipe shall be set the underlying temperature placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate It cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an expectation of the provided of the set of through all unconsolidated materials plus a minimum of 20 feet into the standard of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate of the spund date or the well shall be the completed within 30 days of the spund date or the well shall be the proving that the statements made herein are true and correct to the total of the spund date. Signature of Operator or Agent:	KANSAS CORPORATION COMMISSION TRECEIVED MOV 3 0 2007 CONSERVATION DIVISION WICHITA, KS thy circulating cement to the top; in all cases surface pipe shall be set the underlying temperature placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate It cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to:
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be set through all unconsolidated materials plus a minimum of 20 feet into the statement is dry hole, an agreement between the operator and the district office will be notified before well is either plug of if an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and correct to the total control of the c	KANSAS CORPORATION COMMISSION TRECEIVED CONSERVATION DIVISION WICHITA, KS The drilling rig; The drilling
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eacl 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the fisher pluge 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and correct to the total control of the	KANSAS CORPORATION COMMISSION TRECEIVED KANSAS CORPORATION COMMISSION CONSERVATION COMMISSION CONSERVATION DIVISION WICHITA, KS to describe underlying coment to the top; in all cases surface pipe shall be set the underlying fring for WCHITA is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate It cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eacl 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the to Date:	KANSAS CORPORATION COMMISSION Tribugging of this well will comply with K.S.A. 55 et. seq. NOV 3 0 2007 CONSERVATION DIVISION WICHITA, KS Thy circulating cement to the top; in all cases surface pipe shall be set the underlying fring for WCHITA The plugging; the driving for the seq. To plugging; the underlying fring for WCHITA The plugging; the underlying fring for WCHITA WICHITA W
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eacl 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dist. 5. The appropriate district office will be notified before well is either plug of if an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and correct to the total control of the control of the control of the spud date of the well shall be completed. For KCC Use ONLY API # 15 - DS 9 - 25284-000 Conductor pipe required feet minimum surface pipe required feet per ALT I IVII	KANSAS CORPORATION COMMISSION Tribugging of this well will comply with K.S.A. 55 et. seq. NOV 3 0 2007 CONSERVATION DIVISION WICHITA, KS Thy circulating cement to the top; in all cases surface pipe shall be set the underlying fringer WCHITA the underlying fringer WCHITA strict office on plug length are placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. best of my knowledge and belief. Title: Agent Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set set set set in the set is dry hole, an agreement between the operator and the district office will be notified before well is either pluge if an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and correct to the the Date: 11-26-01 Signature of Operator or Agent: For KCC Use ONLY API # 15 - DS9-25284-000 Conductor pipe required feet Minimum surface pipe required feet per ALT. Approved by: 12-6-07 feet per ALT. 13-6-07 feet per ALT.	KANSAS CORPORATION COMMISSION Tribugging of this well will comply with K.S.A. 55 et. seq. NOV 3 0 2007 CONSERVATION DIVISION WICHITA, KS Thy circulating cement to the top; in all cases surface pipe shall be set the underlying fringer WCHITA the underlying fringer WCHITA strict office on plug length are placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. best of my knowledge and belief. Title: Agent Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the district office prior to spudding of well; 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the difference of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the spud date or the well shall be defermented by the completed within 30 days of the spud date or the well shall be dereby certify that the statements made herein are true and correct to the total conductor pipe required	KANSAS CORPORATION COMMISSION TRECEIVED KANSAS CORPORATION COMMISSION CONSERVATION COMMISSION RECEIVED CONSERVATION DIVISION WICHITA, KS thy circulating cement to the top; in all cases surface pipe shall be set the underlying principal complete to the top; in all cases surface pipe shall be set the underlying principal complete to the top; in all cases surface pipe shall be set the underlying principal complete to the top; in all cases surface pipe shall be set the underlying principal complete principal complete to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Description from knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set in the well is dry hole, an agreement between the operator and the dis in the material strict office will be notified before well is either pluge in the set into the set into the set into the set into the set in the	KANSAS CORPORATION COMMISSION RECEIVED KANSAS CORPORATION COMMISSION RECEIVED NOV 3 0 2007 CONSERVATION DIVISION WICHITA, KS thy circulating cement to the top; in all cases surface pipe shall be set the underlying the correct Comment of the specific process of production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of weil; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and correct to the total conductor pipe required Signature of Operator or Agent: For KCC Use ONLY API # 15 - DS9-25284-000 Conductor pipe required Minimum surface pipe required Approved by: LUC 12-0-07 This authorization expires: 12-0-09	KANSAS CORPORATION COMMISSION TRECEIVED KANSAS CORPORATION COMMISSION CONSERVATION COMMISSION RECEIVED CONSERVATION DIVISION WICHITA, KS thy circulating cement to the top; in all cases surface pipe shall be set the underlying principal complete to the top; in all cases surface pipe shall be set the underlying principal complete to the top; in all cases surface pipe shall be set the underlying principal complete to the top; in all cases surface pipe shall be set the underlying principal complete principal complete to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Description from knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


if the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 059-25284-0000	
Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section feet from E / W Line of Section
Field:	SecTwpS. R E
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

1980

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Town Oil Company, Inc.		License Number: 6142
Operator Address: 16205 West 287th St. P	aola, Kansa	us 66071
Contact Person: Lester Town		Phone Number: 913-294-2125
Lease Name & Well No.: Eversmeyer CW-8		Pit Location (QQQQ):
Type of Pit: Pit is:		<u>CW2 - E2 - NE - SW</u>
Emergency Pit Burn Pit X Proposed	Existing	Sec. 8 Twp. 16 R. 21 X East West
Settling Pit X Drilling Pit If Existing, date of	constructed:	1980 Feet from North / X South Line of Section
Workover Pit Haul-Off Pit Pit capacity:	·	2980 Feet from X East / West Line of Section
(If WP Supply API No. or Year Drilled) 100	(bbls)	FranklinCounty
is the pit located in a Sensitive Ground Water Area? Yes	No	Chloride concentration:mg/l
	2 3	(For Emergency Pits and Settling Pits only)
Is the bottom below ground level? Artificial Liner?		How is the pit lined if a plastic liner is not used?
X Yes No Yes X	No	Pits not lined unless not holding fluid
Pit dimensions (all but working pits):8 Length (f	eet)12	Width (feet) N/A: Steel Pits
Depth from ground level to d	ieepest point:	
If the pit is lined give a brief description of the liner material, thickness and installation procedure.	Describe proce liner integrity, in	RECEIVED RECEIVED RECEIVED RECEIVED RECEIVED RECEIVED RECEIVED RECEIVED RECEIVED ROW 3 0 2007
Distance to pearest water well within one mile of sit	Danah 42 ahaita	CONSERVATION DIVISION WEST fresh WARE WICHITA Feet.
Distance to nearest water well within one-mile of pit	Source of infor	
N/4 feet Depth of water wellfeet	measu	
Emergency, Settling and Burn Pits ONLY: Drilling, Workover and Haul-Off Pits ONLY:		over and Haul-Off Pits ONLY:
Producing Formation: Type of material utilized in drilling/workover: <u>fresh water</u>		
Number of producing wells on lease: Number of working pits to be utilized: 2		
Barrels of fluid produced daily:	Abandonment	procedure: Pits filled as soon as well
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No	is comp1 Drill pits must t	procedure: Pits filled as soon as well eted. De closed within 365 days of spud date. Of my knowledge and belief.
i hereby certify that the above statements are true and	correct to the best	of my knowledge and belief.
11-26-07 Date	Robeit	factorial for Agent
Date	Robeit	



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in **K.A.R. 82-3-400 et seq** of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.