For KCC Use: Effective Date: 2-11-07 District # 3 SGA? Yes VNo

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date:	Spot Description:
,	W2 - SW - NE - SW Sec. 8 Twp. 16 S. R. 21 XE W
OPERATOR: License# 6142	1650 feet from N/X S. Line of Section
Name: Town Oil Company, Inc.	feet from XE / W Line of Section
Address 1: 16205 West 287th St. Address 2:	ls SECTION: X Regular Irregular?
City: Paola State: KS Zip: 66071 +	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Lester Town	County: Franklin
Phone: 913-294-2125	Lease Name: Eversmeyer Well #: DW-6
CONTRACTOR: License# 6142	Field Name: Paola-Rantou1 Is this a Prorated / Spaced Field?
Name: Town Oil Company, Inc.	Is this a Prorated / Spaced Field? Target Formation(s): Squirre1
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):330
Oil X Enh Rec X Infield Mud Rotary	Ground Surface Elevation:
Gas Storage Pool Ext. X Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water:60
Other:	Depth to bottom of usable water: 100-200
If OWWO: old well information as follows:	Surface Pipe by Alternate:
Operator:	Length of Surface Pipe Planned to be set: 20 Length of Conductor Pipe (if any); None
Well Name:	Projected Total Depth: 700 1
Original Completion Date: Original Total Depth:	Formation at Total Depth: Squirre1
/	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes X No If Yes, true vertical depth:	Well Farm Pond X Other:
Bottom Hole Location:	DWR Permit #:
KCC DKT #;	(Note: Apply for Permit with DWR)
	Will Cores be taken? Yes X No
	if Yes, proposed zone:
	if Yes, proposed zone:
	The state of this well will comply with K.S.A. 55 gt. SERGE
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:	The state of this well will comply with K.S.A. 55 gt. SERGE
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well:	DAVIT RECEIVED KANSAS CORPORATION COMMISSION OF THIS WELL WILL COMMISSION OF THE PROPERTY OF T
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of	The state of this well will comply with SEA 55 of Sea 55 of Sea Sea 56 of Sea
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the	DAVIT RECEIVED RECEIVED KANSAS CORPORATION COMMISSION Stilling rig; V circulating cement to the top; in all cases surface pipe shall be sevicenta, KS RECEIVED RECEIVED RECEIVED KANSAS CORPORATION COMMISSION NOV 3 0 2007 CONSERVATION DIVISION V circulating cement to the top; in all cases surface pipe shall be sevicenta, KS underlying formation.
The undersigned hereby affirms that the drilling, completion and eventual plug it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district.	The state of the control of the cont
The undersigned hereby affirms that the drilling, completion and eventual plug it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the of the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	The second state of the service of t
The undersigned hereby affirms that the drilling, completion and eventual plug it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the standard of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office will be described by the standard of the district office will be notified before well is either pluggered. If an ALTERNATE if COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13".	RECEIVED NOV 3 0 2007 Finding rig; V circulating cement to the top; in all cases surface pipe shall be sewichta, KS underlying formation. Let office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3.891-C, which applies to the KCC District 3 area, alternate II cementing.
The undersigned hereby affirms that the drilling, completion and eventual plug it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the second state of the approved notice of intent to drill <i>shall be</i> posted on each of the second state of	PRECEIVED RECEIVED RECEIVED RECEIVED RECEIVED RECEIVED KANSAS CORPORATION COMMISSION NOV 3 0 2007 Received NOV 3 0 2007 Received Received NOV 3 0 2007 Received Received Received NOV 3 0 2007 Received NOV 3
The undersigned hereby affirms that the drilling, completion and eventual plug it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the standard of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office will be described by the standard of the district office will be notified before well is either pluggered. If an ALTERNATE if COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13".	PRECEIVED RECEIVED RECEIVED RECEIVED RECEIVED RECEIVED KANSAS CORPORATION COMMISSION NOV 3 0 2007 Received NOV 3 0 2007 Received Received NOV 3 0 2007 Received Received Received NOV 3 0 2007 Received NOV 3
The undersigned hereby affirms that the drilling, completion and eventual plug it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the second of the intention of the second of the second of the intention of the second of the second of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE if COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided to the plugged of the spud date or the shall be provided to the statements made herein are true and correct to the best of the second of the spud date or the second of the second o	PRECEIVED RECEIVED RECEIVED RECEIVED RECEIVED RECEIVED KANSAS CORPORATION COMMISSION NOV 3 0 2007 Received NOV 3 0 2007 Received Received NOV 3 0 2007 Received Received Received NOV 3 0 2007 Received NOV 3
The undersigned hereby affirms that the drilling, completion and eventual plug it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluggers. The appropriate district office will be notified before well is either pluggers. If an ALTERNATE If COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be put the pluggers. If hereby certify that the statements made herein are true and correct to the best pluggers. 2. **Location** 2. **Location** 3. **The uniform appropriate district office will be notified before well is either pluggers. The appropriate district office will be notified before well is either pluggers. The appropriate district office will be notified before well is either pluggers. The appropriate district office will be notified before well is either pluggers. The appropriate district office will be notified before well is either pluggers. The appropriate district office will be notified before well is either pluggers. The appropriate district office will be notified before well is either pluggers. The appropriate district office will be notified before well is either pluggers. The appropriate district office will be notified before well is either by the state of the state of the pluggers. The propriate district office will be notified before well is either by the state of the	PRECEIVED RECEIVED RECEIVED RECEIVED RECEIVED RECEIVED RECEIVED RECEIVED RECEIVED RECEIVED NOV 3 0 2007 Received NOV 3 0 2007 Received Received NOV 3 0 2007 Received Received Received Received Received Received Received Received NOV 3 0 2007 Received Received NOV 3 0 2007 Received Received NOV 3 0 2007 Received R
The undersigned hereby affirms that the drilling, completion and eventual plug it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the second of the approved notice of intent to drill <i>shall be</i> posted on each of the second of the intention of the second	RECEIVED RECEIVED RECEIVED RECEIVED RECEIVED RECEIVED RECEIVED RECEIVED RECEIVED RANSAS CORPORATION COMMISSION NOV 3 0 2007 Received Recei
The undersigned hereby affirms that the drilling, completion and eventual plug it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the approved notice of intent to drill <i>shall be</i> posted on each of the intention	PAVIT Ging of this well will comply with SEA 55 et. Se
The undersigned hereby affirms that the drilling, completion and eventual plug it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of weil; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention	RECEIVED RECEIVED RECEIVED RECEIVED RECEIVED RECEIVED RECEIVED RANSAS CORPORATION COMMISSION NOV 3 0 2007 Received Received NOV 3 0 2007 Received Receive
The undersigned hereby affirms that the drilling, completion and eventual plug it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the approved notice of intention to drill <i>shall be</i> posted on each of the intention of the intenti	RECEIVED RECEIVE RECEIVED RECE
The undersigned hereby affirms that the drilling, completion and eventual plug it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE if COMPLETION, production pipe shall be comented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plate: I	If Yes, proposed zone: RECEIVED RECEIVED RANSAS CORPORATION COMMISSION RECEIVED RANSAS CORPORATION COMMISSION ROV 3 0 2007 ROV
The undersigned hereby affirms that the drilling, completion and eventual plug it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of weil; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the approved notice of intention of the intention of 20 feet into the set by through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the district of the well is dry hole, an agreement between the operator and the district of the well is either plugger. If an ALTERNATE if COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided in the statements made herein are true and correct to the best of the complete of the intention of the intention of the intention of the provided in the intention of the inten	RECEIVED RECEIVED RECEIVED RECEIVED RECEIVED RECEIVED RANSAS CORPORATION COMMISSIC ROUGHITA RECEIVED RANSAS CORPORATION COMMISSIC ROUGHITA
The undersigned hereby affirms that the drilling, completion and eventual plug it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the intention of the approved notice of intent to drill shall be posted on each of the intention of the	PRECEIVED RECEIVED RECEIVED RECEIVED RANSAS CORPORATION COMMISSION Received
The undersigned hereby affirms that the drilling, completion and eventual plug it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of weil; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the approved notice of intention of the intention of 20 feet into the set by through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the district of the well is dry hole, an agreement between the operator and the district of the well is either plugger. If an ALTERNATE if COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided in the statements made herein are true and correct to the best of the complete of the intention of the intention of the intention of the provided in the intention of the inten	RECEIVED RECEIVED RECEIVED RECEIVED RECEIVED RECEIVED RANSAS CORPORATION COMMISSIC ROUGHITA RECEIVED RANSAS CORPORATION COMMISSIC ROUGHITA

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 059-25285-0000	
Operator:	Location of Well: County:
Lease:	feet from feet from feet from feet from Sec. N / S Line of Section Sec. Twp. S. R. E W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



In plotting the proposed location of the well, you must show.

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Town Oil Company, Inc.		License Number: 6142	
Operator Address: 16205 West 28		iola, Kansa	ıs 66071
·Contact Person: Lester Town		Phone Number: 913-294-2125	
Lease Name & Well No.: Eversmeyer DW-6		Pit Location (QQQQ):	
Type of Pit: Pit is:		<u> W2 - SW - NE - SW</u>	
Emergency Pit Burn Pit	X Proposed Existing		Sec. 8 Twp. 16 R. 21 X East West
Settling Pit X Drilling Pit	If Existing, date constructed:		1650 Feet from North / X South Line of Section
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		3640 Feet from X East / West Line of Section
	100	(bbls)	Franklin County
Is the pit located in a Sensitive Ground Water	Area? Yes X]140	Chloride concentration:mg/l
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?
X Yes No	Yes X	No	Pits not lined unless not holding fluid
Pit dimensions (all but working pits):8	Length (fe	et) 12	Width (feet) N/A: Steel Pits
Depth fro	om ground level to de	eepest point:	5 (feet) No Pit
If the pit is lined give a brief description of the liner Describe proce		edures for periodic maintenance and determining RECEIVED	
		liner integrity i	ncluding any special monitoring.
material, thickness and installation procedure		liner integrity, i	nctuding any special monitoring. KANSAS CORPORATION COMMISSIC
		liner integrity, i	NOV 3 0 2007
		liner integrity, i	NOV 3 0 2007 CONSERVATION DIVISION
		Depth to shallo	NOV 3 0 2007 CONSERVATION DIVISION WICHITA, KS Weest fresh waterfeet.
material, thickness and installation procedure	e of pit	liner integrity, l	NOV 3 0 2007 CONSERVATION DIVISION WICHITA, KS west fresh waterfeet. mation:
material, thickness and installation procedure Distance to nearest water well within one-mile	e of pit	Depth to shallo Source of infor	NOV 3 0 2007 CONSERVATION DIVISION WICHITA, KS west fresh waterfeet.
Distance to nearest water well within one-mile	of pit	Depth to shallo Source of informeasu	NOV 3 0 2007 CONSERVATION DIVISION WICHITA, KS Invest fresh water feet feet mation: Lired well owner electric log KDWR Over and Haul-Off Pits ONLY: al utilized in drilling/workover: fresh water
Distance to nearest water well within one-mile	of pit	Depth to shallo Source of informeasure. Drilling, Work Type of materia	NOV 3 0 2007 CONSERVATION DIVISION WICHITA, KS Invest fresh water feet. Tradion: Lired well owner electric log KDWR Over and Hauf-Off Pits ONLY: al utilized in drilling/workover; fresh_ water Irking pits to be utilized: 2
Distance to nearest water well within one-mile	of pit	Depth to shallo Source of informeasu Drilling, Work Type of materia Number of work Abandonment	NOV 3 0 2007 CONSERVATION DIVISION WICHITA, KS Expected in drilling/workover: fresh water al utilized in drilling/workover: fresh water Exking pits to be utilized: 2 procedure: Pits filled as soon as well
Distance to nearest water well within one-mile	e of pit	Depth to shallo Source of informeasu Drilling, Work Type of materia Number of work Abandonment is comp1	NOV 3 0 2007 CONSERVATION DIVISION WICHITA, KS Invest fresh waterfeetfeet
Distance to nearest water well within one-mile	e of pit feet	Depth to shallo Source of informeasu Drilling, Work Type of materia Number of work Abandonment is comp1 Drill pits must	NOV 3 0 2007 CONSERVATION DIVISION WICHITA, KS Invest fresh waterfeetfeet
Distance to nearest water well within one-mile	e of pit feet	Depth to shallo Source of informeasu Drilling, Work Type of materia Number of work Abandonment is comp1 Drill pits must	NOV 3 0 2007 CONSERVATION DIVISION WICHITA. KS Invest fresh water feet. The mation: Intered well owner electric log KDWR Over and Haul-Off Pits ONLY: Intered in drilling/workover: fresh water Inking pits to be utilized: 2 Intered Pits filled as soon as well et ed . Intered be closed within 365 days of spud date. RECEIVED
Distance to nearest water well within one-mile	e of pit feet	Depth to shallo Source of informeasu Drilling, Work Type of materia Number of work Abandonment is comp1 Drill pits must	NOV 3 0 2007 CONSERVATION DIVISION WICHITA. KS west fresh water feet. mation: ured well owner electric log KDWR over and Haul-Off Pits ONLY: all utilized in drilling/workover: fresh water king pits to be utilized: 2 procedure: Pits filled as soon as well eted. be closed within 365 days of spud date. RECEIVED DEC DEC
Distance to nearest water well within one-mile	e of pit feet	Depth to shallo Source of informeasure of material Number of wor Abandonment is comp1 Drill pits must becomect to the besidense.	NOV 3 0 2007 CONSERVATION DIVISION WICHITA. KS Expression well owner electric log KDWR Over and Hauf-Off Pits ONLY: al utilized in drilling/workover; fresh water king pits to be utilized: 2 procedure: Pits filled as soon as well eted. be closed within 365 days of spud date.
Distance to nearest water well within one-mile	spilled fluids to	Depth to shallo Source of informeasu Drilling, Work Type of materia Number of work Abandonment is comp1 Drill pits must be correct to the beservers.	NOV 3 0 2007 CONSERVATION DIVISION WICHITA, KS Weest fresh water feet. mation: ured well owner electric log KDWR over and Haul-Off Pits ONLY: all utilized in drilling/workover: fresh water king pits to be utilized: 2 procedure: Pits filled as soon as well eted. be closed within 365 days of spud date. It of my knowledge and belief. RECEIVED DEC TO TO CONTACT CONSERVATION COMMISSION WICHITA, KS NOV 3 0 2007 CONSERVATION COMMISSION WICHITA, KS STORMAN CORPORATION WICHITA, KS STORMAN CORPORATION COMMISSION WICHITA, KS STORMAN CORPORATION
Distance to nearest water well within one-mile	spilled fluids to	Depth to shallo Source of informeasure of material Number of wor Abandonment is comp1 Drill pits must be correct to the bes	NOV 3 0 2007 CONSERVATION DIVISION WICHITA, KS Invest fresh water feet mation: Irred well owner electric log KDWR Over and Haul-Off Pits ONLY: all utilized in drilling/workover: fresh water Irking pits to be utilized: 2 procedure: Pits filled as soon as well Leted. Dec 15 2007 KCC WICHITA



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in **K.A.R. 82-3-400 et seq** of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.