For KCC Use:	12-11-07
District #	3
SGA? Yes	√ No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

	Spot Description:
month day year	C - SE-NE - SW Sec. 8 Twp. 16 S. R. 21 XE W
OPERATOR: License#6142 /	(0/0/0/0) 1650 feet from N / X S Line of Section
Name: Town Oil Company, Inc.	2970 feet from X E / W Line of Section
Address 1: 16205 West 287th St.	Is SECTION: X Regular irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: Paola State: <u>KS</u> Zip: <u>66071</u> +	County: Franklin
Contact Person: Lester Town	Lease Name: Eversmeyer Well #: DW-8
Phone: 913-294-2125	Field Name: Paola-Rantoul
CONTRACTOR: License# 6142	Is this a Prorated / Spaced Field?
Name: Town Oil Company, Inc.	Target Formation(s): Squirre1
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 340
Oil X Enh Rec X Infield Mud Rotary	Ground Surface Elevation:feet MSL
Gas Storage Pool Ext. X Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water: 60
Other:	Depth to bottom of usable water: 100-200
If OWWO: old well information as follows:	Surface Pipe by Alternate: X II
	Length of Surface Pipe Planned to be set: 20
Operator:	Length of Conductor Pipe (if any): None
Well Name:	Projected Total Depth:
Original Completion Date: Original Total Depth:	Formation at Total Depth: Squirre!
Directional, Deviated or Horizontal weilbore?	Water Source for Drilling Operations:
If Yes, true vertical depth:	Well Farm Pond X Other:
Bottom Hole Location:	DWR Permit #:(Note: Apply for Permit with DWR)
KCC DKT #:	
	Will Cores be taken? If Yes, proposed zone:
	Pro-
AFFI	DAVIT RECEIVED
	ning of this well will comply with K.S.A. 55 et. seg.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plugs It is agreed that the following minimum requirements will be met:	ning of this well will comply with K.S.A. 55 et. seg.
The undersigned hereby affirms that the drilling, completion and eventual pluge it is agreed that the following minimum requirements will be met:	ging of this well will comply with K.S.A. 55 et. seq.
The undersigned hereby affirms that the drilling, completion and eventual plugs it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each district.	ging of this well will comply with K.S.A. 55 et. seq. NOV 3 0 2007 CONSERVATION
The undersigned hereby affirms that the drilling, completion and eventual pluge it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drill. The minimum amount of surface pipe as specified below <i>shall be set</i> by	ging of this well will comply with K.S.A. 55 et. seq. NOV 3 0 2007 CONSERVATION DISCONSERVATION DISCONSERVAT
The undersigned hereby affirms that the drilling, completion and eventual pluge it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the unconsolidated materials plus a minimum	ging of this well will comply with K.S.A. 55 et. seq. NOV 3 0 2007 CONSERVATION COMMISS CONSERVATION COMMISS Conservation Conservat
The undersigned hereby affirms that the drilling, completion and eventual pluge it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the unit of the well is dry hole, an agreement between the operator and the district	ging of this well will comply with K.S.A. 55 et. seq. NOV 3 0 2007 CONSERVATION COMMISS Arithing rig; recirculating cement to the top; in all cases surface pipe shall be SANTA KE anderlying formation. et office on plug length and placement is necessary prior to plugging;
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u. 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented:	drilling rig; recirculating cement to the top; in all cases surface pipe shall be sh
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u. 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented in Computation of the computation	drilling rig; recirculating cement to the top; in all cases surface pipe shall be sh
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u. 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented:	drilling rig; recirculating cement to the top; in all cases surface pipe shall be sh
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u. 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented in Computation of the computation	Irilling rig; conservation conservation. It office on plug length and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing langged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of welt; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u. 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented to Or pursuant to Appendix "B" - Eastern Kansas surface casing order #130 must be completed within 30 days of the spud date or the well shall be p	Irilling rig: CONSERVATION CONSERVATION UNITY CONS
The undersigned hereby affirms that the drilling, completion and eventual pluging it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the intent	Irilling rig: CONSERVATION CON
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the understand the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented to 0r pursuant to Appendix "B" - Eastern Kansas surface casing order #130 must be completed within 30 days of the spud date or the well shall be plugged. I hereby certify that the statements made herein are true and correct to the best parts: Date:	Irilling rig: CONSERVATION CON
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the understand the district office will be notified before well is either plugged if an ALTERNATE II COMPLETION, production pipe shall be completed or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by the statements made herein are true and correct to the best placed. 1. For KCC Use ONLY	Irilling rig: CONSERVATION CON
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u. 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented to or pursuant to Appendix "B" - Eastern Kansas surface casing order #130 must be completed within 30 days of the spud date or the well shall be p. I hereby certify that the statements made herein are true and correct to the best described before the completed within 30 days of the spud date. For KCC Use ONLY API # 15 - D59-25287 DOSCO	Irilling rig: CONSERVATION CON
The undersigned hereby affirms that the drifling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of welt; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the understand the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugger or pursuant to Appendix "B" - Eastern Kansas surface casing order #130 must be completed within 30 days of the spud date or the well shall be perfectly that the statements made herein are true and correct to the best post of the spud date of the statements made herein are true and correct to the best part of the statements made herein are true and correct to the best part of the statements made herein are true and correct to the best part of the statements made herein are true and correct to the best part of the statements made herein are true and correct to the best part of the statements made herein are true and correct to the best part of the statements made herein are true and correct to the best part of the statements made herein are true and correct to the best part of the statements made herein are true and correct to the best part of the statements made herein are true and correct to the best part of the statements made herein are true and correct to the best part of the statements made herein are true and correct to the best part of the statements made herein are true and correct to the best part of the statements made herein are true and correct to the statements made herein are true and correct to the statements are true and correct are true and co	Irilling rig; conservation cons
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the understand the district office will be notified before well is either plugged in the appropriate district office will be notified before well is either plugged or pursuant to Appendix "B" - Eastern Kansas surface casing order #130 must be completed within 30 days of the spud date or the well shall be plugged before the well shall be plugged or the statements made herein are true and correct to the best plugged in the statements made herein are true and correct to the best plugged or the statements made herein are true and correct to the best plugged or the statements made herein are true and correct to the best plugged or the statements made herein are true and correct to the best plugged or the statements made herein are true and correct to the best plugged or the statements made herein are true and correct to the best plugged or the statements made herein are true and correct to the best plugged or the statements made herein are true and correct to the best plugged or the statements made herein are true and correct to the best plugged or the statements made herein are true and correct to the best plugged or the statements made herein are true and correct to the best plugged or the statements made herein are true and correct to the best plugged or the statements made herein are true and correct to the best plugged or the statements made herein are true and correct to the best plugged or the statements made herein are true and correct to the best plugged or the statements are true and correct to the best plugged or the statements are true and correct to the statements are tr	Irilling rig; conservation cons
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the unconsolidated into the unconsolidated materials plus a minimum of 20 feet into the unconsolidated into the uncon	Irilling rig: Conservation United Strict office and belief. Conservation United Strict office and belief. Conservation United Strict office and belief. Received Title: Agent Received File Completion Form ACO-1 within 120 days of spud date. File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the understand the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be comented to 0r pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be placed by that the statements made herein are true and correct to the best placed. For KCC Use ONLY API # 15 - D59-25287 ODD Conductor pipe required feet	Irilling rig: conservation conservation. It office on plug length and placement is necessary prior to plugging; do for production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. It of my knowledge and belief. RECEIVED Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the understand the district office will be notified before well is either plugger. 5. The appropriate district office will be notified before well is either plugger. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented in the completed within 30 days of the spud date or the well shall be placed by the completed within 30 days of the spud date or the well shall be placed. 7. Signature of Operator or Agent: 8. For KCC Use ONLY 8. Approved by: 8. 12 - 6 - 0.7 1. Approved by: 9. 12 - 6 - 0.7 1. Approved by: 9. 12 - 6 - 0.7	Irilling rig: CONSERVATION CON
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of welt; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the understand the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented: Or pursuant to Appendix "B" - Eastern Kansas surface casing order #130 must be completed within 30 days of the spud date or the well shall be perfectly that the statements made herein are true and correct to the best part of the price	And this well will comply with K.S.A. 55 et. seq. NOV 3 0 2007 Conservation University of circulating cement to the top; in all cases surface pipe shall be shall b
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of welt; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the understand the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented: Or pursuant to Appendix "B" - Eastern Kansas surface casing order #130 must be completed within 30 days of the spud date or the well shall be perfectly that the statements made herein are true and correct to the best part of the price	Irilling rig: CONSERVATION CON

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 059-25-287-0000	
Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number;	feet from E / W Line of Section
Field:	SecTwpS. R
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



in plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Town Oil Company, Inc.			License Number: 6142
Operator Address: 16205 West 2	87th St. Pa	iola, Kansa	s 66071
Contact Person: Lester Town			Phone Number: 913-294-2125
Lease Name & Well No.: Eversmeyer DW-8			Pit Location (QQQQ):
Type of Pit:	Pit is:		C - SE - NE - SW
Emergency Pit Burn Pit	X Proposed	Existing	Sec. 8 Twp. 16 R. 21 X East West
Settling Pit	If Existing, date or	onstructed:	
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:	···	2970 Feet from X East / West Line of Section
(i vi Supply Xi Tivo. of Teal Difficu)	100	(bbls)	Franklin County
Is the pit located in a Sensitive Ground Water Area? Yes You		Chloride concentration: mg/l	
	· · · · · · · · · · · · · · · · · · ·		(For Emergency Pits and Settling Pits only)
is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?
X Yes No	Yes X	No	Pits not lined unless not holding fluid
Pit dimensions (all but working pits):8	Length (fe	eet)12	Width (feet) N/A: Steel Pits
Depth f	rom ground level to de	epest point:	5 (feet) No Pit
If the pit is lined give a brief description of the material, thickness and installation procedure			edures for periodic maintenance and determining ncluding any special monitoring.
			NOV 3 0 2007 CONSERVATION DIVISIONS
Distance to nearest water well within one-mil	e of pit	Depth to shallo	NANSAS CORPORATION COMMISS.
A) / A		Source of info	NOV 3 0 2007 CONSERVATION DIVISION WIGHTA, KS Transion:
A)/A	feet	Source of info	NOV 3 0 2007 CONSERVATION DIVIS WIGHTA, KS Transion:
N/A feet Depth of water well	feet	Source of info	NOV 3 0 2007 CONSERVATION DIVISION WIGHTA KS Treation: Liredwell ownerelectric logKDWR Lover and Haul-Off Pits ONLY: al utilized in drilling/workover:fresh_water
N/A feet Depth of water well	feet	Source of info meass Drilling, Work	NOV 3 0 2007 CONSERVATION DIVISION WIGHTA, KS Treat well owner electric log KDWR Cover and Haul-Off Pits ONLY:
Emergency, Settling and Burn Pits ONLY Producing Formation:	feet	Source of informease Drilling, Work Type of materi Number of work Abandonment	NOV 3 0 2007 CONSERVATION DIVISION WIGHTA, KS Division WICHTA,
Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow allowed to the slope from the tank battery allow allowed to the slope from the tank battery allow allowed to the slope from the tank battery allowed to the slope from the slop	feet	Source of informease Drilling, Work Type of materi Number of work Abandonment is compl	NOV 3 0 2007 CONSERVATION DIVISION WIGHTA KS Owest fresh waterfeet. mation: uredwell owner electric logKDWR tover and Haul-Off Pits ONLY: al utilized in drilling/workover: fresh water rking pits to be utilized: procedure: Pits filled as soon as well Leted.
Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily:	feet	Source of informease Drilling, Work Type of materi Number of work Abandonment is compl	NOV 3 0 2007 CONSERVATION DIVISION WIGHTA KS Treation: Lired well owner electric log KDWR Cover and Haul-Off Pits ONLY: al utilized in drilling/workover: fresh water rking pits to be utilized: 2 procedure: Pits filled as soon as well Leted. be closed within 365 days of spud date.
Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow allowed to the slope from the tank battery allow allowed to the slope from the tank battery allow allowed to the slope from the tank battery allowed to the slope from the slop	feet:	Source of info measu Drilling, Work Type of materi Number of work Abandonment is comp Drill pits must	NOV 3 0 2007 CONSERVATION DIVISION Evest fresh waterfeet. Intermation: Liredwell owner electric logKDWR Every and Haul-Off Pits ONLY: al utilized in drilling/workover: fresh water Pits filled as soon as well Leted. be closed within 365 days of spud date. RECEIVED Et of my knowledge and belief.
Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? Yes No	feet:	Source of informease Drilling, Work Type of materi Number of work Abandonment is comp Drill pits must correct to the bes	NOV 3 0 2007 CONSERVATION DIVISION Event fresh water
Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow allow into the pit? I hereby certify that the above state	feet I spilled fluids to ements are true and	Source of informease Drilling, Work Type of materi Number of work Abandonment is comp Drill pits must correct to the bes	NOV 3 0 2007 CONSERVATION DIVISION WIGHTA KS Every and Haul-Off Pits ONLY: al utilized in drilling/workover: fresh water rking pits to be utilized: procedure: Pits filled as soon as well eted. be closed within 365 days of spud date. RECEIVED Signature of Applicant or Agent NOV 3 0 2007 CONSERVATION DIVISION WIGHTA KS WIGHTA KS WIGHTA KS WIGHTA KS WIGHTA KS WICHTA WIGHTA KS WICHTA KS WICHTA WIGHTA KS WICHTA WICHTA KS WICHTA WICHTA KS WICHTA WICHTA KS WICHTA WICHTA KS WICHTA KS WICHTA WICHTA KS WICHT



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in **K.A.R. 82-3-400 et seq** of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.