For KCC Use: Effective Date: District #_

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

KANSAS CORPORATION COM DEC 0 5 2007 CONSERVATION DIVISION Form must be Typed Form must be Signed All blanks must be Filled

Expected Spud Date	January	10	2008	Spot			_		East
•	month	day	year	SE N	NE NW		wp. <u>19S</u> S.		✓ West
OPERATOR: License#3	33523			1155		feet from			
	ources, LLC			2310			E / ✓ ۷	Line of S	ection
	15th, Building 600, St	uite C		Is SECTIO	N <u>✓</u> Regul	arlrreg	ular?		
City/State/Zip: Edmond, C	OK 73013				(Note: Locate	well on the Sect	ion Plat on revei	se side)	
Contact Person: Robert W.	. Packard			County:	Scott				
Phone: (620) 886	- 3431	,,-		Lease Nar	me: Harkness			Well #:1-2	2
	2000			Field Name	e: Wildcat				
CONTRACTOR: License#-	6039	·		Is this a P	rorated / Space	d Field?	_	Y	es 🗸 No
Name: L D Drillin	ng, Inc.			Target For	mation(s):	Missis	ssippi		
Well Drilled For:	Well Class:	Tiron	Equipment:	Nearest Le	ease or unit bou	indary:330'			
	, ""			Ground Su	ırface Elevation:	2955' EST.			_feet MSL
Oil / Enh Re	=	<u> </u>	Mud Rotary	Water well	within one-quar	ter mile:			es 🗸 No.
✓ Gas Storag	· 🚍 .	- =	Air Rotary Cable	Public water	er supply well w			Ye	es 🗸 No
OWWO Dispos	=	ال ا	Calle	Depth to b	ottom of fresh v		1000		
	noies [] Other			Depth to b	oottom of usable				
Other				Surface Pi	pe by Alternate:	1 🗸 2	2 325 /	•	
f OWWO: old well informa	ation as follows:			U	Surface Pipe Pl		n:		
Operator:				_	Conductor Pipe	required	none		
Well Name:	,			•	Total Depth:	4900'			
Original Completion Da	ate:C	Original Tota	al Depth:		at Total Depth:				
			Yes ✓ No		rce for Drilling (Operations:	To be determ	ined —	
Directional, Deviated or Ho				Wel	li Farm Po nit #:Will app	nd Other_	votor wall is ro	nieu	
If Yes, true vertical depth:				DWR Perm	nit #:vviii app	ly for pentilicit v	Valer Well is re-	_	
Dattom Hala Lagation:									
						Apply for Permi	t with DWR 📑	, ,	
					be taken?			Y6	es VNo
KCC DKT #:			AF	If Yes, pro	be taken? posed zone:			Y6	es √No
The undersigned hereby a It is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amou	affirms that the drill ving minimum requ ate district office p i oved notice of inter unt of surface pipe	ling, comp irements v rior to spu nt to drill s as specifi	AF letion and eventual vill be met: idding of well; hall be posted on e ed below shall be	If Yes, pro FIDAVIT blugging of this ach drilling rig; set by circulatin	be taken? posed zone: well will complete	y with K.S.A. 5	5 et. seq.	Y	
The undersigned hereby a lt is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appmust be completed	affirms that the drill ving minimum requate district office proved notice of interpolidated materials policy an agreement letrict office will be reported to the completion, policy "B" - Eastern within 30 days of	ling, comp irements v rior to spus as specifi olus a mini between the notified between the oroduction n Kansas the spud o	AF letion and eventual vill be met: idding of well; hall be posted on e ed below shall be i mum of 20 feet into ne operator and the fore well is either pli pipe shall be ceme surface casing orde date or the well shall	If Yes, pro FIDAVIT Dlugging of this ach drilling rig; set by circulatin the underlying district office o gged or product ted from below r #133,891-C, to be plugged.	be taken? posed zone: well will comply g cement to the formation. on plug length a ction casing is of v any usable we which applies to In all cases, No	y with K.S.A. 5 e top; in all cas nd placement temented in; ater to surface to the KCC Dis	5 et. seq. ses surface pil is necessary j within 120 da trict 3 area, al	pe shall be prior to plays of spudternate II of	e set ugging; date. cementing
The undersigned hereby a lt is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appmust be completed	affirms that the drill ving minimum requate district office proved notice of interpolidated materials policy an agreement letrict office will be reported to the completion, policy "B" - Eastern within 30 days of	ling, comp irements v rior to spus as specifi olus a mini between the notified between the oroduction n Kansas the spud o	AF letion and eventual vill be met: idding of well; hall be posted on e ed below shall be i mum of 20 feet into ne operator and the fore well is either pli pipe shall be ceme surface casing orde date or the well shall	If Yes, pro FIDAVIT Dlugging of this ach drilling rig; set by circulatin the underlying district office o gged or product ted from below r #133,891-C, to be plugged.	be taken? posed zone: well will comply g cement to the formation. on plug length a ction casing is of v any usable we which applies to In all cases, No	e top; in all case and placement commented in; ater to surface to the KCC Dis	5 et. seq. ses surface pig is necessary j within 120 da trict 3 area, al office prior to	pe shall be prior to ple spud ternate II of any ceme	e set ugging; I date. cementing enting.
The undersigned hereby a lt is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amou through all unconso 4. If the well is dry hol 5. The appropriate dist 6. If an ALTERNATE II. Or pursuant to Appropriate do the completed I hereby certify that the st	affirms that the drill ving minimum requate district office proved notice of interunt of surface pipe olidated materials played an agreement of the completion, produced with the completion, produced within 30 days of tatements made he	ling, comp irements v rior to spu it to drill s as specific blus a mini blus a mini blus a mini blus a specific in Kansas the spud of erein are t	AF letion and eventual vill be met: dding of well; hall be posted on e ed below shall be mum of 20 feet into ne operator and the fore well is either pli pipe shall be ceme surface casing orde date or the well shall rue and to the best	If Yes, pro FIDAVIT Dlugging of this ach drilling rig; set by circulatin the underlying district office o gged or product ted from below r #133,891-C, to be plugged.	well will comply ag cement to the formation. In plug length a ction casing is on any usable with applies to the land cases, Notice and belief.	e top; in all case and placement commented in; ater to surface to the KCC Dis	5 et. seq. ses surface pil is necessary j within 120 da trict 3 area, al	pe shall be prior to ple spud ternate II of any ceme	e set ugging; I date. cementing enting.
The undersigned hereby a lt is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amou through all unconso 4. If the well is dry hol 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appropriate to Ap	affirms that the drill ving minimum requivate district office proved notice of interpoliciated materials policy an agreement listrict office will be reported to the completion, predix "B" - Eastern within 30 days of tatements made here. Signature of Completion of Com	ling, comp irements v rior to spu as specifi oblus a mini between the notified beloroduction in Kansas the spud of erein are to Operator or	letion and eventual vill be met: Idding of well; Idding of well; Idding be posted on e ed below shall be mum of 20 feet into the operator and the fore well is either plipipe shall be ceme surface casing ordedate or the well shall rue and to the best Agent.	If Yes, pro FIDAVIT Dlugging of this ach drilling rig; et by circulatin the underlying district office o gged or product ted from below r #133,891-C, be plugged. If my knowledged File Drill File Com File acre Notify ap Submit p Obtain w If this pe check the	well will comply ag cement to the formation. In plug length a ction casing is on any usable with applies to the land cases, Notice and belief.	y with K.S.A. 5 e top; in all case and placement cemented in; ater to surface to the KCC Dis- DTIFY district Title: CO-1 within 120 coffice 48 hours CP-4) after plug to effore disposing to (See: authoriz to return to the termit Expired	ses surface pig is necessary p within 120 da trict 3 area, al office prior to days of spud of field proratio s prior to work agging is complig or injecting s red expiration of	pe shall be prior to ple sternate II (a any ceme la constant) it date; norders; over or resetted; alt water.	e set ugging; I date. cementing enting.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 171-20682-0000	Location of Well: County: Scott
Operator: OKT Resources, LLC	1155 feet from V / S Line of Section
Lease: Harkness	2310 feet from E / V W Line of Section
Well Number: 1-22 Field: Wildcat	Sec. 22 Twp. 19S S. R. 31W ☐ East ✓ West
Number of Acres attributable to well: 160	Is Section: 🗸 Regular or 📗 Irregular
QTR / QTR / QTR of acreage: SE - NE - NW	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

REGENTER KANSAS CORPORATIO MIMISSION DEC 0 5 2007/ CONSERVATION DIVISION WICHITA, KS **EXAMPLE** 3390 SEWARD CO

1980

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

DEC 0 5 2007

Form CDP-1 January 2001

CONSERVATION DIVISION Form must be Typed WICHITA, KS

APPLICATION FOR SURFACE POND

Submit in Duplicate

Operator Name: OKT Resources, L	LC	License Number: 33523						
Operator Address: 1900 East 15th, Building 600, Suite C, Edmond, OK 73003								
Contact Person: Robert W. Packar	d	Phone Number: (620) 886 - 3431						
Lease Name: Harkness	1-22		Pit Location:					
Type of Pond:	Pit is:		NW Qtr. Sec. 22 Twp. 19S R. 31W EVW					
Emergency Pit Treatment Pit	✓_ Proposed	1155 Feet from (N) S (circle one) Line of Section						
Workover Pit Drilling Pit	If Existing, date c	onstructed:	2310					
Burn Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from E / (V) (circle one) Line of Section					
	5000 (bbls)		Scott County					
Is the pit located in a Sensitive Ground Water	Area? ☐ Yes 🗸	No	Chloride concentration: mg/l (For Emergency Pits and Treatment Pits only)					
Is the bottom below ground level?	s the bottom below ground level? Artificial Liner?		How is the pit lined if a plastic liner is not used?					
✓ Yes No	Yes V No		Earth					
Pit dimensions (all but working pits):	80 Length (fe	et) 80	Width (feet)					
Depth from ground level to deepest point:4 (feet)								
If the pit is lined give a brief description of the material, thickness and installation procedure		,	dures for periodic maintenance and determining notuding any special monitoring.					
Distance to nearest water well within one-mile		Depth to shallowest fresh waterfeet. Source of information:						
4950feet Depth of water well	120 feet	measu	red well owner electric log KDWR					
Emergency, Treatment and Burn Pits ONLY		_	Prilling and Workover Pits ONLY:					
Producing Formation: Number of producing wells on lease:		Type of material utilized in drilling/workover: Drilling mud Number of working pits to be utilized: One						
Barrels of fluid produced daily:		Abandonment procedure: Evaporate and backfill						
Does the slope from the tank battery allow all flow into the pond? Yes No	spilled fluids to	Drill pits must be closed within 365 days of spud date.						
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.								
12/3/07 Date Signature of Applicant or Agent								
KCC OFFICE USE ONLY								
Date Received: 12/5/07 Permit Number: Permit Date: 12/5/07 Lease Inspection: Yes 🗷 No								