For KCC Use:	12	
Effective Date:	12-11-07	
District #	.3	
SGA? Tyes	TNo.	_

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date:	·
month day year	Spot Description:
6142	C-W2 - SE - NW Sec. 8 Twp. 16 S. R. 21 XE W
OF ENATOR. Cicerise#	3300 feet from N/X S Line of Section
Name: Town Oil Company, Inc. Address: 16205 West 287th St.	test tibilit A E / W Line of Section
Address 2:	is SECTION: X Regular Irregular?
City: Paola State: KS Zip: 66071+	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Lester Town	County: Franklin
Phone: 913-294-2125	Lease Name: S. Fiehler Well #: CW-6
CONTRACTOR: License# 6142	Field Name: Paola-Rantoul
Name: Town Oil Company, Inc.	Is this a Prorated / Spaced Field?
Name	Target Formation(s): Squirre1
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):1650
Oil X Enh Rec X Infield Mud Rotary	Ground Surface Elevation:feet MSI_
Gas Storage Pool Ext. X Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water: 60
Other:	Depth to bottom of usable water: 196-200
THE CHARACT AND SHE WAS IN	Surface Pipe by Alternate:
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any): None
Well Name:	Projected Total Depth: 700
Original Completion Date: Original Total Depth:	Formation at Total Depth:Squirrel
Divertional Devices of a 11 to 14 to 15	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes X No	Well Farm Pond X Other:
If Yes, true vertical depth: Bottom Hole Location:	DWR Permit #:
KCC DKT #:	(Note: Apply for Permit with DWR
	Will Cores be taken?
	Will Cores be taken? If Yes, proposed zone:
	If Yes, proposed zone:
ΔEGI	If Yes, proposed zone:
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug	DAVIT ging of this well will compREDEIVED t. seq. KANSAS CORPORATION COMMI
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:	DAVIT ging of this well will compREDEIVED t. seq. KANSAS CORPORATION COMMI
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	DAVIT ging of this well will compRECEIVED t. seq. DEC 0 5 2007 KANSAS CORPORATION COMMI
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	DAVIT ging of this well will compRECEIVED t. seq. DEC 0 5 2007 KANSAS CORPORATION COMMI
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the	DAVIT ging of this well will compREDEIVED et. seq. DEC (1.5 2007 CONSERVATION DIVISION UNDERSTANDED OF Shall be WICHTA FOR WICHTA FOR STANDARD WICHTA FOR SHALL BE AND WICHTAND WICHTA FOR SHALL BE AND WICHTA FOR SHALL BE AND WICHTAND WICHTAND WICHTAND WICHTAND WICHTAND
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the of 4. If the well is dry hole, an agreement between the operator and the district	DAVIT ging of this well will compRECEIVED t. seq. DEC (1.5 2007 CONSERVATION DIVISION Confidence on plus length and placement is necessary prior to five an all of the prior to five and placement is necessary prior to five an all of the placement is necessary prior to five an all of the placement is necessary prior to five an all of the placement is necessary prior to five an all of the placement is necessary prior to five an all of the placement is necessary prior to five an all of the placement is necessary prior to five an all of the placement is necessary prior to five an all of the placement is necessary prior to five an all of the placement is necessary prior to five an all of the placement is necessary prior to five an all of the placement is necessary prior to five an all of the placement is necessary prior to five an all of the placement is necessary prior to five an all of the placement is necessary prior to five an all of the placement is necessary prior to five an all of the placement is necessary prior to five all of the placement is necessary prior to fi
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the of 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugger.	If Yes, proposed zone: DAVIT ging of this well will compRECEIVED at. seq. DEC (15 2007 NOV 3 0 2007 conservation Division of the control
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the standard of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the uniform the surface of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugger for an ALTERNATE II COMPLETION, production pipe shall be cemented.	DAVIT ging of this well will compRECEIVED at. seq. DEC (15 2007 CONSERVATION DIVISION OF CONSERVATION DIVISION DIVISION OF CONSERVATION DIVISION DIVISIONE DIVISION DIVISION DIVISIONE DIVISIONE DIVIS
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the intent of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the unit of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented to or pursuant to Appendix "B" - Eastern Kansas surface casing order #13:	DAVIT ging of this well will compRECEIVED at. seq. DEC (15 2007 CONSERVATION DIVISION OF CONSERVATION DIVISION DIVIS
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the standard of the approved notice of intent to drill <i>shall be</i> posted on each of the standard of the standar	DAVIT ging of this well will compressed by the part of the proposed zone: DEC 15 2007 MOV 3 0 2007 Arilling rig; or circulating cement to the part of the proposed zone in the proposed zone in the part of the
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the unit of the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugger 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #130 must be completed within 30 days of the spud date or the well shall be put hereby certify that the statements made herein are true and correct to the best plugger of the spud date or the well shall be put hereby certify that the statements made herein are true and correct to the best plugger of the spud date or the well shall be put hereby certify that the statements made herein are true and correct to the best plugger of the spud date or the well shall be put hereby certify that the statements made herein are true and correct to the best plugger of the spud date or the well shall be put to the put the statements made herein are true and correct to the best plugger of the spud date or the well shall be put the statements made herein are true and correct to the best plugger of the spud date or the well shall be put the statements made herein are true and correct to the best plugger of the spud date or the well shall be put the statements and the statements will be put the spud date or the well shall be put the spud date or the well shall be put the statements and the statements will be put the spud date or the well shall be put the spud date or the well shall be put the statement and the statements are true and correct to the spud date or the well shall be put the statement and	DAVIT ging of this well will compressed by the seq. DEC 15 2007 MOV 3 0 2007 Arilling rig; V circulating cernent to CO WICHITA CONTROL OF SERVATION DIVISION UNCHITA, KS of or production casing is cemented in; If you can be seen to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing. St of my knowledge and belief.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the unit of the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugger 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #130 must be completed within 30 days of the spud date or the well shall be put hereby certify that the statements made herein are true and correct to the best plugger of the spud date or the well shall be put hereby certify that the statements made herein are true and correct to the best plugger of the spud date or the well shall be put hereby certify that the statements made herein are true and correct to the best plugger of the spud date or the well shall be put hereby certify that the statements made herein are true and correct to the best plugger of the spud date or the well shall be put to the put the statements made herein are true and correct to the best plugger of the spud date or the well shall be put the statements made herein are true and correct to the best plugger of the spud date or the well shall be put the statements made herein are true and correct to the best plugger of the spud date or the well shall be put the statements and the statements will be put the spud date or the well shall be put the spud date or the well shall be put the statements and the statements will be put the spud date or the well shall be put the spud date or the well shall be put the statement and the statements are true and correct to the spud date or the well shall be put the statement and	DAVIT ging of this well will compRECEIVED t. seq. DEC 15 2007 NOV 3 0 2007 critiling rig; v circulating cement to CO WI CHIST ace pipe shall be WATION DIVISION UNCHITA, KS ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. St of my knowledge and belief.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the second of the approved notice of intent to drill <i>shall be</i> posted on each of the second of the intent of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the uniterior of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugger of the appropriate district office will be notified before well is either plugger of the appropriate district office will be notified before well is either plugger of the appropriate district office will be notified before well is either plugger or pursuant to Appendix "B" - Eastern Kansas surface casing order #130 must be completed within 30 days of the spud date or the well shall be plugger of the spud date or the well shall be plugger of the spud date or the well shall be plugger.	DAVIT ging of this well will compressed by the seq. DEC 15 2007 NOV 3 0 2007 Trilling rig; v circulating cement to the will struct pipe shall be within Division and continuous continuo
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the unit of the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugger 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #130 must be completed within 30 days of the spud date or the well shall be put hereby certify that the statements made herein are true and correct to the best plugger of the spud date or the well shall be put hereby certify that the statements made herein are true and correct to the best plugger of the spud date or the well shall be put hereby certify that the statements made herein are true and correct to the best plugger of the spud date or the well shall be put hereby certify that the statements made herein are true and correct to the best plugger of the spud date or the well shall be put to the put the statements made herein are true and correct to the best plugger of the spud date or the well shall be put the statements made herein are true and correct to the best plugger of the spud date or the well shall be put the statements made herein are true and correct to the best plugger of the spud date or the well shall be put the statements and the statements will be put the spud date or the well shall be put the spud date or the well shall be put the statements and the statements will be put the spud date or the well shall be put the spud date or the well shall be put the statement and the statements are true and correct to the spud date or the well shall be put the statement and	DAVIT ging of this well will compressed by the seq. DEC 15 2007 MOV 3 0 2007 Arilling rig; y circulating cement to the will compressed by the seq. Consequent to the will separe pipe shall be within a ke within a placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing. Set of my knowledge and belief. Title: Agent Remember to:
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention	DAVIT ging of this well will compressed by the seq. DEC 15 2007 MOV 3 0 2007 Arilling rig; A circulating cement to the will elistrace pipe shall be within a ke within a placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the intention of the approved notice of intent to drill <i>shall be</i> posted on each of the intention	DAVIT ging of this well will compressed by the seq. DEC (1.5. 2007 MOV 3 0 2007 Arilling rig; or circulating cement to the will and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the intention of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the understand of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugger. 5. The appropriate district office will be notified before well is either plugger. 6. If an ALTERNATE II COMPLETION, production pipe shall be comented for pursuant to Appendix "B" - Eastern Kansas surface casing order #130 must be completed within 30 days of the spud date or the well shall be plate: 6. If hereby certify that the statements made herein are true and correct to the best plate: 6. If hereby certify that the statements made herein are true and correct to the best plate: 7. For KCC Use ONLY 8. API # 15 - 059 - 2528 - 0000 Conductor pipe required feet	DAVIT ging of this well will compressed by the proposed zone: DEC (1.5 2007 NOV 3 0 2007 Arilling rig; y circulating cement to the proposed zone with the prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing. Set of my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention	DAVIT ging of this well will compressed by the property of the
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the intention of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the understand of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugger. 5. The appropriate district office will be notified before well is either plugger. 6. If an ALTERNATE II COMPLETION, production pipe shall be comented for pursuant to Appendix "B" - Eastern Kansas surface casing order #130 must be completed within 30 days of the spud date or the well shall be plate: 6. If hereby certify that the statements made herein are true and correct to the best plate: 6. If hereby certify that the statements made herein are true and correct to the best plate: 7. For KCC Use ONLY 8. API # 15 - 059 - 2528 - 0000 Conductor pipe required feet	DAVIT ging of this well will compressed by the property of the
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the unit of the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugger 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be perferbly certify that the statements made herein are true and correct to the best Date: Lagrange Lag	DAVIT ging of this well will compressive Details according to the Kansas Corporation Community of circulating cement to COP West Place pipe shall be Wichta, Ks of confice on plug length and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Set of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the approved notice of intent to drill <i>shall be</i> posted on each of the intention	DAVIT ging of this well will compression of this well will compression. DEC (1.5. 2007 NOV 3.0. 2007 CONSERVATION DIVISION OF THIS AREA CORPORATION COMMITS AND CONSERVATION DIVISION OF THIS AREA CONSERVATION DIVISION OF THIS AREA CORPORATION DIVISION OF THIS AREA CORPORATION COMMITS AREA CONSERVATION DIVISION OF THIS AREA CONSERVATION DIVISION OF THIS AREA CORPORATION COMMITS AREA CORPORATION CO
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the shall be posted on each of the district office and the district office will be notified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the understand the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugger. 5. The appropriate district office will be notified before well is either plugger. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13: must be completed within 30 days of the spud date or the well shall be post hereby certify that the statements made herein are true and correct to the best hereby certify that the statements made herein are true and correct to the best hereby certify that the statements made herein are true and correct to the best hereby certify that the statements made herein are true and correct to the best hereby certify that the statements made herein are true and correct to the best hereby certify that the statements made herein are true and correct to the best hereby certify that the statements made herein are true and correct to the best hereby certify that the statements made herein are true and correct to the best hereby certify that the statements made herein are true and correct to the best hereby certify that the statements made herein are true and correct to the best hereby certified hereby certifi	DAVIT ging of this well will compression of this well will compression. DEC (1.5. 2007 NOV 3.0. 2007 CONSERVATION DIVISION OF THIS AREA OF THE SHARE OF THE
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the unit of the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugger 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be perferbly certify that the statements made herein are true and correct to the best Date: Lagrange Lag	DAVIT ging of this well will compression of this well will compression. DEC (1.5. 2007 NOV 3.0. 2007 CONSERVATION DIVISION OF THIS AREA CORPORATION COMMITS AND CONSERVATION DIVISION OF THIS AREA CONSERVATION DIVISION OF THIS AREA CORPORATION DIVISION OF THIS AREA CORPORATION COMMITS AREA CONSERVATION DIVISION OF THIS AREA CONSERVATION DIVISION OF THIS AREA CORPORATION COMMITS AREA CORPORATION CO

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 059-25281-0000	
Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section feet from E / W Line of Section Sec. Twp. S. R. E W
Number of Acres attributable to well:	Is Section: Regular or Питедиlаr
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)



in plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).


Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Town Oil Company, Inc.		License Number: 6142		
Operator Address: 16205 West 287th St. Paola, Kansas 66071				
·Contact Person: Lester Town		Phone Number: 913-294-2125		
Lease Name & Well No.: S. Fiehler CW-6		Pit Location (QQQQ):		
Type of Pit: Pit is:		_C <u>W2 SE NW</u>		
Emergency Pit Burn Pit X Proposed	Existing	Sec. 8 Twp. 16 R. 21 X East West		
Settling Pit	constructed:	3300 Feet from North / X South Line of Section		
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) Pit capacity:				
	(bbls)	Franklin County		
Is the pit located in a Sensitive Ground Water Area? Yes XNo		Chloride concentration:mg/l		
Is the bottom below ground level? Artificial Liner?		(For Emergency Pits and Settling Pits only)		
X Yes No Yes X	lno	How is the pit lined if a plastic liner is not used?		
	•	Pits not lined unless not holding fluid		
Pit dimensions (all but working pits):8 Length (f				
Depth from ground level to d	leepest point:	5 (feet) No Pit		
If the pit is lined give a brief description of the liner material, thickness and installation procedure.	Describe proce liner integrity, in	edures for periodic maintenance and determining RECEIVED RECEIVED KANSAS CORPORATION COMMISS		
		DEC 5 2007 NOV 3 0 2007		
		KCC WICHITA CONSERVATION DIVISION WICHITA KS		
		epth to shallowest fresh waterfeet. ource of information:		
N/A feet Depth of water wellfeet		measured well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:	Drilling, Work	Drilling, Workover and Haul-Off Pits ONLY:		
Producing Formation: Type of mate		material utilized in drilling/workover: <u>fresh water</u>		
Number of producing wells on lease: Number of wo		king pits to be utilized:2		
Barrels of fluid produced daily: Abandonment p		procedure: Pits filled as soon as well		
Does the slope from the tank battery allow all spilled fluids to		is completed.		
flow into the pit? Yes No	Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.				
11-26-07 Roberta Facon				
Date	Jobell	Ignature of Applicant or Agent		
KCC OFFICE USE ONLY Steel Pit RFAC RFAS				
Date Received: 12/5/07 Permit Number: Permit Date: 12/5/07 Lease Inspection: Yes KNo				





NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in **K.A.R. 82-3-400 et seq** of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.