# 

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

# NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date:	Spot Description:
month day year	C - E2 - SE - NW Sec. 8 Two. 16 S. R. 21 XF Tw
OPERATOR: License# 6142 /	= 3300 feet from N / X S Line of Section
Name: Town Oil Company, Inc. Address 1: 16205 West 287th St.	ls SECTION: X Regular Irregular?
Address 2:	
City: Paola State: KS Zip: 66071+	(Note: Locate well on the Section Plat on reverse side)  County: Franklin
Contact Person: Lester Town	Lease Name: S. Fiehler Well #: CW-8
Phone: 913-294-2125	Field Name: Paola-Rantoul
CONTRACTOR: License# 6142  Name: Town Oil Company, Inc.	Is this a Prorated / Spaced Field?
	Target Formation(s): Squirre1
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 1650
Oil X Enh Rec X Infield Mud Rotary  Gas Storage Pool Ext. X Air Rotary	Water well within one-quarter mile:  Ground Surface Elevation:  feet MSL  Yes XNo
Gas Storage Pool Ext. X Air Rotary  Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water: 60
Other:	Depth to bottom of usable water:
If OWWO: old well information as follows:	Surface Pipe by Alternate: I X II
Operator:	Length of Surface Pipe Planned to be set: 20  Length of Conductor Pipe (if any): None
Well Name:	Projected Total Depth:
Original Completion Date: Original Total Depth:	Formation at Total Depth: Squirre1
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:
If Yes, true vertical depth:	Well Farm Pond X Other:
Bottom Hole Location:	DWR Permit #:(Note: Apply for Permit with DWR )
KCC DKT #:	Will Cores be taken?
	1 163 121110
	If Yes, proposed zone:
AEC	If Yes, proposed zone:
	If Yes, proposed zone:    RECEIVED   RANSAS CORPORATION COMMISSION   C
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:	If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  TO THE SHARE
The undersigned hereby affirms that the drilling, completion and eventual plug it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	If Yes, proposed zone:    Composed zone:
The undersigned hereby affirms that the drilling, completion and eventual plug it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	If Yes, proposed zone:  IDAVIT  gging of this well will comply with K.S.A. 55 et. seq.  NOV 3 0 2007  CONSERVATION
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the	If Yes, proposed zone:    Composed zone:
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the distr	If Yes, proposed zone:    Conservation Division   Conservation Division
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged.	IDAVIT gging of this well will comply with K.S.A. 55 et. seq.  NOV 3 0 2007  conservation division underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in:
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	If Yes, proposed zone:    Conservation Division   Conservation Division
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	IDAVIT gging of this well will comply with K.S.A. 55 et. seq.  NOV 3 0 2007  conservation Division y circulating cement to the top; in all cases surface pipe shall be set to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate It cementing plugged. In all cases, NOTIFY district office prior to any cementing
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be increased.	IDAVIT  gging of this well will comply with K.S.A. 55 et. seq.  NOV 3 0 2007  conservation Division  drilling rig; by circulating cement to the top; in all cases surface pipe shall be Getta very underlying formation.  ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate It cementing plugged. In all cases, NOTIFY district office prior to any cementing.  RECEIVED
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be increased.	IDAVIT  aging of this well will comply with K.S.A. 55 et. seq.  NOV 3 0 2007  Conservation Division  drilling rig; by circulating cement to the top; in all cases surface pipe shall be Getta Provided or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate It cementing plugged. In all cases, NOTIFY district office prior to any cementing.  RECEIVED
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	IDAVIT gging of this well will comply with K.S.A. 55 et. seq.  NOV 3 0 2007  Conservation Division  or office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  RECEIVED  Title: Agent 5 20
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the distr  5. The appropriate district office will be notified before well is either plugge  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13  must be completed within 30 days of the spud date or the well shall be  I hereby certify that the statements made herein are true and correct to the be-  Date:	IDAVIT gging of this well will comply with K.S.A. 55 et. seq.  NOV 3 0 2007  Conservation Division  or office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  RECEIVED  Title: Agent 5 20
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the control of the control of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the control of the contro	IDAVIT  aging of this well will comply with K.S.A. 55 et. seq.  NOV 3 0 2007  Conservation Division  of dilling rig;  by circulating cement to the top; in all cases surface pipe shall be Getta very underlying formation.  ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate It cementing plugged. In all cases, NOTIFY district office prior to any cementing.  est of my knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; KCC WICHITA  File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the best place.  For KCC Use ONLY  API #15 - Q 59 - 25283 - ODOO  Conductor pipe required  feet	IDAVIT gging of this well will comply with K.S.A. 55 et. seq.  NOV 3 0 2007  conservation division  or circulating cement to the top; in all cases surface pipe shall be set to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  RECEIVED  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill; KCC WICHITA  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the best of the conductor pipe required.  For KCC Use ONLY  API # 15 - US9 - 25283 - ODD  Conductor pipe required	IDAVIT gging of this well will comply with K.S.A. 55 et. seq.  NOV 3 0 2007  conservation division  or circulating cement to the top; in all cases surface pipe shall be set to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  RECEIVED  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill; KCC WICHITA  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each  3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cerrented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the between the conductor pipe required	IDAVIT  IDAVIT
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each  3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the d. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the between the conductor pipe required.  For KCC Use ONLY  API #15 - OS9 - 25283 - OOOO  Conductor pipe required	IDAVIT  aging of this well will comply with K.S.A. 55 et. seq.  NOV 3 0 2007  Conservation of Division in all cases surface pipe shall be same in the surface of pipe shall be same in the surface pipe shall be same in the surface of plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate It cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Set of my knowledge and belief.  RECEIVED  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; KCC WICHITA  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the best place.    Date:	IDAVIT  IDAVIT
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the conductor pipe required.  For KCC Use ONLY  API # 15 - OS9 - 25283 - OOOO  Conductor pipe required	IDAVIT  IDAVIT  IDAVIT  Inging of this well will comply with K.S.A. 55 et. seq.  IDAVIT  IDAVI

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 059-25283-0000	
Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section feet from E / W Line of Section
Weil Number:	feet from E / W Line of Section
Field:	SecTwpS. R E
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.

\$300

- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Town Oil Com	pany, Inc.		License Number: 6142
Operator Address: 16205 West 2		aola, Kansa	
Contact Person: Lester Town		Phone Number: 913-294-2125	
Lease Name & Well No.: S. Fiehler CW-8		Pit Location (QQQQ):	
Type of Pit:	Pit is:		<u>C - E2 - SE - NW</u>
Emergency Pit Burn Pit	X Proposed	Existing	Sec. 8 Twp. 16 R. 21 X East West
Settling Pit X Drilling Pit	if Existing, date o	onstructed:	3300 Feet from North / X South Line of Section
Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit capacity:		2970 Feet from X East / West Line of Section
	100	(bbls)	<u>Franklin</u> County
Is the pit located in a Sensitive Ground Water	Area? Yes X	]No	Chloride concentration:mg/l
is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only)  How is the pit lined if a plastic liner is not used?
X Yes No	Yes X	No	Pits not lined unless not holding fluid
Pit dimensions (all but working pits):8	Length (fe	eet) 12	
	om ground level to de	,	
If the pit is lined give a brief description of the material, thickness and installation procedure	liner	Describe proce liner integrity, in	dures for periodic maintenance and determining RECEIVED commissions of the commission of the commissio
			CONSERVATION DIVISION WICHITA, KS
Distance to nearest water well within one-mile	of pit	Depth to shallow	west fresh waterfeet.
N/4 feet Depth of water well feet			mation:
Emergency, Settling and Burn Pits ONLY: Drillir		measu	red well owner clostric los KDWD
Emergency, Settling and Burn Pits ONLY:		<del> </del>	
Producing Formation:		Drilling, Worke	over and Haul-Off Pits ONLY:  If utilized in drilling/workover: fresh water
		Drilling, Worke	red well owner electric log KDWR (7) Over and Haul-Off Pits ONLY:
Producing Formation:		Drilling, Worke	red well owner electric log KDWR  over and Haul-Off Pits ONLY:  If utilized in drilling/workover: fresh water  king pits to be utilized: 2
Producing Formation:  Number of producing wells on lease:		Drilling, Worked Type of materia Number of work Abandonment i	red well owner electric log KDWR  over and Haul-Off Pits ONLY:  If utilized in drilling/workover: fresh water  king pits to be utilized:  orocedure: Pits filled as soon as well  eted.
Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all	spilled fluids to	Drilling, Worked Type of materia Number of work Abandonment is compl. Drill pits must b	well owner electric log KDWR over and Haul-Off Pits ONLY:  If utilized in drilling/workover: fresh water  king pits to be utilized: 2  procedure: Pits filled as soon as well eted.  The closed within 365 days of spud date.  RECEIVED
Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all flow into the pit?  Yes No	spilled fluids to	Drilling, Worked Type of materia Number of work Abandonment is compli- Drill pits must be correct to the best	well owner electric log KDWR  over and Haul-Off Pits ONLY:  If utilized in drilling/workover: fresh water  king pits to be utilized: 2  orocedure: Pits filled as soon as well  eted.  ee closed within 365 days of spud date. RECEIVED
Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all flow into the pit?  Yes No  I hereby certify that the above state	spilled fluids to ments are true and c	Drilling, Worked Type of materia Number of work Abandonment is compli- Drill pits must be correct to the best	well owner electric log KDWR  over and Haul-Off Pits ONLY:  If utilized in drilling/workover: fresh water  king pits to be utilized:  Pits filled as soon as well  eted.  The closed within 365 days of spud date.  RECEIVED  of my knowledge and belief.  DEC 2007  KCC WICHITA  gnature of Applicant or Agent



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

# NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in **K.A.R. 82-3-400 et seq** of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.