For KCC Use:	15 11
Effective Date: _	12-16-07
District #	3,
SGA? Yes	No

Kansas Corporation Commission Oil & Gas Conservation Division

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

	(5) days prior to commencing well	
Expected Spud Date	Spot	✓ East
month day year		S. R. 17 West
OPERATOR: License# 32887	660 feet from V N /	
Name: Endeavor Energy Resources, LP	1200 feet from 🗸 E /	W Line of Section
Address PO Box 40	Is SECTION Regular Irregular?	_
City/State/Zip: Delaware, OK 74027	(Note: Locate well on the Section Plat on re	everse side)
Contact Person: Joe Driskill	County: Labette	·
Phone: 918-467-3111	Lease Name: Muller Construction	Well #: 36-4
CONTRACTOR: License# 33072	Field Name: Coffeyville	
Name: Well Refined Drilling	Is this a Prorated / Spaced Field?	Yes 🗸 No
valle.	Target Formation(s): Weir - Pittsburg Coal	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 660	·
Oil Enh Rec V Infield Mud Rotary	Ground Surface Elevation: 771.1'	feet MSL
✓ Gas Storage Pool Ext. ✓ Air Rotary	Water well within one-quarter mile:	Yes No
OWO Disposal Wildcat Cable	Public water supply well within one mile:	Yes ✓ No
Seismic;# of Holes Other	Depth to bottom of fresh water: 20'	
Other	Depth to bottom of usable water: 200/50	
OMMO, and well intermediate as follows	Surface Pipe by Alternate: 1 2 2 Length of Surface Pipe Planned to be set: 40'	
OWWO: old well information as follows: Operator: NA	Length of Conductor Pipe required:	
Well Name: NA	Projected Total Depth: 750'	***
Original Completion Date: NA Original Total Depth: NA	Formation at Total Depth: Mississippi	- · · · · · · · · · · · · · · · · · · ·
Original Completion DateOriginal Total Deptil	Water Source for Drilling Operations:	
irectional, Deviated or Horizontal wellbore?	Well Farm Pond Other Air Drilled	
Yes, true vertical depth: NA	DWR Permit #:	
ottom Hole Location: NA	(Note: Apply for Permit with DWR	7)
CCC DKT #: NA	Will Cores be taken?	Yes ✓ No
	If Yes, proposed zone:	
ΔFFI	IDAVIT K	RECEIVED ANSAS CORPORATION COMMISS
he undersigned hereby affirms that the drilling, completion and eventual pl		
is agreed that the following minimum requirements will be met:	agging of the north mill comply with the six of the octy.	DEC 10 2007
1. Notify the appropriate district office <i>prior</i> to spudding of well;		
2. A copy of the approved notice of intent to drill shall be posted on each		CONSERVATION DIVISION
 The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the 		pipe <i>shall be set</i> , to
4. If the well is dry hole, an agreement between the operator and the d		prior to plugging:
5. The appropriate district office will be notified before well is either plug		, bear to beagging,
6. If an ALTERNATE II COMPLETION, production pipe shall be cement		- ,
Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall t		
		to any cementing.
hereby certify that the statements made herein are true and to the best of	my knowledge and belief.	•
Date: 12-6-07 Signature of Operator or Agent:	Title: Operations	Superintendent
<u> </u>	Remember to:	
For KCC Use ONLY	- File Drill Pit Application (form CDP-1) with Intent to C	
API # 15 . 089-24243-0000	- File Completion Form ACO-1 within 120 days of spu	1 - 63
Conductor pipe required None feet	 File acreage attribution plat according to field prorat Notify appropriate district office 48 hours prior to wo 	
Minimum surface pipe required 40 feet per Alt.	 Submit plugging report (CP-4) after plugging is com 	
Approved by: fut 12-11-07	Obtain written approval before disposing or injecting	salt water
12 1429	- If this permit has expired (See: authorized expiration	190
Time detriorization expires.	check the box below and return to the address belo	
(This authorization void if drilling not started within a months of engroved data 1	check the box below and return to the address being	Ψ.
(This authorization void if drilling not started within f months of approval date.)	Well Not Drilled - Permit Expired	
(This authorization void if drilling not started within a months of approval date.) Spud date: Agent:	——————————————————————————————————————	
12	Well Not Drilled - Permit Expired	176

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

APINO. 15 - 0 99-24243-0000	Location of Well: County: Labette
Operator: Endeavor Energy Resources, LP	660 feet from VN/ S Line of Section
Lease: Multer Construction	1200 feet from VE / W Line of Section
Well Number: 36-4	Sec. 36 Twp. 33 S. R. 17 ✓ East West
Field: Coffeyville	
Number of Acres attributable to well: 160	Is Section: ✓ Regular or Irregular
QTR / QTR / QTR of acreage:	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Endeavor Energy I	Resources, LP		License Number: 32887	
Operator Address: PO BOX 40 De				
Contact Person: Joe Driskill	****		Phone Number: (918) 467	3111
Lease Name & Well No.: Muller Cons	struction 36-4	•	Pit Location (QQQQ):	
Type of Pit:	Pit is:		UZ WZ NE NE	
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 36 Twp. 33 R. 17	✓ East West
Settling Pit	If Existing, date of	onstructed:	660 Feet from 🗸 North /	
Workover Pit Haul-Off Pit			1200 Feet from ✓ East / [
(If WP Supply API No. or Year Drilled)	Pit capacity:	(bbis)	Labette	_
				County
Is the pit located in a Sensitive Ground Water	Area? Yes	4 No	Chloride concentration:	* I
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is n	
✓ Yes No	Yes ✓	No	natural clay / earth	
Pit dimensions (all but working pits):	30 Length (fe	eet)10	Width (feet)	N/A: Steel Pits
Denth fr		eepest point: 6	(feet)	į
		T		ermining Scoti
If the pit is lined give a brief description of the material, thickness and installation procedure	liner	Describe proce	dures for periodic maintenance and detection during any special monitoring.	ermining RECEIVED KANSAS CORPORATION CO.
If the pit is lined give a brief description of the material, thickness and installation procedure	liner	Describe proce liner integrity, in	dures for periodic maintenance and det	DEC 1 0 2007
If the pit is lined give a brief description of the material, thickness and installation procedure NA	e liner e.	Describe proce liner integrity, in NA	dures for periodic maintenance and detection of the following any special monitoring. West fresh water unknown feet.	DEC 1 0 2007
f the pit is lined give a brief description of the material, thickness and installation procedure	e liner e. e of pit	Describe proce liner integrity, in NA Depth to shallor Source of information in the process of	dures for periodic maintenance and detection of the following any special monitoring. West fresh water unknown feet.	CONSERVATION DIVISION OF THE PROPERTY OF THE P
if the pit is lined give a brief description of the material, thickness and installation procedure NA Distance to nearest water well within one-mile unknown feet Depth of water well	e liner e. e of pit unknown feet	Describe proce liner integrity, in NA Depth to shallo Source of information measurements.	dures for periodic maintenance and detended including any special monitoring. west fresh water unknown feet.	CONSERVATION DIVISION OF THE PROPERTY OF THE P
If the pit is lined give a brief description of the material, thickness and installation procedure. NA Distance to nearest water well within one-mile unknown feet Depth of water well Emergency, Settling and Burn Pits ONLY:	e liner e. e of pit unknown feet	Describe proce liner integrity, in NA Depth to shallor Source of information measure. Drilling, Worker	dures for periodic maintenance and detended including any special monitoring. west fresh water unknown feet mation: red well owner electric	CONSERVATION DIVISIONS WICHITA, KS
f the pit is lined give a brief description of the material, thickness and installation procedure. NA Distance to nearest water well within one-mile unknown feet Depth of water well Emergency, Settling and Burn Pits ONLY:	e liner e. e of pit unknown feet	Describe proce liner integrity, in NA Depth to shallor Source of information measured Drilling, Works	dures for periodic maintenance and detended including any special monitoring. west fresh water unknown feet. mation: red well owner electric over and Haul-Off Pits ONLY:	CONSERVATION DIVISIONS WICHITA, KS
If the pit is lined give a brief description of the material, thickness and installation procedure NA Distance to nearest water well within one-mile unknown feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease:	e liner e. e of pit unknown feet	Describe proce liner integrity, in NA Depth to shallor Source of informeasu Drilling, Worker Type of material Number of world	dures for periodic maintenance and detended including any special monitoring. west fresh water unknown feet mation: red well owner electric over and Haul-Off Pits ONLY: If utilized in drilling/workover:	CONSERVATION DIVISION OF KDWR
If the pit is lined give a brief description of the material, thickness and installation procedure NA Distance to nearest water well within one-mile unknown feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all	e liner e. e of pit unknown feet	Describe proce liner integrity, in NA Depth to shallor Source of informeasu Drilling, Worker Type of material Number of work Abandonment	west fresh water unknown feet. mation: red well owner electric over and Haul-Off Pits ONLY: If utilized in drilling/workover: air king pits to be utilized: 1	CONSERVATION DIVISIONS WICHITA, KS
If the pit is lined give a brief description of the material, thickness and installation procedure NA Distance to nearest water well within one-mile unknown feet Depth of water well the material series of fluid produced daily: Barrels of fluid produced daily: Does the slope from the tank battery allow all	e liner e. e of pit unknown feet I spilled fluids to	Describe proce liner integrity, in NA Depth to shallor Source of information measu Drilling, Worker Type of material Number of work Abandonment Drill pits must be	west fresh water unknown feet mation: red well owner electric over and Haul-Off Pits ONLY: If utilized in drilling/workover: decided in drilling/workove	CONSERVATION DIVISIONS WICHITA, KS
If the pit is lined give a brief description of the material, thickness and installation procedure NA Distance to nearest water well within one-mile unknown feet Depth of water well Emergency, Settling and Burn Pits ONŁY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? Yes No	e liner e. e of pit unknown feet I spilled fluids to	Describe proce liner integrity, in NA Depth to shallor Source of information measu Drilling, Worker Type of material Number of work Abandonment Drill pits must be	west fresh water unknown feet mation: red well owner electric over and Haul-Off Pits ONLY: If utilized in drilling/workover: decided in drilling/workove	CONSERVATION DIVISIONS WICHITA, KS
If the pit is lined give a brief description of the material, thickness and installation procedure NA Distance to nearest water well within one-mile unknown feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? Yes No I hereby certify that the above state	e liner e. e of pit unknown feet I spilled fluids to	Describe proce liner integrity, in NA Depth to shallor Source of information measure. Drilling, Worker Type of material Number of world Abandonment. Drill pits must be correct to the best	dures for periodic maintenance and detendeding any special monitoring. west fresh water unknown feet. mation: red well owner electric over and Haul-Off Pits ONLY: air utilized in drilling/workover: air sking pits to be utilized: 1 orocedure: dewater and backfill the closed within 365 days of spud date. of my knowledge and belief.	CONSERVATION DIVISIONS WICHITA, KS
If the pit is lined give a brief description of the material, thickness and installation procedure NA Distance to nearest water well within one-mile unknown feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? Yes No I hereby certify that the above states	e liner e. e of pit unknown feet I spilled fluids to	Describe proce liner integrity, in NA Depth to shallor Source of information measure. Drilling, Worker Type of material Number of world Abandonment. Drill pits must be correct to the best	west fresh water unknown feet mation: red well owner electric over and Haul-Off Pits ONLY: If utilized in drilling/workover: decided in drilling/workove	CONSERVATION DIVISIONS WICHITA, KS
If the pit is lined give a brief description of the material, thickness and installation procedure NA Distance to nearest water well within one-mile unknown feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? Yes No I hereby certify that the above state	e liner e. e of pit unknown feet I spilled fluids to ements are true and c	Describe proce liner integrity, in NA Depth to shallor Source of information measure. Drilling, Worker Type of material Number of world Abandonment. Drill pits must be correct to the best	west fresh water unknown feet. mation: red well owner electric over and Haul-Off Pits ONLY: If utilized in drilling/workover: air wing pits to be utilized: 1 orocedure: dewater and backfill the closed within 365 days of spud date. of my knowledge and belief.	CONSERVATION DIVISIONS WICHITA, KS
If the pit is lined give a brief description of the material, thickness and installation procedure NA Distance to nearest water well within one-mile unknown feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? Yes No I hereby certify that the above state	e liner e. e of pit unknown feet I spilled fluids to ements are true and co	Describe proce liner integrity, in NA Depth to shallor Source of information measure. Drilling, Worker Type of material Number of work Abandonment. Drill pits must be correct to the best Significant of the section	west fresh water unknown feet. mation: red well owner electric over and Haul-Off Pits ONLY: If utilized in drilling/workover: air wing pits to be utilized: 1 orocedure: dewater and backfill the closed within 365 days of spud date. of my knowledge and belief.	CONSERVATION DIVISION STATEMENT OF STATEMENT