# For KCC Use: Effective Date: /2 - /6 - 07 District # 3 SGA? Yes You

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
October 2007
Form must be Typed
Form must be Signed
All blanks must be Filled

istrict #No	NO' Must be appr	TICE OF INT roved by KCC five (5	5) days prior to commencing well	All blanks must be Filled
	10	07	Spot Description:	
Expected Spud Date:	day	year	nw se sw Sec. 19 Twp. 27	S. R. <u>22</u>
34019			(0.0.0.0) 666 / feet from N	/ X S Line of Section
DPERATOR: License#			1,520 teet from	/ X W Line of Section
			Is SECTION: Regular Irregular?	
Address 1: 20 lakeview St.			(Note: Locate well on the Section Plat on the	reverse side)
Address 2:Stat	to: Ks. 7in: 66032	*	County: Bourbon	reverse side)
Contact Person: Jim Goad	ю гр.	,	Lease Name: shireman	Woll # 1-aa
Phone: 661-599-0303			Field Name: unknown Hepler	
0.174	2 3977			Yes No
	Energy LLC		Is this a Prorated / Spaced Field? Target Formation(s): Tucker	
lame: Enaminger / Kiritzey	<u>uiaj</u>	,	Nearest Lease or unit boundary line (in footage): 666	/
Well Drijled For: Well C	Class: Type Ec	quipment:	Ground Surface Elevation: 1009	feet MSL
XIOil Enh Rec XIII	nfield XML	d Rotary		☐Yes XNo ✓
	Pool Ext. Air	Rotary	Water well within one-quarter mile: Public water supply well within one mile:	Yes No
	Wildcat Ca	ible	Depth to bottom of fresh water: 50 ft.	فنسنا لسسا
Seismic : # of Holes C	Other		400.6	
Other:			Surface Pipe by Alternate:	14
Tur change, and well information of	e follows:			
If OWWO: old well information a			Length of Surface Pipe Plainted to be set.	
Operator:			Length of Conductor Pipe (if any):  Projected Total Depth: 700 ft.	
Well Name:	· ·		Tueker	
Original Completion Date:	Original Total De	pth:		
or of the state of an University well be	.o.ra?	Yes No	Water Source for Drilling Operations:  Well Farm Pond Other:	
Directional, Deviated or Horizontal wellb	ore:		<del></del>	
Bottom Hole Location:			DWR Permit #:(Note: Apply for Permit with DWR	
(CC DKT #:			Will Cores be taken?	Yes No
			If Yes, proposed zone:	
		ΔFFI		RECEIVED NSAS CORPORATION COMMIS
The undersigned hereby affirms that t	the drilling, completion		ging of this well will comply with K.S.A. 55 et. seq.	
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				DEC 18 3233
	m requirements will b	70 H301.		
t is agreed that the following minimun				
t is agreed that the following minimum  1. Notity the appropriate district of  2. A copy of the approved notice of	iffice <i>prior</i> to spuddin	ng of well; i <b>be</b> posted on each o	drilling rig;	Vicinia (ATV)
It is agreed that the following minimum  1. Notify the appropriate district of  2. A copy of the approved notice of  3. The minimum amount of surface	ffice <i>prior</i> to spudding of intent to drill shall be pipe as specified be	ng of well; • <b>be</b> posted on each o pelow <b>shall be set</b> by	y circulating cement to the top; in all cases surface pip	
t is agreed that the following minimum  1. Notify the appropriate district of  2. A copy of the approved notice of  3. The minimum amount of surface through all unconsolidated man	ffice <i>prior</i> to spuddir of intent to drill <i>shall</i> ce pipe as specified b terials olus a minimur	ng of well; I <b>be</b> posted on each o pelow <b>shall be set</b> by m of 20 feet into the	y circulating cement to the top; in all cases surface pip underlying formation.	e shall be set
t is agreed that the following minimum  1. Notify the appropriate district of  2. A copy of the approved notice of  3. The minimum amount of surface through all unconsolidated mat  4. If the well is dry hole an agree	office <i>prior</i> to spudding of intent to drill <i>shall</i> be pipe as specified beterials plus a minimulation of the prior the prio	ng of well;  be posted on each opelow shall be set by m of 20 feet into the perator and the distri	y circulating cement to the top; in all cases surface pip underlying formation. ict office on plug length and placement is necessary p	e shall be set rior to plugging;
t is agreed that the following minimum  1. Notify the appropriate district of  2. A copy of the approved notice of  3. The minimum amount of surface through all unconsolidated mat  4. If the well is dry hole, an agree  5. The appropriate district office well	office <i>prior</i> to spudding of intent to drill shall on pipe as specified the terials plus a minimunument between the opwill be notified before	ng of well;  be posted on each opelow shall be set by m of 20 feet into the perator and the distriction well is either plugge	y circulating cement to the top; in all cases surface pip underlying formation. ict office on plug length and placement is necessary pi ed or production casing is cemented in;	e shall be set
t is agreed that the following minimum  Notify the appropriate district of  A copy of the approved notice of  The minimum amount of surfact through all unconsolidated mat  If the well is dry hole, an agree of  The appropriate district office of  If an ALTERNATE II COMPLET	office prior to spudding intent to drill shall shall be pipe as specified be terials plus a minimulument between the opwill be notified before TION, production pipe Fastern Kansas surfe	ng of well;  *be* posted on each of pelow shall be set by m of 20 feet into the perator and the district well is either plugge e shall be cemented ace casing order #13	y circulating cement to the top; in all cases surface pip underlying formation. ict office on plug length and placement is necessary piped of or production casing is cemented in; from below any usable water to surface within 120 DA 13,891-C, which applies to the KCC District 3 area, alte	e shall be set  rior to plugging;  IYS of spud date.  emate II cementing
t is agreed that the following minimum  1. Notify the appropriate district of  2. A copy of the approved notice of  3. The minimum amount of surfact through all unconsolidated mat  4. If the well is dry hole, an agreed  5. The appropriate district office with the material of the materi	office prior to spudding intent to drill shall shall be pipe as specified be terials plus a minimulument between the opwill be notified before TION, production pipe Fastern Kansas surfe	ng of well;  *be* posted on each of pelow shall be set by m of 20 feet into the perator and the district well is either plugge e shall be cemented ace casing order #13	y circulating cement to the top; in all cases surface pip underlying formation. ict office on plug length and placement is necessary piped of or production casing is cemented in; from below any usable water to surface within 120 DA 13,891-C, which applies to the KCC District 3 area, alte	e shall be set  rior to plugging;  IYS of spud date.  emate II cementing
It is agreed that the following minimum  1. Notify the appropriate district of  2. A copy of the approved notice of  3. The minimum amount of surfact through all unconsolidated mat  4. If the well is dry hole, an agree  5. The appropriate district office with a proper of the complete o	office prior to spudding intent to drill shall spipe as specified beterials plus a minimulement between the opwill be notified before TION, production pipe Eastern Kansas surfactors of the spud date	ng of well;  be posted on each of pelow shall be set by m of 20 feet into the perator and the district well is either plugge e shall be cemented ace casing order #13 or the well shall be p	y circulating cement to the top; in all cases surface pip underlying formation. ct office on plug length and placement is necessary piped or production casing is cemented in; from below any usable water to surface within 120 DA 13,891-C, which applies to the KCC District 3 area, alto plugged. In all cases, NOTIFY district office prior to	e shall be set  rior to plugging;  IYS of spud date.  emate II cementing
t is agreed that the following minimum  1. Notify the appropriate district of  2. A copy of the approved notice of  3. The minimum amount of surface through all unconsolidated mat  4. If the well is dry hole, an agree  5. The appropriate district office w  6. If an ALTERNATE II COMPLET Or pursuant to Appendix "B" - E must be completed within 30 did hereby certify that the statements m	office prior to spudding of intent to drill shall be pipe as specified beterials plus a minimulement between the opwill be notified before TION, production pipe Eastern Kansas surfalays of the spud date hade herein are true and	ng of well;  be posted on each opelow shall be set by m of 20 feet into the perator and the distri- well is either plugge e shall be cemented ace casing order #13 or the well shall be pand correct to the be	y circulating cement to the top; in all cases surface pip underlying formation. ct office on plug length and placement is necessary piped or production casing is cemented in; from below any usable water to surface within 120 DA 13,891-C, which applies to the KCC District 3 area, alto plugged. In all cases, NOTIFY district office prior to	e shall be set  rior to plugging;  IYS of spud date.  emate II cementing
t is agreed that the following minimum  1. Notify the appropriate district of 2. A copy of the approved notice of 3. The minimum amount of surface through all unconsolidated mate 4. If the well is dry hole, an agree 5. The appropriate district office well 6. If an ALTERNATE II COMPLET Or pursuant to Appendix "B" - E must be completed within 30 de	office prior to spudding of intent to drill shall be pipe as specified beterials plus a minimulement between the opwill be notified before TION, production pipe Eastern Kansas surfalays of the spud date hade herein are true and	ng of well;  be posted on each opelow shall be set by m of 20 feet into the perator and the distri- well is either plugge e shall be cemented ace casing order #13 or the well shall be pand correct to the be	y circulating cement to the top; in all cases surface pip underlying formation. ct office on plug length and placement is necessary piped or production casing is cemented in; from below any usable water to surface within 120 DA 13,891-C, which applies to the KCC District 3 area, alto plugged. In all cases, NOTIFY district office prior to	e shall be set  rior to plugging;  IYS of spud date.  emate II cementing
t is agreed that the following minimum  1. Notify the appropriate district of  2. A copy of the approved notice of  3. The minimum amount of surface through all unconsolidated mat  4. If the well is dry hole, an agree  5. The appropriate district office w  6. If an ALTERNATE II COMPLET Or pursuant to Appendix "B" - E must be completed within 30 did hereby certify that the statements m	office prior to spudding of intent to drill shall be pipe as specified beterials plus a minimulement between the opwill be notified before TION, production pipe Eastern Kansas surfalays of the spud date hade herein are true and	ng of well;  be posted on each opelow shall be set by m of 20 feet into the perator and the distri- well is either plugge e shall be cemented ace casing order #13 or the well shall be pand correct to the be	y circulating cement to the top; in all cases surface pip underlying formation. Ict office on plug length and placement is necessary piped or production casing is cemented in; from below any usable water to surface within 120 DA 13,891-C, which applies to the KCC District 3 area, alterplugged. In all cases, NOTIFY district office prior to est of my knowledge and belief.	e shall be set  rior to plugging;  VS of spud date.  smate II cementing  any cementing.
t is agreed that the following minimum  1. Notify the appropriate district of 2. A copy of the approved notice of 3. The minimum amount of surface through all unconsolidated mat 4. If the well is dry hole, an agree 5. The appropriate district office w 6. If an ALTERNATE II COMPLET Or pursuant to Appendix "B" - E must be completed within 30 di hereby certify that the statements m  Date: Signal  Eor KCC Use ONLY	office prior to spudding of intent to drill shall be pipe as specified beterials plus a minimulation between the opwill be notified before TION, production pipe Eastern Kansas surfalays of the spud date hade herein are true atture of Operator or A	ng of well;  be posted on each opelow shall be set by m of 20 feet into the perator and the distri- well is either plugge e shall be cemented ace casing order #13 or the well shall be pand correct to the be	y circulating cement to the top; in all cases surface pip underlying formation.  ct office on plug length and placement is necessary piped or production casing is cemented in; from below any usable water to surface within 120 DA 13,891-C, which applies to the KCC District 3 area, alter plugged. In all cases, NOTIFY district office prior to lest of my knowledge and belief.  Title:	e shall be set  rior to plugging;  IYS of spud date.  emate II cementing any cementing.
t is agreed that the following minimum  1. Notify the appropriate district of 2. A copy of the approved notice of 3. The minimum amount of surface through all unconsolidated mat 4. If the well is dry hole, an agree 5. The appropriate district office w 6. If an ALTERNATE II COMPLET Or pursuant to Appendix "B" - E must be completed within 30 di hereby certify that the statements m  Date: Signal  For KCC Use ONLY	office prior to spudding of intent to drill shall be pipe as specified beterials plus a minimulation between the opwill be notified before TION, production pipe Eastern Kansas surfalays of the spud date hade herein are true atture of Operator or A	ng of well;  be posted on each opelow shall be set by m of 20 feet into the perator and the distri- well is either plugge e shall be cemented ace casing order #13 or the well shall be pand correct to the be	y circulating cement to the top; in all cases surface pip underlying formation. Ict office on plug length and placement is necessary piped or production casing is cemented in; from below any usable water to surface within 120 DA 13,891-C, which applies to the KCC District 3 area, alterplugged. In all cases, NOTIFY district office prior to est of my knowledge and belief.	e shall be set  rior to plugging;  IYS of spud date.  emate Il cementing any cementing.  Drill; and date:
t is agreed that the following minimum  1. Notity the appropriate district of  2. A copy of the approved notice of  3. The minimum amount of surface through all unconsolidated mat  4. If the well is dry hole, an agree  5. The appropriate district office w  6. If an ALTERNATE II COMPLET Or pursuant to Appendix "B" - E must be completed within 30 did I hereby certify that the statements m  Date: Signal	office prior to spudding of intent to drill shall be pipe as specified beterials plus a minimum ment between the opwill be notified before TION, production pipe Eastern Kansas surfalays of the spud date hade herein are true at ture of Operator or A	ng of well;  be posted on each of pelow shall be set by m of 20 feet into the perator and the district well is either plugge e shall be cemented ace casing order #13 or the well shall be pand correct to the beaugent:	y circulating cement to the top; in all cases surface pip underlying formation.  ct office on plug length and placement is necessary piped or production casing is cemented in; from below any usable water to surface within 120 DA 13,891-C, which applies to the KCC District 3 area, after plugged. In all cases, NOTIFY district office prior to lest of my knowledge and belief.  Fite Drill Pit Application (form CDP-1) with Intent to leave the Completion Form ACO-1 within 120 days of spure in the careage attribution plat according to field prorate.	e shall be set  rior to plugging;  IYS of spud date.  smate II cementing any cementing.  Drill; ad date; ion orders;
t is agreed that the following minimum  1. Notify the appropriate district of 2. A copy of the approved notice of 3. The minimum amount of surface through all unconsolidated mat 4. If the well is dry hole, an agree 5. The appropriate district office w 6. If an ALTERNATE II COMPLET Or pursuant to Appendix "B" - E must be completed within 30 di hereby certify that the statements m  Date: Signal  Eor KCC Use ONLY	office prior to spudding of intent to drill shall be pipe as specified between the open will be notified before TION, production pipe Eastern Kansas surfallays of the spud date hade herein are true and ture of Operator or A	ng of well;  be posted on each of pelow shall be set by m of 20 feet into the perator and the district well is either plugge e shall be cemented ace casing order #13 or the well shall be pand correct to the beauty.	y circulating cement to the top; in all cases surface pip underlying formation.  ct office on plug length and placement is necessary piped or production casing is cemented in; from below any usable water to surface within 120 DA 13,891-C, which applies to the KCC District 3 area, after plugged. In all cases, NOTIFY district office prior to east of my knowledge and belief.  Fite Drill Pit Application (form CDP-1) with Intent to be File Completion Form ACO-1 within 120 days of spure in according to field prorate. Notify appropriate district office 48 hours prior to wo	e shall be set  rior to plugging;  IYS of spud date.  briate II cementing any cementing.  Drill; ad date; ion orders; brikover or re-entry;
t is agreed that the following minimum  1. Notify the appropriate district of 2. A copy of the approved notice of 3. The minimum amount of surface through all unconsolidated mate. 4. If the well is dry hole, an agree of 5. The appropriate district office well of the appropriate district office well. 6. If an ALTERNATE II COMPLET Or pursuant to Appendix "B" - E must be completed within 30 dishereby certify that the statements means of the appropriate of the statement of the complete of the statement of the complete of the	office prior to spudding of intent to drill shall be pipe as specified beterials plus a minimulation of the properties of the production pipe astern Kansas surfallays of the spud date made herein are true and the production of American States of the spud date.	ng of well;  be posted on each of pelow shall be set by m of 20 feet into the perator and the district well is either plugge e shall be cemented ace casing order #13 or the well shall be pand correct to the beaugent:	y circulating cement to the top; in all cases surface pip underlying formation.  ct office on plug length and placement is necessary piped or production casing is cemented in; from below any usable water to surface within 120 DA 13,891-C, which applies to the KCC District 3 area, after plugged. In all cases, NOTIFY district office prior to east of my knowledge and belief.  Fite Drill Pit Application (form CDP-1) with Intent to be in File Completion Form ACO-1 within 120 days of spure in according to field prorated in Notify appropriate district office 48 hours prior to woo Submit plugging report (CP-4) after plugging is com	e shall be set  rior to plugging;  IYS of spud date.  brate Il cementing any cementing.  Drill;  id date; ion orders; brkover or re-entry; pleted (within 60 days);
t is agreed that the following minimum  1. Notify the appropriate district of 2. A copy of the approved notice of 3. The minimum amount of surface through all unconsolidated mat 4. If the well is dry hole, an agreed 5. The appropriate district office well of the appropriate district office well of the appropriate of	office prior to spudding of intent to drill shall be pipe as specified beterials plus a minimulation of the properties of the production pipe astern Kansas surfallays of the spud date made herein are true and the production of American States of the spud date.	ng of well;  be posted on each of pelow shall be set by m of 20 feet into the perator and the district well is either plugge e shall be cemented ace casing order #13 or the well shall be pand correct to the beauty.	y circulating cement to the top; in all cases surface pip underlying formation.  ct office on plug length and placement is necessary piped or production casing is cemented in; from below any usable water to surface within 120 DA 13,891-C, which applies to the KCC District 3 area, after plugged. In all cases, NOTIFY district office prior to lest of my knowledge and belief.  Fite Drill Pit Application (form CDP-1) with Intent to lest of the Completion Form ACO-1 within 120 days of spure in according to field prorated in Notify appropriate district office 48 hours prior to wood Submit plugging report (CP-4) after plugging is come.  Obtain written approval before disposing or injecting	e shall be set  rior to plugging;  IYS of spud date.  brate Il cementing any cementing.  Drill; ad date; ion orders; brkover or re-entry, pleted (within 60 days); g salt water.
t is agreed that the following minimum  1. Notify the appropriate district of 2. A copy of the approved notice of 3. The minimum amount of surface through all unconsolidated mat 4. If the well is dry hole, an agree 5. The appropriate district office well 6. If an ALTERNATE II COMPLET Or pursuant to Appendix "B" - E must be completed within 30 de hereby certify that the statements meloate:    Signate   S	office prior to spudding of intent to drill shall be pipe as specified be terials plus a minimulation of the property of the production pipe as the spuddate hade herein are true and the production of Angles of the spuddate hade herein are true and the production of Angles of the spuddate hade herein are true and the production of Angles of the spuddate hade herein are true and the production of Angles of the spuddate of Operator of Angles of the spuddate of Operator of Angles of the spuddate of Operator of Angles of the spuddate of the spudate	ng of well;  be posted on each of pelow shall be set by m of 20 feet into the perator and the district well is either plugge e shall be cemented ace casing order #13 or the well shall be pand correct to the beauty.	y circulating cement to the top; in all cases surface pip underlying formation.  ct office on plug length and placement is necessary pixed or production casing is cemented in; from below any usable water to surface within 120 DA 13,891-C, which applies to the KCC District 3 area, alter plugged. In all cases, NOTIFY district office prior to lest of my knowledge and belief.  Fite Drill Pit Application (form CDP-1) with Intent to lest of the Completion Form ACO-1 within 120 days of specific acreage attribution plat according to field prorate. Notify appropriate district office 48 hours prior to wood Submit plugging report (CP-4) after plugging is come Obtain written approval before disposing or injecting.  If this permit has expired (See: authorized expiration)	e shall be set  rior to plugging;  IYS of spud date.  brate II cementing any cementing.  Drill; ad date; ion orders; brkover or re-entry, pleted (within 60 days); p salt water. In date) please
t is agreed that the following minimum  1. Notify the appropriate district of  2. A copy of the approved notice of  3. The minimum amount of surfact through all unconsolidated mathough all unconsoli	office prior to spudding of intent to drill shall see pipe as specified be terials plus a minimulation between the openit be notified before TION, production pipe Eastern Kansas surfallays of the spud date nade herein are true atture of Operator or ANONE fee	ng of well;  I be posted on each of pelow shall be set by m of 20 feet into the perator and the district well is either plugge e shall be cemented ace casing order #13 or the well shall be pand correct to the beaugent:	y circulating cement to the top; in all cases surface pip underlying formation. Ict office on plug length and placement is necessary pipel of or production casing is cemented in; from below any usable water to surface within 120 DA 13,891-C, which applies to the KCC District 3 area, alter plugged. In all cases, NOTIFY district office prior to est of my knowledge and belief.  Title:  File Drill Pit Application (form CDP-1) with Intent to be supplied in all cases attribution plat according to field prorated. Notify appropriate district office 48 hours prior to wo Submit plugging report (CP-4) after plugging is comeditating the completion. If this permit has expired (See: authorized expiration check the box below and return to the address below.	e shall be set  rior to plugging;  IYS of spud date.  Prinate II cementing any cementing.  Drill; Id date; Ion orders; Inkover or re-entry; Ipleted (within 60 days); Is salt water. In date) please W.
t is agreed that the following minimum  1. Notity the appropriate district of 2. A copy of the approved notice of 3. The minimum amount of surface through all unconsolidated mat 4. If the well is dry hole, an agree 5. The appropriate district office w 6. If an ALTERNATE II COMPLET Or pursuant to Appendix "B" - E must be completed within 30 di I hereby certify that the statements m  Date:	office prior to spudding of intent to drill shall see pipe as specified be terials plus a minimulation between the openit be notified before TION, production pipe Eastern Kansas surfallays of the spud date nade herein are true atture of Operator or ANONE fee	ng of well;  I be posted on each of pelow shall be set by m of 20 feet into the perator and the district well is either plugge e shall be cemented ace casing order #13 or the well shall be pand correct to the beaugent:	y circulating cement to the top; in all cases surface pip underlying formation.  ct office on plug length and placement is necessary pixed or production casing is cemented in; from below any usable water to surface within 120 DA 13,891-C, which applies to the KCC District 3 area, alter plugged. In all cases, NOTIFY district office prior to lest of my knowledge and belief.  Fite Drill Pit Application (form CDP-1) with Intent to lest of the Completion Form ACO-1 within 120 days of specific acreage attribution plat according to field prorate. Notify appropriate district office 48 hours prior to wood Submit plugging report (CP-4) after plugging is come Obtain written approval before disposing or injecting.  If this permit has expired (See: authorized expiration)	e shall be set  rior to plugging;  IYS of spud date.  Prinate II cementing any cementing.  Drill; Id date; Ion orders; Inkover or re-entry; Ipleted (within 60 days); Is salt water. In date) please W.

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 011-23337-0000	
Operator: us energy llc	Location of Well: County: Bourbon
Lease: shireman	666 feet from N / X S Line of Section
Well Number: 1-aa	666 feet from N / X S Line of Section 1,520 feet from E / X W Line of Section
Field: unknown	SecTwpS. R 🔀 E 🔲 W
Number of Acres attributable to well:  QTR/QTR/QTR/QTR of acreage: nw/4 - nw - se - sw	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### PLAT


(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

	:						
	: 	:	· · · · · · · · · · · · · · · · · · ·				
	:						
	*	:	********				
	:						
	<u> </u>	:	<u> </u>		<u> </u>		:
	<u>.</u>						
1	Ė						
			*********			*******	
						•,,,	
i520	FWL-						
i52c	FWL-	3-75					
i52c	FWL-	6 K 5 C. 6					

# RECEIVED KANSAS CORPORATION COMMISSION

DEC 10 2007



NOTE: In all cases locate the spot of the proposed drilling locaton.

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

### Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Us Energy LLC			License Number: 34019			
Operator Address: 20 lakeview St.						
Contact Person: Jim Goad	**************************************	<u></u>	Phone Number: 661-599-0303			
Lease Name & Well No.: 1-aa	Shireman	$\overline{}$	Pit Location (QQQQ):			
Type of Pit:  Emergency Pit  Bum Pit  Settling Pit  Drilling Pit	Pit is: Proposed If Existing, date c		Sec. 19 Twp. 27 R. 22 East West  666 Feet from North / South Line of Section			
Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)				
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)			
Is the bottom below ground level?  Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?			
Fit dimensions (all but working pits):	20 Length (fe	•	Width (feet) N/A: Steel Pits  4 (feet) No Pit			
If the pit is lined give a brief description of the material, thickness and installation procedure			edures for periodic maintenance and determining RECEIV KANSAS CORPORATION DEC 1 0 2 CONSERVATION			
Distance to nearest water well within one-mil		Depth to shallo Source of Infor				
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:				
Producing Formation:		Type of material utilized in drilling/workover:				
Number of producing wells on lease:		Number of working pits to be utilized:				
Barrels of fluid produced daily:		Abandonment procedure: air dry and backfill				
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.  correct to the best of my knowledge and belief.				
I hereby certify that the above state	ements are true and	correct to the bes	t of my knowledge and belief.			
12-5-07 Date		)77 s	ignature of Applicant or Agent			
	КСС	OFFICE USE O	NLY Steel Pit RFAC RFAS			
Date Received: 18/10/07 Permit Num	nber:	Perm	it Date: /2/10/c 7Lease Inspection: Yes No			