For KCC Use:	10 11.07	
Effective Date:	12-16-07	
District #	4/	
SGA2 TVes	. XNo	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed

	(5) days prior to commencing well
Expected Spud Date: December 20 2007 month day year	Spot Description: /co's of NE NE NE Sec. 14 Twp. 10 S. R. 19 DE WW
OPERATOR: License# 6113	feet from X N / S Line of Section
Name: Landmark Resources, Inc.	teet from Me / Line of Section
Address 1: 1616 S. Voss, Suite 150	ls SECTION: XRegular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: Houston State: TX Zip: 77057 +	County: Rooks
Contact Person: Chuck Schmidt Phone: 316-755-3523	Lease Name: Vohs B Well #: 6
	Field Name:
CONTRACTOR: License# 30606	Is this a Prorated / Spaced Field?
Name: Murfin Drilling Co., Inc.	Target Formation(s): Arbuckle
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 330
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation: Est 2079 feet MSL Water well within one-quarter mile: Yes No
Gas Storage X Pool Ext. Air Rotary	
Disposal Wildcat Cable	Public water supply well within one mile: Depth to bottom of fresh water: 120 Yes X No
Seismic ; # of Holes Other	Depth to bottom of usable water:
Other:	Surface Pipe by Alternate:
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 282'
_	Length of Conductor Pipe (if any): None
Operator:	Projected Total Depth: 3950'
Well Name: Original Completion Date:Original Total Depth:	Formation at Total Depth: Arbuckle
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other: X
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
ΔFF	IDAVIT
The undersigned hereby affirms that the drilling, completion and eventual plug	
It is agreed that the following minimum requirements will be met:	
Notify the appropriate district office <i>prior</i> to spudding of well;	
 A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set to 	y circulating cement to the top; in all cases surface pipe shall be set
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr	internying formation. ict office on plug length and placement is necessary prior to plugging;
5. The appropriate district office will be notified before well is either plugge	ed or production casing is cemented in;
6 If an ALTERNATE II COMPLETION, production pipe shall be cemented	from below any usable water to surface within 120 DAYS of spud date.
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #10 must be completed within 30 days of the spud date or the well shall be	33,891-C, which applies to the KCC District 3 area, alternate II cementing plugned. In all cases, NOTIFY district office prior to any cementing.
Thereby certify that the statements made herein are true and correcting the be	
	A S S S S S S S S S S S S S S S S S S S
Date: 12/10/07 Signature of Operator or Agent: Jucci	Title:
	Remember to:
For KCC Use ONLY	- File Drill Pit Application (form CDP-1) with Intent to Drill;
API # 15 - [103-23672-0000	- File Completion Form ACO-1 within 120 days of spud date;
Conductor pipe required None feet	- File acreage attribution plat according to field proration orders;
300	 Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
Minimum surface pipe required & VV feet per ALTI UII Approved by: ### /2-IF07	- Obtain written approval before disposing or injecting salt water.
19 11 = 0	- If this permit has expired (See: authorized expiration date) please
This authorization expires: (This authorization void if drilling not started within 12 months of approval date.)	check the box below and return to the address below.
Tribo domonication role is criming the classical tribins in a reserve at approximately	Well Not Drilled - Permit Expired Date: RECEIVED
Spud date: Agent:	Signature of Operator or Agent: KANSAS CORPORATION COMMISSION

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

APINO. 15 - 163 - 23672-0000		
Operator: Landmark Resources, Inc.	Location of Well: County: Rooks	
Lease:	430 feet from X N / S Line of Section	ı
Well Number: 6	330 feet from X E / W Line of Section	
Field:	Sec. 14 Twp. 10 S. R. 19 E X W	
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage: 100°5 of . NE . NE . NE	Is Section: Regular or Irregular	
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW	

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections components commission 4 sections, etc.

2. The distance of the proposed drilling location from the south / north and east / west outside section lines.

DEC 1 1 2007

3. The distance to the nearest lease or unit boundary line (in footage).

4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil CONSERVATION DIVISION CG-8 for gas wells).

WICHITA, KS

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

	License Number: 6113
	Houston TX 77057
Operator Address: 1616 S. Voss, Suite 150 Contact Person: Chuck Schmidt	
· ·	Pit Location (QQQQ):
	100'S ofNENENE
Existing	Sec. 14 Twp. 10 R. 19 East West
constructed:	430 Feet from North / South Line of Section
<u>.</u>	Feet from East / West Line of Section
(bbls)	Rooks County
∑No	Chloride concentration:mg/l (For Emergency Pits and Settling Pits only)
∑ №	How is the pit lined if a plastic liner is not used? Bentonite and solids from drlg. opert.
(feet) 100	Width (feet) N/A: Steel Pits
deepest point:	4 (feet) No Pit
	CONSERVATION DIVISION
Source of info	owest fresh water 34 feet. Stock rmation: J2-K6S
Source of info	owest fresh water 34 feet. Stock rmation: JR-KGS
Source of info	owest fresh water 34 feet. Stock rmation: JR-KGS
Source of info meas Drilling, Work Type of materi	wichita, ks owest fresh water 34 feet. Stock rmation: JR-KGS ured well owner electric log KDWR kover and Haul-Off Pits ONLY: al utilized in drilling/workover: Bentonite
Source of info meas Drilling, Work Type of materi	west fresh water 34 feet. STock rmation: ured well owner electric log KDWR sover and Haul-Off Pits ONLY: al utilized in drilling/workover: Bentonite rking pits to be utilized: 4 Allow pits to evaporate till dry then
Source of info meas Drilling, Work Type of materi Number of wo Abandonment	wichita, ks owest fresh water 34 feet. ormation: ured well owner electric log KDWR sover and Haul-Off Pits ONLY: al utilized in drilling/workover: bentonite rking pits to be utilized: 4
Source of info meas Drilling, Work Type of materi Number of wo Abandonment Drill pits must	west fresh water 34 feet. Stock rmation: ured well owner electric log KDWR sover and Haul-Off Pits ONLY: al utilized in drilling/workover: Bentonite rking pits to be utilized: procedure: Allow pits to evaporate till dry then backfill when conditions allow.
Source of info meas Drilling, Work Type of materi Number of wo Abandonment Drill pits must	west fresh water 34 feet. Stock rmation: JR-KGS well owner electric log KDWR kover and Haul-Off Pits ONLY: all utilized in drilling/workover: Bentonite rking pits to be utilized: 4 procedure: Allow pits to evaporate till dry then backfill when conditions allow. be closed within 365 days of spud date.
Source of info meas Drilling, Work Type of materi Number of wo Abandonment Drill pits must	west fresh water 34 feet. Stock rmation: JR-KGS well owner electric log KDWR kover and Haul-Off Pits ONLY: all utilized in drilling/workover: Bentonite rking pits to be utilized: 4 procedure: Allow pits to evaporate till dry then backfill when conditions allow. be closed within 365 days of spud date.
Source of info meas Drilling, Work Type of materi Number of wo Abandonment Drill pits must	west fresh water 34 feet. Stock rmation: ured well owner electric log KDWR sover and Haul-Off Pits ONLY: al utilized in drilling/workover: Bentonite rking pits to be utilized: procedure: Allow pits to evaporate till dry then backfill when conditions allow. be closed within 365 days of spud date. st of my knowledge and belief.
Source of info meas Drilling, Work Type of materi Number of wo Abandonment Drill pits must	west fresh water 34 feet. Stock rmation: ured well owner electric log KDWR sover and Haul-Off Pits ONLY: al utilized in drilling/workover: Bentonite rking pits to be utilized: procedure: Allow pits to evaporate till dry then backfill when conditions allow. be closed within 365 days of spud date. st of my knowledge and belief.
	Existing constructed: (bbls)