## For KCC Use: Effective Date:

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

### NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Must be approved by KCC five (5) days prior to commencing well

		( <b>7</b> ) e
Expected Spud Date December 14, 2007	Spot	✓ East
month day year	SW Sec. 1 Twp. 31 S. F	
OPERATOR: License# 33365 V	2500	
Name: Layne Energy Operating, LLC		Line of Section
1900 Shawnee Mission Parkway	Is SECTIONRegularIrregular?	
Address:	(Note: Locate well on the Section Plat on revers	se side)
Contact Person: Timothy H. Wright	County: Montgomery	
Phone: 913-748-3960	Lease Name: Tull SWD	Vell #: 7-1
	Field Name: Cherokee Basin Coal	
CONTRACTOR: License# 33606	Is this a Prorated / Spaced Field?	Yes 🗸 No
Name: Thornton Air	Target Formation(s): Arbuckle	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 140' / 540	
	Ground Surface Elevation: 1009'	feet MSL
Oil Enh Rec V Infield Mud Rotary	Water well within one-quarter mile:	Yes No
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:	Yes ✓ No
OWO Disposat Wildcat Cable	Depth to bottom of fresh water: 150'	
Seismic;# of Holes Other	Depth to bottom of usable water: 175'	
Other	Surface Pipe by Alternate: 1 2	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20'	
Operator:	Length of Conductor Pipe required:	<del></del>
Well Name:	Projected Total Depth: 1900 Feet	
Original Completion Date:Original Total Depth:	Formation at Total Depth: Arbuckle	
	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well Farm Pond Other X	<del></del>
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR 🔲 )	
KCC DKT #:	Will Cores be taken?	Yes ✓ No
	If Yes, proposed zone:	
AFF	IDAVIT KAN	RECEIVED
	1000	SAS CORPORATION COMMISS
	agging of this work will comply with the size 55 ct. 554.	DEC 12 2007
It is agreed that the following minimum requirements will be met:	agging of this not will comply wanted. A. 55 of 504.	DEC 1 2 2007
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	ch drilling rig;	CONSERVATION DIVISION
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be se</i>	ch drilling rig; of by circulating cement to the top; in all cases surface pip	CONSERVATION DIVISION
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the	ch drilling rig; of by circulating cement to the top; in all cases surface pip ne underlying formation.	CONSERVATION DIVISION e <i>shall </i> 如於解稿, KS
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the definition of the driving of the desired in the des	ch drilling rig; It by circulating cement to the top; in all cases surface pip ne underlying formation. Iistrict office on plug length and placement is necessary <b>p</b>	CONSERVATION DIVISION e <i>shall </i> 如於解稿, KS
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the description. The appropriate district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cemented.	ch drilling rig;  If by circulating cement to the top; in all cases surface pip  ie underlying formation.  listrict office on plug length and placement is necessary p  iged or production casing is cemented in;  ed from below any usable water to surface within 120 day	CONSERVATION DIVISION e shall when the KS rior to plugging; vs of spud date.
<ol> <li>It is agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on ead</li> <li>The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the description.</li> <li>The appropriate district office will be notified before well is either plug</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cement.</li> <li>Or pursuant to Appendix "B" - Eastern Kansas surface casing order</li> </ol>	ch drilling rig;  If by circulating cement to the top; in all cases surface pip  is underlying formation.  listrict office on plug length and placement is necessary p  iged or production casing is cemented in;  ed from below any usable water to surface within 120 day  #133,891-C, which applies to the KCC District 3 area, alt	CONSERVATION DIVISION e shall when the KS rior to plugging; vs of spud date. ernate II cementing
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead.  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the secon	ch drilling rig; In the top circulating cement to the top; in all cases surface pip The underlying formation. The listrict office on plug length and placement is necessary paged or production casing is cemented in; The list of the lis	CONSERVATION DIVISION e shall when the KS rior to plugging; vs of spud date. ernate II cementing
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead.  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the secon	ch drilling rig; In the top circulating cement to the top; in all cases surface pip The underlying formation. The listrict office on plug length and placement is necessary paged or production casing is cemented in; The list of the lis	CONSERVATION DIVISION e shall when the KS rior to plugging; vs of spud date. ernate II cementing
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac.  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the description o	ch drilling rig; It by circulating cement to the top; in all cases surface pip the underlying formation. Identification of the production casing is cemented in; and from below any usable water to surface within 120 day #133,891-C, which applies to the KCC District 3 area, alt the plugged. In all cases, NOTIFY district office prior to finy knowledge and belief.	CONSERVATION DIVISION e shall when the KS rior to plugging; vs of spud date. ernate II cementing
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac.  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the description o	ch drilling rig; In the top circulating cement to the top; in all cases surface pip The underlying formation. The listrict office on plug length and placement is necessary paged or production casing is cemented in; The list of the lis	CONSERVATION DIVISION e shall when the KS rior to plugging; vs of spud date. ernate II cementing
<ol> <li>A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the description of 5. The appropriate district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of the spud shall in the statements made herein are true and to the best of the spud shall in the statements made herein are true and to the best of the spud shall in the statements made herein are true and to the best of the spud shall in the statements made herein are true and to the best of the spud shall in the statements made herein are true and to the best of the spud shall in the statements made herein are true and the statements are true and the statements</li></ol>	ch drilling rig; It by circulating cement to the top; in all cases surface pip the underlying formation. Identification of the production casing is cemented in; and from below any usable water to surface within 120 day #133,891-C, which applies to the KCC District 3 area, alt the plugged. In all cases, NOTIFY district office prior to finy knowledge and belief.	CONSERVATION DIVISION e shall when the KS rior to plugging; vs of spud date. ernate II cementing
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the second	ch drilling rig; In the ty circulating cement to the top; in all cases surface pipme underlying formation. Illistrict office on plug length and placement is necessary piged or production casing is cemented in; and from below any usable water to surface within 120 day #133,891-C, which applies to the KCC District 3 area, alto be plugged. In all cases, NOTIFY district office prior to finy knowledge and belief.  Title: Agent	CONSERVATION DIVISION e shall when the KS rior to plugging; ris of spud date. ernate II cementing any cementing.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the second	ch drilling rig; In the property of the proper	CONSERVATION DIVISION e shall witchtha, KS rior to plugging; vs of spud date. ernate II cementing any cementing.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the decomposition of the surface of the spropriate district office will be notified before well is either plug of the spropriate of the complete of the surface casing order must be completed within 30 days of the spud date or the well shall the hereby certify that the statements made herein are true and to the best of the complete of the spud of the spud of the spud to the best of the spud of the statements of the spud of the spud to the best of the spud of the spud of the spud of the spud to the best of the spud of the spud of the spud to the spud of the spud to the spud of the spud to th	ch drilling rig; In the ty circulating cement to the top; in all cases surface pipme underlying formation. Identification of the type of the underlying formation. Identification of the underlying formation. Identification casing is cemented in; Identification deliver to surface within 120 day In all cases, NOTIFY district 3 area, alto be plugged. In all cases, NOTIFY district office prior to find the underlying of the unde	CONSERVATION DIVISION e shall witchtha, KS rior to plugging; vs of spud date. ernate II cementing any cementing.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the decomposition of the sequence o	ch drilling rig; In the process of t	CONSERVATION DIVISION e shall WICHITA, KS  rior to plugging; vs of spud date. ernate II cementing any cementing.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the description of the appropriate district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the later of the well shall be completed.  I hereby certify that the statements made herein are true and to the best of the production pipe required.  Signature of Operator or Agent.  For KCC Use ONLY  API # 15 - 12.5 - 31.491 - DODO  Conductor pipe required feet per Alt. 20  feet per Alt. 20	ch drilling rig; In the process of t	CONSERVATION DIVISION e shall WICHITA, KS  rior to plugging; vs of spud date. ernate II cementing any cementing.  clate; orders; ver or re-entry; tted;
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac.  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the trouble to the through the specified before well is either plug to the appropriate district office will be notified before well is either plug to pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the through the trouble through the spud date or the well shall the through the trouble through the spud date or the well shall the through the statements made herein are true and to the best of the spud date or the well shall the true and to the best of the spud date or the well shall the statements made herein are true and to the best of the spud date or the well shall the spud date or the well shall the statements made herein are true and to the best of the spud date or the well shall the statements made herein are true and to the best of the spud date or the well shall the statements made herein are true and to the best of the spud date or the well shall the statements made herein are true and to the best of the spud date or the well shall the statements made herein are true and to the best of the spud date or the well shall the statements made herein are true and to the best of the spud date or the well shall the statements made herein are true and to the spud date or the well shall the statements made herein are true and to the spud date or the spud date or the spud date or the spud date or the sp	ch drilling rig; In the process of t	CONSERVATION DIVISION e shall when A, KS rior to plugging; rs of spud date. ernate II cementing any cementing.  date; orders; ver or re-entry; ted; alt water.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the description of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall it hereby certify that the statements made herein are true and to the best of the production pipe required.  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 12.5 - 31.491 - DODU  Conductor pipe required feet  Minimum surface pipe required feet per Alt. 2  Approved by:  Must 12-12-01  This authorization expires: 12-13-08	ch drilling rig; In the process of t	CONSERVATION DIVISION e shall witchtha, KS rior to plugging; rs of spud date. ernate II cementing any cementing.  date; orders; ver or re-entry; ted; alt water.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead.  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the description of the sequence of the sequen	ch drilling rig; In the process of t	CONSERVATION DIVISION e shall when A, KS rior to plugging; rs of spud date. ernate II cementing any cementing.  date; orders; ver or re-entry; ted; alt water.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the description of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the interest of the spud date or the well shall be cement. It hereby certify that the statements made herein are true and to the best of the production pipe required.  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 125 - 31491 - DODD  Conductor pipe required.  Approved by:  Minimum surface pipe required.	ch drilling rig; In the provided provid	CONSERVATION DIVISION e shall when A, KS rior to plugging; rs of spud date. ernate II cementing any cementing.  date; orders; ver or re-entry; ted; alt water.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the description of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall it hereby certify that the statements made herein are true and to the best of the production pipe required.  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 12.5 - 31.491 - DODU  Conductor pipe required feet  Minimum surface pipe required feet per Alt. 2  Approved by:  Must 12-12-01  This authorization expires: 12-13-08	ch drilling rig; In the process of t	CONSERVATION DIVISION e shall when A, KS rior to plugging; rs of spud date. ernate II cementing any cementing.  date; orders; ver or re-entry; ted; alt water.

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 125 - 31491-0000	Location of Well: County: Montgomery
Operator: Layne Energy Operating, LLC	2500 feet from N / S Line of Section
Lease: Tull SWD	2435 feet from Feet from E / W Line of Section
Well Number: 7-1	Sec. 1 Twp. 31 S. R. 13 ✓ East Wes
Field: Cherokee Basin Coal	
Number of Acres attributable to well:  QTR / QTR / QTR of acreage: SW - SW - NE	Is Section: Regular or Irregular
atti, atti, atti olassags.	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)


(Show footage to the nearest lease or unit boundary line.)

_						
				1 1		
	•	•	-		•	-
					_	
	•	•	=		•	-
					•	_
	•	•	•		•	•
				I I		
				1 4		
				! I		
	•		•			
				!!!		
				i		
				4	<b>うだ</b> かとう	
	•			ما ا	500,	-
1				• • • • •		
1	•		•			•
1						
1			•	1	• •	
1				<b> </b>		
1				1 <b>1</b>		
1				<b> </b>	· · · ·	
1						
1				• • • • • • • • • • • • • • • • • • •		
1				1		1
1					•	
1						
	•		•		. 41146	•
					2435	
					· <del>- 100</del>	
				<b>∵</b>		
1				_		.
1		-				
		•				-
		•	•		•	<u>.</u>
		•	•			
		•	•		•	-
	•	•	•		•	
	•	•	•			·
		•	•		•	
					•	
			· ·		•	
	. , .					
	. , .				: : : : : : : : : : : : : : : : : : :	
	. , .					
	. , .				: : : : : : : : : : : : : : : : : : :	
	. , .				: : : : : : : : : : : : : : : : : : :	. ,
	. , .				: : : : : : : : : : : : : : : : : : :	
	. , .				: : : : : : : : : : : : : : : : : : :	
			· · · · ·			•
						•
	. , .		· · · · ·		: : : : : : : : : : : : : : : : : : :	•
			· · · · ·			•
			· · · · ·			•
			· · · · ·			•
			· · · · ·			•
			· · · · ·			•
			· · · · ·			•
			· · · · ·			•
			· · · · ·			•
			· · · · ·			•
			· · · · ·			•
			· · · · ·			•
			· · · · ·			•
			· · · · ·			•
			· · · · ·			•
			· · · · ·			•

# RECEIVED KANSAS CORPORATION COMMISSION

DEC 12 2007

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).


# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Layne Energy O	perating, LL0	License Number: 33365			
Operator Address: 1900 Shawnee Mission Parkway, Mission Woods, KS 66205					
Contact Person: Timothy H. Wrigh		Phone Number: ( 913 ) 748 - 3960			
Lease Name & Well No.: Tull SWD			Pit Location (QQQQ):		
Type of Pit:	Pit is:		SWNE_		
Emergency Pit Burn Pit	✓ Proposed   Existing		Sec. 1 Twp. 31 R. 13 📝 East 🗌 West		
Settling Pit	If Existing, date of	onstructed:	2500 Feet from 🗸 North / 🗌 South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		Feet from 🗸 East / 🗌 West Line of Section		
(If WP Supply API No. or Year Drilled)		(bbis)	Montgomery County		
Is the pit located in a Sensitive Ground Water	Area? ☐ Yes 🗸	No	Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?  Yes No	Artificial Liner? ☐ Yes ✓	No	How is the pit lined if a plastic liner is not used?  Self-Sealing		
Pit dimensions (all but working pits): 30' Length (feet) 20' Width (feet) N/A: Steel Pits  Depth from ground level to deepest point: 3' (feet)					
			1572		
Distance to nearest water well within one-mile of pit		Depth to shallowest fresh waterfeet. Source of information:			
none feet Depth of water well feet		measuredwell owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:  Type of material utilized in drilling/workover: Fresh Water Mud			
Producing Formation:  Number of producing wells on lease:			west fresh waterfeet. mation:  iredwell ownerelectric logKDWR  over and Haul-Off Pits ONLY:  al utilized in drilling/workover: Fresh Water Mud  king pits to be utilized: Two		
Barrels of fluid produced daily:			procedure: Let evaporate until dry, then backfill		
Does the slope from the tank battery allow all flow into the pit? Yes No		and restore	pe closed within 365 days of spud date. RECEIVED KANSAS CORPORATION COMNISSK		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.  DEC 12 2007					
December 7, 2007  December 7, 2007  Date  Conservation Division Wichita, Ks					
KCC OFFICE USE ONLY					
Date Received: 12/12/07 Permit Number: Permit Date: 12/12/07 Lease Inspection: Yes 🗷 No					





## NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in **K.A.R. 82-3-400 et seq** of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.