

For KCC Use: Effective Date: 12/19/2007 District # SGA? Yes No

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1014902

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

## NOTICE OF INTENT TO DRILL

Spot Description:   Month   May   year   NW   NW   NW   NW   Sec. 21   Twp. 9   S. R. 22   Description: Name: Farmer, John O., Inc.   No.   No.		M	lust be approved by KCC fi	ive (5) days prior to commencing well	
OPERATOR: License# 5135  Name: Farmer, John O, Inc.  Address 1: 370 W WICHITA AVE Address 2: PO BOX 352  City: RUSSELL  Contact Person: John Farmer IV Phone. 785-483-3144  CONTRACTOR: License# 33575  Name: WWD Drilling, LLC  Well Drilled For: Well Class: Type Equipment: Well wildeat Storage Pool Ext. Air Rotary Other: Seismic: # of Holes Other  Other: Seismic: # of Holes Other  Other: Seismic: # of Holes Other  Other: Original Total Depth: Formation as follows:  Operator: Well Name: Original Completion Date: Original Total Depth: Formation at Pool Ext. Rock Pipe Planneo to be set; 200  Length of Surface Pipe Planneo to be set; 200  Length of Conductor Pipe (if any): Projected Total Depth: Abuckle  Water vertical depth: Bottom Hole Location: (Note: Apply for Permit with DWR   Yes No  Mill Cores be taken?   Well Cores and Pipe Piles   Will Cores be taken?   Well Cores and Pipe Piles   Well Cores   Well Cores and Pipe Piles   Well Cores   Well	Expected Spud Date:		day year		S R 22 DE W
Address 1: 370 W WICHITA AVE Address 2: PO BOX 352 Contact Person: John Farmer IV Phone. 786-483-3144 CONTRACTOR: Licenser 33575 Name: WW Drilling, LLC  Well Drilled For: Well Class: Type Equipment: Gas Storage Pool Ext. Air Rotary Disposal Wildcat Cable Other: Wild Office Licenser Soliton Plat on reverse side) Other: Woll Holes Other Other: Well Information as follows: County: Graham County: Well Chass: Well Class: Type Equipment: Water well within one-quarter mile: Yes No Disposal Wildcat Cable Other: Depth to bottom of tresh water: 150 Depth to bottom of tresh water: 150 Depth to bottom of usable water: 150 Operator: Well Name: Original Total Depth: Formation at Total Depth: Arbuckle Water well within Operations Directional, Deviated or Horizontal wellbore? Yes No Directional, Deviated or Horizontal wellbore?  Directional, Deviated or Horizontal wellbore?  Directional Deviated or Horizontal wellbore?  Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT				120 feet from X	N / S Line of Section
Field Name: wildcat  CONTRACTOR: License# 33575  Name: WWD frilling, LLC  Well Drilled For: Well Class: Type Equipment:  Well Drilled For: Well Class: Type Equipment:  Ground Surface Elevation: 2363  feet MSL  Water well within one-quarter mile:  Disposal Wildcat Cable  Seismic: # of Holes Other  Other:  Dithor:  Dithor:  Dithor:  Well Name:  Original Completion Date: Original Total Depth:  Directional, Deviated or Horizontal wellbore?  Bit Yes No  DECLARATION OF UNITIZATION ATTACHED  Field Name: wildcat  Is this a Prorated / Spaced Field?  Is this a Profession.  Each of Lace, Arborder  Depth to bottom of tresh water: 150  Depth	Address 1: 370 W WICHIT Address 2: PO BOX 352 City: RUSSELL Contact Person: John Farr	A AVE State: KS	Zip: 67665 + 2635	Is SECTION: Regular Irregular?  (Note: Locate well on the Section Plat on County: Graham	reverse side)
Well Drilled For:   Well Class:   Type Equipment:   Nearest Lease or unit boundary line (in footage): 660	CONTRACTOR: License#	33575		Field Name: wildcat Is this a Prorated / Spaced Field?	Yes No
Original Completion Date: Original Total Depth: Formation at Total Depth: Arbuckle Water Source for Drilling Operations: Well Farm Pond Other:  DWR Permit #:  Will Cores be taken?  DECLARATION OF UNITIZATION ATTACHED  Formation at Total Depth: Arbuckle  Water Source for Drilling Operations:  Will Cores be taken?  Will Cores be taken?  AFFIDAVIT	Gas Stora Dispo Seismic: # c Other: If OWWO: old well	Rec Infield ge Pool Ext. sal Wildcat of Holes Other Information as follows:	Mud Rotary Air Rotary Cable	Nearest Lease or unit boundary line (in footage): 660 Ground Surface Elevation: 2363 Water well within one-quarter mile: Public water supply well within one mile: Depth to bottom of fresh water: 150 Depth to bottom of usable water: 1050 Surface Pipe by Alternate: I X II Length of Surface Pipe Planned to be set: 200 Length of Conductor Pipe (if any):	feet MSL Yes No
Will Cores be taken?  DECLARATION OF UNITIZATION ATTACHED  AFFIDAVIT	Original Completion Da Directional, Deviated or Ho If Yes, true vertical depth:	rizontal wellbore?	nal Total Depth:Yes No	Formation at Total Depth: Arbuckle  Water Source for Drilling Operations:  Well Farm Pond Other:	
*****	KCC DKT #:			Will Cores be taken?	<u> </u>
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.	The undersigned hereby	affirms that the drilling			

It is agreed that the following minimum requirements will be met:

- 1. Notify the appropriate district office prior to spudding of well;
- 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;
- 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.
- 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;
- 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;
- 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.

## Submitted Electronically

	Remember to:	ΙŃ
For KCC Use ONLY 15-065-23391-00-00	<ul> <li>File Drill Pit Application (form CDP-1) with Intent to Drill:</li> <li>File Completion Form ACO-1 within 120 days of spud date;</li> </ul>	-
Conductor pipe required 0 feet  Minimum surface pipe required 200 feet per ALT. I I II  Approved by: Rick Hestermann 12/14/2007	<ul> <li>File acreage attribution plat according to field proration orders:</li> <li>Notify appropriate district office 48 hours prior to workover or re-entry;</li> <li>Submit plugging report (CP-4) after plugging is completed (within 60 days)</li> <li>Obtain written approval before disposing or injecting salt water.</li> </ul>	9 22
This authorization expires: 12/14/2008 (This authorization void if drilling not started within 12 months of approval date.)	If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  Well Not Drilled - Permit Expired Date:  Signature of Operator or Agent:	
Spud date: Agent:		· E



# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1014902

Form CDP-1 April 2004 Form must be Typed

# APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Farmer, John O., Inc.		License Number: 5135									
Operator Address: 370 W WICHITA	BOX 352	RUSSELL	KS	67665							
Contact Person: John Farmer IV		Phone Number: 785-483-3144									
Lease Name & Well No.: Brassfield U	nit 1		Pit Location (QQQQ):								
Type of Pit:	Pit is:		NW - NW - NW								
Emergency Pit Burn Pit	Proposed	Existing	East 🔀	West							
Settling Pit	If Existing, date c	onstructed:	120 Feet from North / South Line of Section								
Workover Pit Haul-Off Pit	Pit capacity:		240 Feet from East / X West Line of Section								
(If WP Supply API No. or Year Drilled)	3,000	(bbls)	Graham			County					
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentra	ation:		mg/l					
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only)								
Is the bottom below ground level?  Yes No	Yes X	No	How is the pit lined if a plastic liner is not used? native clay & drilling mud								
Pit dimensions (all but working pits):	5 Length (fe	eet)65	Width (feet)		N/A: Steel	Pits					
Depth fro	om ground level to de	eepest point:	(feet)		No Pit						
If the pit is lined give a brief description of the material, thickness and installation procedure		edures for periodic n	naintenance and determ	nining							
material, trickness and installation procedure	•	inter onegnity, i	nelduring arry special	monitoring.							
Distance to nearest water well within one-mile	of pit		Depth to shallowest fresh waterfeet.								
1062 feet Depth of water well	75 feet	Source of information:    Market									
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	orkover and Haul-Off Pits ONLY:								
Producing Formation:	Type of materia	erial utilized in drilling/workover: drilling mud									
Number of producing wells on lease:	<del></del>	Number of working pits to be utilized:3									
Barrels of fluid produced daily:	COMMERCIAL BATTLE OF THE STREET, LT THE C. T. P. P.	Abandonment procedure: allow to dry by evaporation & backfill when dry									
Does the slope from the tank battery allow all flow into the pit? Yes No	Drill pits must be closed within 365 days of spud date.										
Submitted Electronically											
	KCC	OFFICE USE OI	NLY Stee	el Pit RFAC	RFAS						
Date Received: 12/13/2007   Permit Number: 15-065-23391-00-00   Permit Date: 12/13/2007   Lease Inspection: Yes   No											





### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

proposed a	_			CHO.												
API No. 15	15-065	-23391-00	-00													
Operator: Farmer, John O., Inc.					` Lo	Location of Well: County: Graham										
Lease: Br	assfield Uni	t 						120		fe	et from	X	N / [	s	Line of S	ection
Well Numb								240		f∈	et from		E / 🔽	√ √ √ √ √ √ √ √ √ √ √ √ √ √ √ √ √ √ √	Line of S	ection
Field: wild	lcat						Se	<sub>0.</sub> 21 <sub></sub>	Twp. 9		S. R. 3	2	[	] ∈	X w	
Number of	Acres attr	ibutable to	well:				:: lo 6	Section:	Regular	a. [	الحدمة	dar				
QTR/QTR/	/QTR/QTR	of acreag	e: NW	- NW	- 'NM' -	. NW		зесноп. [	Hegular	or _	ırregi	ııar				
								ection is l	rr <b>egular, lo</b> e r used:	cate w	ell from	neard SE		rner k SW	oundary	·.
	120	ff	(Show lo			d shade at			prorated or ndary line.)		l wells.)					
0.40.5	, IZO				· · · · · · · · · · · · · · · · · · ·											
240 ft	<del>_</del> 0	:	:	:		:	;									
	İ			:	i	<u>:</u>										
			******		:											
			:	:		:	:									
		:	:	:		:	;									
		:	:	:		:										
		:	:	:	1	;										





NOTE: In all cases locate the spot of the proposed drilling locaton.

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).