

Form C-1 October 2007 Form must be Typed Form must be Signed

SGA? Yes No NOTICE OF IN Must be approved by KCC five	I EN I 10 DRILL All blanks must be Filled (5) days prior to commencing well
index be approved by NOO me	(a) stays prior to commone ing man
Expected Spud Date: December 21, 2007	Spot Description:
month day year	_ C _ SE _ SE _ Sec. 26 _ Twp. 29 _ S. R. 15 _ X E _ W
OPERATOR: License# 33074	feet from [N/ X] S Line of Section
Name: Dart Cherokee Basin Operating Co LLC	leet from \(\text{L} \) \(\text{V} \) W this of Section
Address 1: 211 W Myrtle	Is SECTION: Regular Imegular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: Independence State: KS Zip: 67301 + Contact Person: Tony Williams	County: Wilson
Phone: 620-331-7870	Lease Name: Ramey Well #: D4-26 Field Name: Cherokee Basin Coal Gas Area
	Field Name: Criterones Basin Goal Cas Alea
CONTRACTOR: License# 5675 Name: McPherson Drilling	Is this a Prorated / Spaced Field? Target Formation(s): Mississippian
	Nearest Lease or unit boundary line (in footage): 660 Feet
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 997 feet MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water: 175-7-100
Other:	Depth to bottom of usable water: 2001 /50
	Surface Pipe by Alternate:
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 40'
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth: 1566 Feet Mississippian
Original Completion Date: Original Total Depth:	Formation at Total Depth: Mississippian Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well X Farm Pond Other:
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:RECEIVED
	KANSAS CORPORATION COMMISSION
	DAVIT
The undersigned hereby affirms that the drilling, completion and eventual plug	iging of this well will comply with K.S.A. 55 et. seq. DEC 1 4 2007
It is agreed that the following minimum requirements will be met:	6/
Notify the appropriate district office <i>prior</i> to spudding of well;	CONSERVATION DIVISION drilling rig: WICHITA, KS
 A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set b 	
through all unconsolidated materials plus a minimum of 20 feet into the	
and deliver an endorroom action and the place a transfer to the trace and	underlying formation.
4. If the well is dry hole, an agreement between the operator and the distri	ct office on plug length and placement is necessary prior to plugging;
 If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 	ct office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in;
 If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 	ct office on plug length and placement is necessary <i>prior to plugging;</i> and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. IS,891-C, which applies to the KCC District 3 area, alternate II cementing
 If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be. 	ct office on plug length and placement is necessary <i>prior to plugging</i> ; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
 If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 	ct office on plug length and placement is necessary <i>prior to plugging</i> ; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the beautiful to the statements made herein are true and correct to the beautiful to the statements.	ct office on plug length and placement is necessary <i>prior to plugging</i> ; and or production casing is cemented in; from below any usable water to surface within <i>120 DAYS</i> of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing. 1st of my knowledge and belief. Safety & Environmental Manager
 If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be. 	ct office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 15 st of my knowledge and belief. Safety & Environmental Manager Title:
4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the bed Date: December 13, 2007 Signature of Operator or Agent:	ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 15 st of my knowledge and belief. Safety & Environmental Manager Title:
4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the bed Date: December 13, 2007 Signature of Operator or Agent: For KCC Use ONLY	ct office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Safety & Environmental Manager Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the bed Date: December 13, 2007 Signature of Operator or Agent: For KCC Use ONLY API #15 - 205 - 273 78 - 2000	ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 15 as safety & Environmental Manager 16 Title: 17 File Drill Pit Application (form CDP-1) with Intent to Drill; 18 as a surface of spud date: 18 as a surface of spud date: 19 as a surface of spud date:
4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the because December 13, 2007. Signature of Operator or Agent: For KCC Use ONLY API #15 - 205 - 273 78 - ODO Conductor pipe required feet	ct office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Safety & Environmental Manager Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be. I hereby certify that the statements made herein are true and correct to the become because the complete of the production	ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 15 as fety & Environmental Manager Title: Safety & Environmental Manager File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be. I hereby certify that the statements made herein are true and correct to the because of the complete of the position of the production of th	ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 15 st of my knowledge and belief. Safety & Environmental Manager Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the bed Date: December 13, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205 - 273 78 - OOO Conductor pipe required Minimum surface pipe required Approved by: Minimum surface pipe required Approved by: Minimum surface pipe requires: Approved by: Minimum surface pipe requires:	ct office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 15 st of my knowledge and belief. Safety & Environmental Manager Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be. I hereby certify that the statements made herein are true and correct to the become because the complete of the production of the spud date or the well shall be statements. Signature of Operator or Agent: For KCC Use ONLY API #15 - 205 - 273 78 - OOO Conductor pipe required feet Minimum surface pipe required feet per ALT. I VIII	ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 15 as fety & Environmental Manager 15 Title: Safety & Environmental Manager Safety & Environmental Manager Title: Safety & Environmental Manager File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the because the product of the product	ct office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 15 st of my knowledge and belief. Safety & Environmental Manager Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the best December 13, 2007. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205 - 273 78 - OOO Conductor pipe required	ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 15 after a Environmental Manager 16 Entermember to: 17 File Drill Pit Application (form CDP-1) with Intent to Drill; 18 File Completion Form ACO-1 within 120 days of spud date; 19 File acreage attribution plat according to field proration orders; 19 Notify appropriate district office 48 hours prior to workover or re-entry; 20 Submit plugging report (CP-4) after plugging is completed (within 60 days); 21 Obtain written approval before disposing or injecting salt water. 22 If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 205-27378-0000	
Operator: Dart Cherokee Basin Operating Co LLC	Location of Well: County: Wilson
Lease: Ramey	660 feet from N / X S Line of Section
Well Number: D4-26	660 feet from E / W Line of Section
Field: Cherokee Basin Coal Gas Area	Sec. 26 Twp. 29 S. R. 15 🔀 E 🗌 W
Number of Acres attributable to well: 40 QTR/QTR/QTR/QTR of acreage:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

 							RECEIVED KANSAS CORPORATION COMMISS
 : :	: :						DEC 1 4 2007
 			*******				CONSERVATION DIVISION R15E WICHITA, KS
 		2	 				EXAMPLE
 							1980
 ;		••••••••••••••••••••••••••••••••••••••		*******		144444444	3390′
						660 FEL	
 				66	/ 50 FSL	i C	SEWARD CO.

Wilson County

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Dart Cherokee Basin	Operating Co LL	License Number: 33074	
Operator Address: 211 W Myrtle		Independence KS 67301	
Contact Person: Tony Williams		Phone Number: 620-331-7870	
Lease Name & Well No.: Ramey	D4	Pit Location (QQQQ):	
Type of Pit:	Pit is:		<u>C SE SE</u>
Emergency Pit Burn Pit	Proposed	Existing	Sec. 26 Twp. 29 R. 15 East West
Settling Pit Drilling Pit	If Existing, date c	onstructed:	Feet from North / South Line of Section
Workover Pit Haul-Off Pit	Pit capacity:		660 Feet from East / West Line of Section
(If WP Supply API No. or Year Drilled)	926	(bbls)	Wilson
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration: mg/l
		••••	(For Emergency Pits and Settling Pits only)
Is the bottom below ground level? Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?
	نستا کا	30	Natural Clays
Pit difficults (all but working pits).	55 Length (fe	se t)	Width (feet) N/A: Steel Pits
Depth fr	om ground level to de	eepest point:	5 (feet) No Pit
If the pit is lined give a brief description of the material, thickness and installation procedure			edures for periodic maintenance and determining ncluding any special monitoring.
•			
Distance to nearest water well within one-mile of pit Depth to sh			owest fresh waterfeet.
			rmation: ured well owner electric log KDWR
, , , , , , , , , , , , , , , , , , ,			over and Haul-Off Pits ONLY: al utilized in drilling/workover: None Air Rig
			rking pits to be utilized:
			procedure: Air Dry & Backfill
Does the slope from the tank battery allow all	spilled fluids to		
flow into the pit? Yes No Drill pits must			RECEIVED be closed within 365 days of spud KANSAS CORPORATION COMMIS
I hereby certify that the above state	ements are true and		<u> </u>
		// _	
December 13, 2007		JONY (CONSERVATION DIVISION WICHTA, KS
Date		/ s	Signature of Applicant or Agent
	ксс	OFFICE USE O	NLY Steel Pit RFAC RFAS
Date Received: 12/14/67 Permit Num	ber:	Perm	it Date: 12/14/07 Lease Inspection: Yes 1No