For KCC Use: Effective Date: District # SGA? Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

0.4.4.5.10.0	
Expected Spud Date: 01/15/08	Spot Description:
month day year	SE _ NW _ SE Sec. 20 Twp. 16 S. R. 27 FE W
33069	(0/0/0/0) 1,720 feet from N / X S Line of Section
OPERATOR: License#	1,335 feet from E / W Line of Section
Address 1: P. O. Box 27710	ls SECTION: Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: Denver State: CO Zip: 80227 +	County: Lane
Contact Person: Jay Johnson	Lease Name: WR Albin Well #: 10-20
Phone: 303-595-9251	Field Name: Wildcat
CONTRACTOR: License# Must be licensed by KCC	Is this a Prorated / Spaced Field?
Name: TBD Advise on ACD-1 -	Target Formation(s): Lansing - Kansas City
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 920'
	Ground Surface Elevation: 2,722 feet MSI.
XOil	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary Disposal Wildcat Cable	Public water supply well within one mile:
Disposal Wildcat Cable Seismic : # of Holes Other	Depth to bottom of fresh water: 180'
Other:	Depth to bottom of usable water: 1,350'
	Surface Pipe by Alternate: I I III
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 250'
Operator:	Length of Conductor Pipe (if any): N/A
Well Name:	Projected Total Depth: 4,650'
Original Completion Date: Original Total Depth:	Formation at Total Depth: Mississippi
/	Water Source for Drilling Operations
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other: Hauled
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
	RECEIVED
AFF	IDAVIT KANSAS CORPORATION COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plug	ging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the following minimum requirements will be met:	DEC 14 2007
 Notify the appropriate district office prior to spudding of well; 	CONSEQUATION DIVISION
2. A copy of the approved notice of intent to drill shall be posted on each	drilling rig: CONSERVATION DIVISION
 A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set to 	y circulating cement to the top; in all cases surface pipe shall be set
 A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 	briting rig. by circulating cement to the top; in all cases surface pipe shall be set underlying formation.
 A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set to 	briting rig. by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging;
 A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be cemented. 	y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is comented in; from below any usable water to surface within 120 DAYS of spud date.
 A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 	underlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is comented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
 A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 	by circulating teg. by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is comented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
 A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the be 	underlying formation. underlying formation. ict office on plug length and placement is necessary <i>prior to plugging</i> ; ad or production casing is comented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
 A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the be 	y circulating rement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is comented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. President
 A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 	underlying formation. underlying formation. ict office on plug length and placement is necessary prior to plugging; id or production casing is comented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate It cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. President
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the between the complete of the statements of the spud date or the well shall be Date: Date: 12/12/07 Signature of Operator or Agent: Date: Date:	by circulating terment to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is comented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of any knowledge and belief. President Title:
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the between the complete of the complete of the correct of the policy. Signature of Operator or Agent: For KCC Use ONLY	by circulating tog. by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is comented in; from below any usable water to surface within 120 DAYS of spud date. 83,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. President Title: Remember to: President
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the between the complete of the complete of Operator or Agent: Total Complete Operator or Agent:	underlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is comented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate It cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. President Title: President File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the best of the set of the statements. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 101 - 22065-0000 Conductor pipe required feet	y circulating tog. y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is comented in; from below any usable water to surface within 120 DAYS of spud date. 83,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of any knowledge and belief. President Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the best plugger. Date: 12/12/07 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 101 - 22065 - 0000 Conductor pipe required feet Minimum surface pipe required feet per ALT.	underlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is comented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. President Title: President File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CPA) after plugging is completed (within 60 days).
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the best plugger. Date: 12/12/07 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 101 - 22065 - 0000 Conductor pipe required feet Minimum surface pipe required feet per ALT.	underlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is comented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. President Title: President File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the appropriate distriction of the rotified before well is either plugger 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the best between the conductor pipe required Signature of Operator or Agent: For KCC Use ONLY API # 15 - 101 - 22065 - 0000 Conductor pipe required feet per ALT. I VII Approved by: Lut 12-17-07	underlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is comented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. President Title: President Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the best plugger. Date: 12/12/07 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 101 - 22065 - 0000 Conductor pipe required feet Minimum surface pipe required feet per ALT.	y circulating termation. y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is comented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of pry knowledge and belief. President Title: Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); - Obtain written approval before disposing or injecting salt water.
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the best of the set of the statements of the set of t	with this ingression in the second content of the top; in all cases surface pipe shall be set underlying formation. In the second content of the top; in all cases surface pipe shall be set underlying formation. In the second content of the
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the best of the set of the statements of the set of t	underlying formation. ict office on plug length and placement is necessary prior to plugging; ied or production casing is comented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. President Title: President Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 101-22065-0000			
Operator: Encore Operating Company	Location of Well: County: Lane		
Lease: WR Albin	<u> </u>		
Well Number: 10-20	1,720 feet from N / X S Line of Section 1,335 feet from X E / W Line of Section		
Field: Wildcat	Sec. 20 Twp. 16 S. R. 27 E X W		
Number of Acres attributable to well:	Is Section: Regular or Irregular		
QTR/QTR/QTR of acreage: SE _ NW SE	15 Geolioti. Milegular of Milegular		
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW		

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)




In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

shown on this to be lagally ndowner. for occess.

MAK-J ENERGY KANSAS, LLC W.R. ALBIN LEASE SE. 1/4, SECTION 20, T165, R27W LANE COUNTY, KANSAS

15-101-22065-000



⁹ Controlling data is assess upon the bast maps and photogra-section of land containing 640 dates.

November 30, 2007

CENTRAL KANSAS OILFIELD SERVICES, INC. (620)792-1977

Approximate section firms were determined using the normal proximate of care of allfield surviyons profiling in the droise if donded the section correct entering the profile section firms are section of the profile section in the profile section firms are section of the profile section firms are sections. The operator section is active on comparing the plot and gift order over the relying thereon agree to hold Central Konsos Gifters Services, Inc., its afficers and absolute April and April a

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Encore Operating Company		License Number: 33069	
Operator Address: P. O. box 27710, Denver, CO 80227			
Contact Person: Jay Johnson		Phone Number: 303-595-9251	
Lease Name & Well No.: WR Albin #10-20		Pit Location (QQQQ):	
Type of Pit: Pit is:		<u>SE_NWSE_</u>	
Emergency Pit Burn Pit	roposed Existing	Sec. 20 Twp. 16 R. 27 East West	
Settling Pit Drilling Pit If Existin	ng, date constructed:	1,720 Feet from North / South Line of Section	
Workover Pit Haul-Off Pit Pit capa		1,335 Feet from East / West Line of Section	
(If WP Supply API No. or Year Drilled)	(bbis)	Lane	
Is the pit located in a Sensitive Ground Water Area?	Yes No	Chloride concentration: mg/l	
Is the bottom below ground level? Artificial	Liner?	(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?	
	res No	Native mud & bentonite	
Pit dimensions (all but working pits): 80	Length (feet) 80	Width (feet) N/A: Steel Pits	
Depth from ground level to deepest point:4 (feet) No Pit			
If the pit is lined give a brief description of the liner Describe procedures for periodic maintenance and determining			
material, thickness and installation procedure.	inter integrity, i	ncluding any special monitoring.	
	į		
		571	
Distance to nearest water well within one-mile of pit Depth to shallo		owest fresh water 30 feet.	
Source of infor 3,200 feet Depth of water well 58 feet measu		rmation: ured well owner electric log KDWR	
Distance to nearest water well within one-mile of pit Depth to shallowest fresh water 30 feet			
]		al utilized in drilling/workover: Fresh water mud	
		rking pits to be utilized: 3	
Barrels of fluid produced daily: Abandonment		procedure: Dry & backfill	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must be		be closed within 365 days of spud date. KANSAS CORPORATION COMMISSION	
I hereby certify that the above statements are true and correct to the best of my knowledge and ballef. DEC 1 4 2007			
CONSERVATION DIVISION			
12/12/07 Date Signature of Applicant or Agent			
KCC OFFICE USE ONLY Steel Pit RFAC RFAS			
Date Received: 12/14/07 Permit Number:	Perm	it Date: 12/14/07 Lease Inspection: Yes No	