# Für KCC Use: Effective Date:

#### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

### Form must be Typed Form must be Signed

## NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1 December 2002 All blanks must be Filled

Expected Spud Date December 21, 2007	Spot 5 22 14	
month day year	SE SW Sec. 5 Twp. 32 S. R. 14 We	st
OPERATOR: License# 33365	457feet fromN / ✓ S Line of Section	
Name: Layne Energy Operating, LLC	1717feet fromE / V W Line of Section	
1900 Shawnee Mission Parkway	Is SECTION _✓ _RegularIrregular?	
Address: Wission Woods, KS 66205  City/State/Zip: Wission Woods, KS 66205	(Note: Locate well on the Section Plat on reverse side)	
City/State/Zip: Contact Person: Timothy H. Wright	County: Montgomery	_
Phone: 913-748-3960	Losse Name. OsburnWell #: 14-5	
	Field Name: Cherokee Basin Coal	<del>_</del>
CONTRACTOR: License# 33606	Is this a Prorated / Spaced Field? Yes ✓	No
Name: Thornton Air	Target Formation(s): Cherokee Coals	
	Nearest Lease or unit boundary: 397'	
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 834' feet M	SL
Oil ☐ Enh Rec ✓ Infield ☐ Mud Rotary	Water well within one-quarter mile:	No
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:	No
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 150'	
Seismic;# of Holes Other	Depth to bottom of usable water: 175'	_
Other	Ourface Disa by Alternate: 1 2	
	Length of Surface Pipe Planned to be set: 20'	
If OWWO: old well information as follows:	Length of Conductor Pipe required: None	
Operator:	Projected Total Deoth: 1500'	
Well Name:	Formation at Total Depth: Mississipplan	
Original Completion Date:Original Total Depth:	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other X	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR ]	
KCC DKT #:	Will Cores be taken? Yes ✓	No
KCC DK1 #	If Yes, proposed zone:	
	11 163, proposed 20110.	
	IDAVIT RECEIVE	<b>D</b>
AFF The undersigned hereby affirms that the drilling, completion and eventual p	IDAVIT RECEIVE	D COMMISS
The undersigned hereby affirms that the drilling, completion and eventual p	FIDAVIT  RECEIVED  Proposition of this well will comply with K.S.A. 55 et. sequences corporation of the complex corporation of th	COMMISS
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:	FIDAVIT  RECEIVED  Proposition of this well will comply with K.S.A. 55 et. sequences corporation of the complex corporation of th	COMMISS
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <b>prior</b> to spudding of well; 2. A copy of the approved notice of intent to drill <b>shall be</b> posted on ea	FIDAVIT  RECEIVED  Solugging of this well will comply with K.S.A. 55 et. sequences corporation of the complex sequences o	07
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be so</i>	RECEIVES  Solution of this well will comply with K.S.A. 55 et. sequences corporation of the sequences of the	07
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified by shall be so	PIDAVIT  RECEIVED  Solution of this well will comply with K.S.A. 55 et. sequences corporation of the complete sequences of the complete sequences of the condensation	<b>:007</b> VISION
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <b>prior</b> to spudding of well; 2. A copy of the approved notice of intent to drill <b>shall be</b> posted on ea 3. The minimum amount of surface pipe as specified below <b>shall be so</b> through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the	PIDAVIT  RECEIVED  Solution of this well will comply with K.S.A. 55 et. sequences as a component of the top; in all cases surface pipe shall be set the underlying formation.  The district office on plug length and placement is necessary prior to plugging the surface pipe of the plugging to plugging the processory prior to plugging the pluggi	<b>:007</b> VISION
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be si</i> through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the of 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE IL COMPLETION, production pipe shall be certent	RECEIVED Structure of this well will comply with K.S.A. 55 et. sequences and the sequence of the well will comply with K.S.A. 55 et. sequences and the sequence of the willing rig; and the sequence of the underlying formation. The sequence of the underlying formation. The sequence of the underlying formation of the underlying formation. The sequence of the underlying formation of the underlying formation of the underlying formation. The sequence of the underlying formation of the underlying formation of the underlying formation of the underlying formation of the underlying formation. The underlying formation of the underlying formation.	COMMISS HO7 VISION 1;
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into t  4. If the well is dry hole, an agreement between the operator and the c  5. The appropriate district office will be notified before well is either plus  6. If an ALTERNATE II COMPLETION, production pipe shall be cement	PIDAVIT  RECEIVED  Solugging of this well will comply with K.S.A. 55 et. sequences and the sequence of the seq	COMMISS HO7 VISION 1;
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into t  4. If the well is dry hole, an agreement between the operator and the c  5. The appropriate district office will be notified before well is either plus  6. If an ALTERNATE II COMPLETION, production pipe shall be cement	RECEIVED Structure of this well will comply with K.S.A. 55 et. sequences of this well will comply with K.S.A. 55 et. sequences of the complex will comply with K.S.A. 55 et. sequences of the complex of	COMMISS HO7 VISION 1;
<ol> <li>The undersigned hereby affirms that the drilling, completion and eventual p         It is agreed that the following minimum requirements will be met:         <ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on ea</li> <li>The minimum amount of surface pipe as specified below <i>shall be se</i>                through all unconsolidated materials plus a minimum of 20 feet into t</li> <li>If the well is dry hole, an agreement between the operator and the c</li> <li>The appropriate district office will be notified before well is either plug</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall</li> </ol> </li> </ol>	PIDAVIT  Plugging of this well will comply with K.S.A. 55 et. sequences corporation of the drilling rig;  Pet by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Conservation of the underlying formation.  Signification of the district office on plug length and placement is necessary prior to plugging gged or production casing is cemented in;  Intel from below any usable water to surface within 120 days of spud date.  The state of the surface within 120 days of spud date.	COMMISS HO7 VISION 1;
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into t  4. If the well is dry hole, an agreement between the operator and the c  5. The appropriate district office will be notified before well is either plus  6. If an ALTERNATE II COMPLETION, production pipe shall be cement	PIDAVIT  Plugging of this well will comply with K.S.A. 55 et. sequences of the well will comply with K.S.A. 55 et. sequences of the well will comply with K.S.A. 55 et. sequences of the well will comply with K.S.A. 55 et. sequences of the well will comply with K.S.A. 55 et. sequences of the well will comply with K.S.A. 55 et. sequences of the well sequences of the key of the well will comply the well will be a sequence of the well will be a sequenc	COMMISS HO7 VISION 1;
<ol> <li>The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:         <ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on ea</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into tet.</li> <li>If the well is dry hole, an agreement between the operator and the center of the surface district office will be notified before well is either pluge.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall</li> </ol> </li> </ol>	PIDAVIT  Plugging of this well will comply with K.S.A. 55 et. sequences corporation of the drilling rig;  Pet by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Conservation of the underlying formation.  Signification of the district office on plug length and placement is necessary prior to plugging gged or production casing is cemented in;  Intel from below any usable water to surface within 120 days of spud date.  The state of the surface within 120 days of spud date.	COMMISS HO7 VISION 1;
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be so</i> through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of	PIDAVIT  Plugging of this well will comply with K.S.A. 55 et. sequences corporation of the drilling rig;  Per by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Conservation of the underlying formation.  District office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; attended from below any usable water to surface within 120 days of spud date. The surface within 120 days of spud date. The plugged. In all cases, NOTIFY district office prior to any cementing. Of my knowledge and belief.  Title: Agent	COMMISS HO7 VISION 1;
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: December 14, 2007 Signature of Operator or Agent:	PIDAVIT  Plugging of this well will comply with K.S.A. 55 et. sequences corporation of the drilling rig;  Per by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Conservation of this well will comply with K.S.A. 55 et. sequences corporation of the underlying formation.  Conservation of plugging grade or production casing is cemented in;  attended from below any usable water to surface within 120 days of spud date.  The plugged. In all cases, NOTIFY district office prior to any cementing. Of my knowledge and belief.  Title: Agent	COMMISS HO7 VISION 1;
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the of 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: December 14, 2007 Signature of Operator or Agent:  For KCC Use ONLY	PIDAVIT  Plugging of this well will comply with K.S.A. 55 et. seq KANSAS CORPORATION Content of the complex will be set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  In the underlying formation of the underlying formation of the underlying formation. It is necessary prior to plugging ged or production casing is cemented in; itself from below any usable water to surface within 120 days of spud date. If #133,891-C, which applies to the KCC District 3 area, alternate II cement be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;	COMMISS HO7 VISION 1;
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ea  3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into t  4. If the well is dry hole, an agreement between the operator and the c  5. The appropriate district office will be notified before well is either plug  6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of  Date: December 14, 2007 Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 315-04-0000	PIDAVIT  Plugging of this well will comply with K.S.A. 55 et. sequences corporation of the drilling rig;  Pet by circulating cement to the top; in all cases surface pine shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging gged or production casing is cemented in; the from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.  Pitle: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;	COMMISS HO7 VISION 1;
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ea  3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the surface and the construction of the second shall be comented to the surface district office will be notified before well is either plus for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the construction of the spud shall be cemented because the statements of the spud date or the well shall be cemented because the statements of the spud date or the spud shall be cemented because the statements of the spud date or the well shall be cemented because the statements of the spud date or the spud shall be cemented because the statements of the spud date or the spud shall be completed within 30 days of the spud date or the well shall be cemented because the statements of the spud date or the spud shall be cemented because the statements of the spud shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the shall be completed within 3	PIDAVIT  Plugging of this well will comply with K.S.A. 55 et. sequences corporation of the drilling rig;  Pet by circulating cement to the top; in all cases surface pine shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging gged or production casing is cemented in; the from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.  Pitle: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;	COMMISS HO7 VISION 1;
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ea  3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into t  4. If the well is dry hole, an agreement between the operator and the c  5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: December 14, 2007 Signature of Operator or Agent:  For KCC Use ONLY API # 15 - 315 D4-0000 Conductor pipe required feet	PIDAVIT  Plugging of this well will comply with K.S.A. 55 et. sequences corporation of the drilling rig;  Pet by circulating cement to the top; in all cases surface pine shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging gged or production casing is cemented in; the drom below any usable water to surface within 120 days of spud date.  # #133,891-C, which applies to the KCC District 3 area, alternate II cement be plugged. In all cases, NOTIFY district office prior to any cementing. If may knowledge and belief.    Title: Agent	COMMISS HO7 VISION 1;
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ea  3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into t  4. If the well is dry hole, an agreement between the operator and the c  5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall  I hereby certify that the statements made herein are true and to the best of Date: December 14, 2007 Signature of Operator or Agent:  For KCC Use ONLY API # 15 - 31504-0000  Conductor pipe required feet Minimum surface pipe required feet per Alt.	PIDAVIT  Plugging of this well will comply with K.S.A. 55 et. sequences corporation of the drilling rig;  Pet by circulating cement to the top; in all cases surface pine shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging gged or production casing is cemented in; the from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.  Pitle: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;	COMMISS HO7 VISION 1;
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ea  3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into t  4. If the well is dry hole, an agreement between the operator and the c  5. The appropriate district office will be notified before well is either plus  6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall  I hereby certify that the statements made herein are true and to the best of  Date: December 14, 2007 Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - /35 - 315 04-0000  Conductor pipe required feet Minimum surface pipe required feet per Alt. (2)  Approved by: **Late 12-18-07**	PIDAVIT  Diugging of this well will comply with K.S.A. 55 et. sequences corporation of the drilling rig;  et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging gged or production casing is cemented in;  the drom below any usable water to surface within 120 days of spud date.  # #133,891-C, which applies to the KCC District 3 area, alternate II cement be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title: Agent  Remarker to:  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please	COMMISS HO7 VISION 1;
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ea  3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into t  4. If the well is dry hole, an agreement between the operator and the c  5. The appropriate district office will be notified before well is either plus  6. If an ALTERNATE II COMPLETION, production pipe shall be cerren  Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall  I hereby certify that the statements made herein are true and to the best of  Date: December 14, 2007 Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 135 - 315 D4-0000  Conductor pipe required	PIDAVIT  Plugging of this well will comply with K.S.A. 55 et. sequences corporation of the drilling rig;  Let by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Conservation of the underlying formation.  District office on plug length and placement is necessary prior to plugging gged or production casing is cemented in;  Let deform below any usable water to surface within 120 days of spud date.  Let #133,891-C, which applies to the KCC District 3 area, alternate II cement be plugged. In all cases, NOTIFY district office prior to any cementing.  Title: Agent  Remarker to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.	COMMISS HO7 VISION 1;
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ea  3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into t  4. If the well is dry hole, an agreement between the operator and the c  5. The appropriate district office will be notified before well is either plus  6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall  I hereby certify that the statements made herein are true and to the best of  Date: December 14, 2007 Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 31504-0000  Conductor pipe required feet  Minimum surface pipe required feet  Minimum surface pipe required feet per Alt.  2 Approved by: Lut 12-18-07  This authorization void if drilling not started withing months of approval date.)	PIDAVIT  Diugging of this well will comply with K.S.A. 55 et. sequences corporation of the drilling rig;  et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging gged or production casing is cemented in;  the drom below any usable water to surface within 120 days of spud date.  # #133,891-C, which applies to the KCC District 3 area, alternate II cement be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title: Agent  Remarker to:  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please	COMMISS HO7 VISION 1;
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ea  3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into t  4. If the well is dry hole, an agreement between the operator and the c  5. The appropriate district office will be notified before well is either plus  6. If an ALTERNATE II COMPLETION, production pipe shall be cerren  Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall  I hereby certify that the statements made herein are true and to the best of  Date: December 14, 2007 Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - /3/5 - 3/5 D4-0000  Conductor pipe required feet  Minimum surface pipe required feet per Alt. (2)  Approved by: Lut 12-18-07  This authorization expires: \(\begin{align*} \text{A-18-07} \\ \text{This authorization expires:} \(\text{A2-18-07} \)	PIDAVIT  Diugging of this well will comply with K.S.A. 55 et. sequences corporation of the drilling rig;  et by circulating cement to the top; in all cases surface pine shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging gged or production casing is cemented in;  ted from below any usable water to surface within 120 days of spud date.  # #133,891-C, which applies to the KCC District 3 area, alternate II cement be plugged. In all cases, NOTIFY district office prior to any cementing.  of my knowledge and belief.    File Drill Pit Application (form CDP-1) with Intent to Drill;   File completion Form ACO-1 within 120 days of spud date;   Notify appropriate district office 48 hours prior to workover or re-entry;   Submit plugging report (CP-4) after plugging is completed;   Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	COMMISS HO7 VISION 1;

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 105-31504-0000  Operator: Layne Energy Operating, LLC  Lease: Osburn  Well Number: 14-5  Field: Cherokee Basin Coal			Location of Well: County: Montgomery			
			457	feet from N / S Line of Section		
			1717	feet from E / V W Line of Section		
			Sec. 5 Twp. 3	o. 32 S. R. 14 ✓ East W		
Normhau of Aaraa attributs	ble to well		Is Section: ✓ Regul	lar or 🔲 Irregular		
Number of Acres attributable to well:		SW				
QTR / QTR 01 acreage.			If Section is Irregular, locate well from nearest corner boundary.			
			Section corner used:	NE NW SE SW		
	(Show location of the well (Show foote					
			:			
		· · · · · · · · · · · · · · · · · · ·		RECEIVED KANSAS CORPORATION COMMISSION		
				DEC 18 2007		
				CONSERVATION DIVISION WICHITA, KS		
•		•				
				EXAMPLE		
				• • •		
				1980		
		· · · · · · · · · · · · · · · · · · ·		3300'		

NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

SEWARD CO.

### Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

#### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

			<u> </u>	<u></u>
Operator Name: Layne Energy O	perating, LL	С	License Number: 33365	
Operator Address: 1900 Shawne	ee Mission	Parkway,	Mission Woods, KS 6620	)5
Contact Person: Timothy H. Wright		Phone Number: ( 913 ) 748 - 3960		
Lease Name & Well No.: Osburn 14-5		Pit Location (QQQQ):		
Type of Pit:	Pit is:		_ <i>NE</i> _ ຣພ_ SE _ SW	
Emergency Pit Burn Pit	Proposed Existing		Sec. 5 Twp. 32 R. 14	
Settling Pit	If Existing, date constructed:		457 Feet from North / ✓ Sou	th Line of Section
Workover Pit Haul-Off Pit	Pit capacity:		1717 Feet from East / 🗸 Wes	
(If WP Supply API No. or Year Drilled)	Fit Capacity.	(bbls)	Montgomery	
Is the pit located in a Sensitive Ground Water	Area? / Ves			County
as the pic located in a Sensitive Glound valer	Vies: A les	_ NO	Chloride concentration: (For Emergency Pits and Settling Pits	· 1
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used	1?
✓ Yes	☐ Yes 🗸	No	Self-Sealing	
Pit dimensions (all but working pits):	0' Length (fe	eet)20'	Width (feet)N/A:	Steel Pits
Depth fr	om ground level to de	eepest point: 3'	(feet)	
material, thickness and installation procedure		mici micgrity, ii	ncluding any special monitoring.	
Distance to nearest water well within one-mile	e of pit	Depth to shallo	west fresh waterfeet.	
nonefeet Depth of water well	feet		red well owner electric log	KDWR
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:	
Producing Formation: Type of materia		al utilized in drilling/workover: Fresh Water Mud		
		king pits to be utilized: TWO		
Barrels of fluid produced daily:			procedure: Let evaporate until dry, then be	ackfill
Does the slope from the tank battery allow all spilled fluids to flow into the pit?		pe closed within 365 days of spud date.		
I hereby certify that the above state	ments are true and o	correct to the best	of my knowledge and belief.	CORPORATION COM
December 14, 2007 Date		) styl		DEC 1 8 2007 INSERVATION DIVISION WICHITA KS
	KCC (	OFFICE USE ON	NLY	
, ,			1 1	
Date Received: 12/15/07 Permit Num	her·	Permi	t Date: 10 / F/o.7 Lease Inspection:	Ves No