For KCC Use: Effective Date: . District # SGA?

Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

December 24 2007	
Expected Spud Date: December 24, 2007 month day year	Spot Description:
	SW SE Sec. 25 Twp. 28 S. R. 19 XE W
OPERATOR: License#	feet from \(\text{N / \text{X}} \) S Line of Section
Name: Quest Cherokee, LLC	leet from ME / M cine of Section
Address 1: 210 W. Park Ave., Suite 2750	is SECTION: Kegular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Richard Marlin	County: Neosho
Phone: 405-702-7480	Lease Name: Beachner Brothers Weil #: 25-28-19-1
	Field Name: Cherokee Basin CBM
CONTRACTOR: License#_33837 or another Licensed by KCC	Is this a Prorated / Spaced Field? Yes No
Name:	Target Formation(s): Cherokee Coals
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 660
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation: 880feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile: Yes X No
Seismic ; # of Holes Other	Depth to bottom or nesh water:
Other: Coalbed Methane	Depth to bottom of usable water: WA 150
If OWWO: old well information as follows:	Surface Pipe by Alternate:
IF OWWO: Old well information as follows.	Length of Surface Pipe Planned to be set: 25
Operator:	Length of Conductor Pipe (if any): N/A
Well Name:	Projected Total Depth: 1200
Original Completion Date: Original Total Depth:	Formation at Total Depth: Cherokee Coals
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes No If Yes, true vertical depth:	Welt Farm Pond Other: Air
Bottom Hole Location:	DWR Permit #:(Note: Apply for Permit with DWR)
NGC DN F	Will Cores be taken?
KCC DKT #:	Will Cores be taken?
ROU DR (#:	Will Cores be taken? Yes No If Yes, proposed zone:
	If Yes, proposed zone:RECEIVED
AFFI	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. DEC 2 1 2007 Irilling rig;
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. DEC 2 1 2007 Irilling rig; CONSERVATION DIVISION or circulating cement to the top; in all cases surface pipe shall cases.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. DEC 2 1 2007 Irilling rig; circulating cement to the top; in all cases surface pipe shall cases surface pipe shall cases surface pipe shall cases.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the set. 4. If the well is dry hole, an agreement between the operator and the district.	RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. DEC 2 1 2007 Irilling rig; circulating cement to the top; in all cases surface pipe shallching ks underlying formation. et office on plug length and placement is necessary prior to plugging;
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the standard of the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. DEC 2 1 2007 Irilling rig; conservation pivision circulating cement to the top; in all cases surface pipe shallchia, ks underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the standard of the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. DEC 2 1 2007 Irilling rig; conservation pivision circulating cement to the top; in all cases surface pipe shallchila, ks underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the standard of the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. DEC 2 1 2007 Irilling rig; conservation pivision circulating cement to the top; in all cases surface pipe shallchila, ks underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the standard of the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. DEC 2 1 2007 Irilling rig; CONSERVATION DIVISION circulating cement to the top; in all cases surface pipe shall right k.S. anderlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plug it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the standard of the surface property of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge for the appropriate district office will be notified before well is either plugge or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be proposed to the statements made herein are true and correct to the beside the statements and the drilling true and correct to the beside the statements made herein are true and correct to the beside the statements made herein are true and correct to the beside the statements made herein are true and correct to the beside the statements made herein are true and correct to the beside the statements made herein are true and correct to the beside the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements are true and correct true	RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. DEC 2 1 2007 Irilling rig; circulating cement to the top; in all cases surface pipe shall cases surface pipe shall cases surface pipe shall cases surface pipe shall case surface within surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing slugged. In all cases, NOTIFY district office prior to any cementing. St of my knowledge and belief.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of an account of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the standard of the set of the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided to the set of the	RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. DEC 2 1 2007 Irilling rig; circulating cement to the top; in all cases surface pipe shall cases, ks underlying formation. ct office on plug length and placement is necessary prior to plugging; dorproduction casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing slugged. In all cases, NOTIFY district office prior to any cementing. Set of my knowledge and belief. Title: Vice President
The undersigned hereby affirms that the drilling, completion and eventual plug it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the standard of the surface property of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge for the appropriate district office will be notified before well is either plugge or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be proposed to the statements made herein are true and correct to the beside the statements and the drilling true and correct to the beside the statements made herein are true and correct to the beside the statements made herein are true and correct to the beside the statements made herein are true and correct to the beside the statements made herein are true and correct to the beside the statements made herein are true and correct to the beside the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements are true and correct true	RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. DEC 2 1 2007 Irilling rig; circulating cement to the top; in all cases surface pipe shall cases, ks underlying formation. ct office on plug length and placement is necessary prior to plugging; dorproduction casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing slugged. In all cases, NOTIFY district office prior to any cementing. Set of my knowledge and belief. Title: Vice President
The undersigned hereby affirms that the drilling, completion and eventual plug it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the standard transportation of the standard transportation of the district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided by the standard transport of the standard transport of the standard transport to the best of the complete of the standard of th	RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. DEC 2 1 2007 Irilling rig; conservation division circulating cement to the top; in all cases surface pipe shallents, ks underlying formation. ct office on plug length and placement is necessary prior to plugging; do or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing stugged. In all cases, NOTIFY district office prior to any cementing. St of my knowledge and belief. Vice President Title:
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the strict office will be notified before well is either plugge. The appropriate district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be proposed by that the statements made herein are true and correct to the because. December 18, 2007	RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. DEC 2 1 2007 Irilling rig; circulating cement to the top; in all cases surface pipe shall rights, ks underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. St of my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date.
The undersigned hereby affirms that the drilling, completion and eventual plug it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the intention of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the standard of the intention o	RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. DEC 2 1 2007 Irilling rig; CONSERVATION DIVISION circulating cement to the top; in all cases surface pipe shallering ks underlying formation. It office on plug length and placement is necessary prior to plugging; do or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing slugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Wice President Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual plug it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention	RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. DEC 2 1 2007 Irilling rig; CONSERVATION DIVISION Circulating cement to the top; in all cases surface pipe shakeflike ks underlying formation. It office on plug length and placement is necessary prior to plugging; Id or production casing is cemented in; If rom below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing Itugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Wice President File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days):
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the strict office will be notified before well is either plugge. If the appropriate district office will be notified before well is either plugge. If an ALTERNATE It COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be producted by that the statements made herein are true and correct to the because. December 18, 2007	RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. DEC 2 1 2007 Irilling rig; CONSERVATION DIVISION Circulating cement to the top; in all cases surface pipe shakeflike ks underlying formation. It office on plug length and placement is necessary prior to plugging; Id or production casing is cemented in; If rom below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing Itugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Wice President File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days):
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge for the appropriate district office will be notified before well is either plugge or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plate: I hereby certify that the statements made herein are true and correct to the because of December 18, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15	RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. DEC 2 1 2007 Irilling rig; CONSERVATION DIVISION Circulating cement to the top; in all cases surface pipe shall cases surf
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the standard of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the standard of the standard	RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. DEC 2 1 2007 Irilling rig; CONSERVATION DIVISION Conderlying formation. It office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Wice President Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge for the appropriate district office will be notified before well is either plugge or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plate: I hereby certify that the statements made herein are true and correct to the because of December 18, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15	RECEIVED KANSAS CORPORATION COMMISSION DEC 2 1 2007 Irilling rig; Conservation pivision circulating cement to the top; in all cases surface pipe shall cases surface shall cases surface pipe s
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the standard of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the standard of the standard	RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. DEC 2 1 2007 Irrilling rig; conservation pivision circulating cement to the top; in all cases surface pipe shall case surface pipe shall c


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 133-27352-0000	
Operator: Quest Cherokee, LLC	Location of Well: County: Neosho
Lease: Beachner Brothers	660 feet from N / X S Line of Section
Well Number: 25-28-19-1	1,980 feet from X E / W Line of Section
Field: Cherokee Basin CBM	Sec. 25 Twp. 28 S. R. 19 X E W
Number of Acres attributable to well: QTR/QTR/QTROTR of acreage:	Is Section: Regular or Irregular
	If Section is irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)



in plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Quest Cherokee, LLC		License Number: 33344	
Operator Address: 210 W. Park Ave., Suite 2750		Oklahoma City OK 73102	
Contact Person: Richard Marlin		Phone Number: 405-702-7480	
Lease Name & Well No.: Beachner Brothers 25-28-19-1		Pit Location (QQQQ):	
Type of Pit:	Pit is:		SWSE
Emergency Pit Burn Pit	Proposed Existing		Sec. 25 Twp. 28 R. 19 East West
Settling Pit Drilling Pit	If Existing, date constructed:		660 Feet from North / South Line of Section
Workover Pit Haul-Off Pit	Pit capacity:		1,980 Feet from East / West Line of Section
(If WP Supply API No. or Year Drilled)	300	(bbls)	Neosho County
Is the pit located in a Sensitive Ground Water Area? Yes		Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?
Yes No	Yes X	No	Air Drilling Well
Pit dimensions (all but working pits): 30 Length (feet) 10 Width (feet) N/A: Steel Pits		Width (feet) N/A: Steel Pits	
Depth fr	om ground level to de	eepest point:	10 (feet) No Pit
		edures for periodic maintenance and determining ncluding any special monitoring.	
Well is being air drilled.		Well is beir	ng air drilled with operations lasting approx.
3 days			
		owest fresh waterfeet.	
ハヴ feet Depth of water well	Source of infor		mation:
Tool Dopin of Males Well		feet	
		al utilized in drilling/workover: Air Drilled	
		rking pits to be utilized:1	
Training of producing the second		procedure: Air Dry, Back fill and cover.	
Does the slope from the tank battery allow all spilled fluids to		RECEIVED KANSAS CORPORATION COMMISSION	
flow into the pit? Yes No		Drill pits must	be closed within 365 days of spud date.
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.			
CONSERVATION DIVISION WICHITA, KS			
December 18, 2007 Date December 18, 2007 Signature of Applicant or Agent			
KCC OFFICE USE ONLY Steel Pit RFAC RFAS			
Date Received: <u>/ レン / o)</u> Permit Number: Permit Date: <u>/ タン / o)</u> Lease Inspection: Yes い			