For KCC Use:
Effective Date: 12-26-07
District # 3

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date: day year	
	Spot Description: Southeast 1/2 NE _ NW _ NW _ SE _ Sec32 _ Twp15 _ SR21 _ XE _ W
34028 /	(a/a/a/o) 2,475 feet from N / X S Line of Section
OPERATOR: License#	2,145 feet from \times E / \times U Line of Section
Address 1: 1207 N. 1st Street East	Is SECTION: Regular Irregular?
Address 2:	is Section. Magdial Integular?
City: Louisburg State: KS Zip: 66053 +	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Lori Driskell	County: Franklin
Phone: 913-406-4236	Lease Name: Beckmeyer/McConnell Well #: 18
	Field Name: Paola-Rantoul
CONTRACTOR: License#_33715	Is this a Prorated / Spaced Field?
Name: _Town Oitfield Service, Inc.	Target Formation(s): Squirrel
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 320'
	Ground Surface Elevation:feet MSL
	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary Disposal Wildcat Cable	Public water supply well within one mile:
Seismic : # of Holes Other	Depth to bottom of fresh water: 100
Other:	Depth to bottom of usable water: 200
	Surface Pipe by Alternate:
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20'
Operator:	Length of Conductor Pipe (if any): None
Operator:	Projected Total Depth: _750'
Original Completion Date: Original Total Depth:	Formation at Total Depth: Squirrel
Original competion bate.	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other: X
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
AFF	IDAVIT RECEIVEL
The undersigned hereby affirms that the drilling, completion and eventual plug	gging of this well will comply with K.S.A. 55 et. seKANSAS CORPORATION COMMON C
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:	
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	gging of this well will comply with K.S.A. 55 et. seKANSAS CORPORATION COMMISSION DEC 2 1 2007
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	gging of this well will comply with K.S.A. 55 et. seKANSAS CORPORATION COMMISSION OF DEC. 2 1 2007 drilling rig;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the	ging of this well will comply with K.S.A. 55 et. setansas CORPORATION COMPONENTS DEC. 2 1 2007 drilling rig; by circulating cement to the top; in all cases surface pips CANSTRACTION DIVISION UNCHITA, KS
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the districtions of the state of the sta	ging of this well will comply with K.S.A. 55 et. setansas Corporation Company of this well will comply with K.S.A. 55 et. setansas Corporation Company of the DEC 2 1 2007 drilling rig; by circulating cement to the top; in all cases surface pipe Constitution DIVIS underlying formation. WICHITA, KS ict office on plug length and placement is necessary prior to plugging;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge	ging of this well will comply with K.S.A. 55 et. segansas Corporation Companies DEC 2 1 2007 drilling rig; by circulating cement to the top; in all cases surface pips CANSTINATION DIVISION UNCHITA, KS in the control of the contro
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	ging of this well will comply with K.S.A. 55 et. segansas Corporation Company of this well will comply with K.S.A. 55 et. segansas Corporation Company of the Corporation of the top; in all cases surface pipe Constitution DIVISION DIVISION OF THE CORPORATION COMPANY OF SURFACE OF THE CORPORATION COMPANY OF THE C
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	ging of this well will comply with K.S.A. 55 et. setansas Corporation Company of this well will comply with K.S.A. 55 et. setansas Corporation Company of the Corporation of the top; in all cases surface pipe Constitution DIVIDIDATED D
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #10 must be completed within 30 days of the spud date or the well shall be	DEC 2 1 2007 drilling rig; by circulating cement to the top; in all cases surface pipe CASSTRATION DIVISION UNCLUSION DIVISION OF THE PROPERTY OF THE PROPERT
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be	DEC 2 1 2007 drilling rig; by circulating cement to the top; in all cases surface pipe CASSTIVATION DIVIDUAL UNICHTA, KS in incit office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 5. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #10 must be completed within 30 days of the spud date or the well shall be bereby certify that the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the state	DEC 2 1 2007 drilling rig; by circulating cement to the top; in all cases surface pipe CASSTRATION DIVISION UNCLUSION DIVISION OF THE PROPERTY OF THE PROPERT
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be	DEC 2 1 2007 drilling rig; by circulating cement to the top; in all cases surface pipe CASSTIVATION DIVIDUALITY AND DIVIDUALI
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #10 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the best of the statements. 2. Date: 12/19/07 Signature of Operator or Agent:	DEC 2 1 2007 drilling rig; by circulating cement to the top; in all cases surface pipe CASSTINATION DIVIDUALITY AND DIVIDUALI
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #10 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the between the completed. Signature of Operator or Agent: For KCC Use ONLY	DEC 2 1 2007 drilling rig; by circulating cement to the top; in all cases surface pipe CANSTINATION DIVIDUAL UNDERLY AND DIVIDUAL UNDE
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be completed. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the best of the specific of the spec	DEC 2 1 2007 drilling rig; by circulating cement to the top; in all cases surface pipe ONSERVATION DIVISION DIVISION OF THE PRINCIPLE OF THE
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #10 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the beautiful to the statements of the operator of Agent: To KCC Use ONLY	DEC 2 1 2007 drilling rig; by circulating cement to the top; in all cases surface pipe CANSTINATION DIVIDUAL Underlying formation. WICHITA, KS in its office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Best of my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #10 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the best of the spud state	DEC. 2 1 2007 drilling rig; by circulating cement to the top; in all cases surface pipe Characters of Children and Pilote underlying formation. Wichtra, KS ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cernenting. Est of my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days).
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #10 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the best of the statements of the operator of Agent: Date: 12/19/07	DEC. 2 1 2007 drilling rig; by circulating cement to the top; in all cases surface pipe CASSTIVATION DIVISION DIVISION OF THE ARM THE PROPERTY OF THE PROPERY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the between the completed within 30 days of the spud date or Agent: Total	DEC 2 1 2007 drilling rig; by circulating cement to the top; in all cases surface pipe Constitution DIVID Underlying formation. In the production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Best of my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the district. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the best of the statements of the spud date or the well shall be Date: 12/19/07	DEC 2 1 2007 drilling rig; by circulating cement to the top; in all cases surface pipe CANSTITATION DIVISION UNCHITA, KS in the original placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Past of my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 80 days).
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the between the completed within 30 days of the spud date or Agent: Total	DEC 2 1 2007 drilling rig; by circulating cement to the top; in all cases surface pipe ONSTRUCTION DIVISION UNCHITA, KS into the foliation of
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the completed within 30 days of the spud date or the well shall be a statement of the spud date or the well shall be a statement of the spud date or the well shall be a statement of the spud date or the well shall be a statement of the spud date or the well shall be a statement of the spud date or the well shall be a statement of the spud date or the well shall be a statement of the spud date or the well shall be a statement of the spud date or the statement of the spud date or the spud date or the set of the spud date or the set of the spud date or the spud date or the set of the spud date or the spud date or the set of the spud date or the spud date or the set of the spud date or the spud date o	DEC 2 1 2007 drilling rig; by circulating cement to the top; in all cases surface pipe (INSTRUCTION DIVIDUALITY) underlying formation. WICHITA, KS ict office on plug length and placement is necessary prior to plugging; dof or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the d. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the best of the statements of the spud date or the well shall be conductor pipe required Signature of Operator or Agent: Total	DEC 2 1 2007 drilling rig; by circulating cement to the top; in all cases surface pipe ONSTRUCTION DIVISION UNCHITA, KS included in the production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cernenting. Best of my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Date: Well Not Drilled - Permit Expired Date: Well Not Drilled - Permit Expired Date: Well Not Drilled - Permit Expired Division of Division Divisi


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15-059-25288-0000	
Operator: Triple T Oil, LLC	Location of Well: County: Franklin
Lease: Beckmeyer/McConnell	2,475 feet from N / N S Line of Section
Well Number: 18	2,145 feet from X E / W Line of Section
Field: Paola-Rantoul	Sec. <u>32</u> Twp. <u>15</u> S. R. <u>21</u> E W
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage: NE - NW - NW - SE	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

2475

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Triple T Oil, LLC			License Number: 34028	
Operator Address: 1207 N. 1st St	reet East		Louisburg	KS 66053
Contact Person: Lori Driskell		Phone Number: 913-406-4236		
Lease Name & Well No.: Beckmeyer/McConnell 18		Pit Location (QQQQ):		
Type of Pit: Pit is:		NE NW NW SE		
Emergency Pit Burn Pit	Proposed	Existing	Sec. 32 Twp. 15 R. 21	East West
Settling Pit	If Existing, date of	onstructed:	2,475 Feet from North / Xs	
☐ Workover Pit ☐ Haul-Off Pit	Pit capacity:		2,145 Feet from East / W	
(If WP Supply API No. or Year Drilled)	100	(bbls)	Franklin	
Is the pit located in a Sensitive Ground Water Ar	rea? Yes 🗙	No	Chloride concentration:	County
			(For Emergency Pits and Settling	
is the bottom below ground level? Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not us	sed?
Pit dimensions (all but working pits): 8	Length (fe	eet)12	Width (feet)	/A: Steel Pits
Depth from	n ground level to de	eepest point:	5 (feet) N	lo Pit
If the pit is lined give a brief description of the lin	ner	Describe proce	edures for periodic maintenance and determin	ning RECEIVED
material, thickness and installation procedure.		mier integrity, ii		AS CORPORATION COMMISS
	İ			DEC 2 1 2007
				CONSERVATION DIVISION
Distance to nearest water well within one-mile or	of pit		west fresh waterfeet.	
. In	·	Source of infor	west fresh waterfeet.	CONSERVATION DIVISION WICHITA, K
	·	Source of information measu	west fresh waterfeet. mation: redwell ownerelectric log	CONSERVATION DIVISION
feet Depth of water well	feet	Source of information measu Drilling, Works	west fresh waterfeet.	CONSERVATION DIVISION WICHITA, KO
feet Depth of water well Emergency, Settling and Burn Pits ONLY:	feet	Source of information measurements Drilling, Worker Type of material	west fresh waterfeet. mation: red well owner electric log over and Haul-Off Pits ONLY:	CONSERVATION DIVISION WICHITA, KS
feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation:	feet	Source of information measu Drilling, Worke Type of materia Number of work	west fresh waterfeet. mation: redwell owner electric log over and Haul-Off Pits ONLY: al utilized in drilling/workover: Fresh Water	CONSERVATION DIVISION WICHITA, KS
feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease:	feet	Source of information measurement of measurement of measurement of work and on the work and on	west fresh waterfeet. mation: red well owner electric log over and Haul-Off Pits ONLY: all utilized in drilling/workover: Fresh Water king pits to be utilized: 2	CONSERVATION DIVISION WICHITA, KS
feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all sp	feet	Source of information measurement of measurement of work and on the work and on	west fresh water	CONSERVATION DIVISION WICHITA, KS
feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all sp flow into the pit? Yes No	feet	Source of information measurement of measurement of work and on the work and on	west fresh water	CONSERVATION DIVISION WICHITA, KS
feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all sp flow into the pit? Yes No I hereby certify that the above statements	feet	Source of informeasu Drilling, Worke Type of materia Number of work Abandonment Drill pits must become to the best	west fresh water	CONSERVATION DIVISION WICHITA, KS
feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all sp flow into the pit? I hereby certify that the above statements	feet	Source of information measurement. Drilling, Worker Type of material Number of work Abandonment Drill pits must be correct to the best	west fresh water	CONSERVATION DIVISION WICHITA, KS
feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all sp flow into the pit? Yes No I hereby certify that the above statements	pilled fluids to	Source of information measurement. Drilling, Worker Type of material Number of work Abandonment Drill pits must be correct to the best	west fresh water	CONSERVATION DIVISION WICHITA, KS