

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Soud Date: December 24, 2007	Spot Description:	
Expected Spud Date:		-
33344	(Q/Q/Q/Q) 860 feet from N / S Line of Section	
OPERATOR: License#	1,775 feet from KE / W Line of Section	
Address 1: 210 W. Park Ave., Suite 2750	Is SECTION: Regular Irregular?	
Address 2:	(Note: Locate well on the Section Plat on reverse side)	
City: Oklahoma City State: OK Zip: 73102 +	County: Neosho	
Contact Person: Richard Marlin	Lease Name: Ferguson, Colleen Well #: 31-1	-
Phone: 405-702-7480	Field Name: Cherokee Basin CBM	
CONTRACTOR: License# 33837 or another Licensed by KCC	Is this a Prorated / Spaced Field?	
Name: Will advise on the ACO-1	Target Formation(s): Cherokee Coals	_
	Nearest Lease or unit boundary line (in footage): 440	-
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 1008 feet MSL	
Oil Enh Rec XInfield Mud Rotary Gas Storage Pool Ext. X Air Rotary	Water well within one-quarter mile:	_
Gas Storage Pool Ext. Air Rotary Disposal Wildcat Cable	Public water supply well within one mile:	•
Seismic: # of Holes Other	Depth to bottom of fresh water:	-
Other: Coalbed Methane	Depth to bottom of usable water: 150	-
	Surface Pipe by Alternate: III III	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 25	-
Operator:	Length of Conductor Pipe (if any): N/A	-
Well Name:	Projected Total Depth: 1500	-
Original Completion Date: Original Total Depth:	Formation at Total Depth: Cherokee Coals	-
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore? If Yes, true vertical depth:	Well Farm Pond Other: Air	-
Bottom Hole Location:	DWR Permit #:(Note: Apply for Permit with DWR)	-
KCC DKT #:	Will Cores be taken?	
	If Yes, proposed zone:	
	ii ies, proposed zone.	_
	• • •	-
AFF	RECEIVED IDAVIT KANSAS CORPORATION COMMI	- SSIO
AFF The undersigned hereby affirms that the drilling, completion and eventual plu-	RECEIVED IDAVIT KANSAS CORPORATION COMMI gging of this well will comply with K.S.A. 55 et. seq.	- SSIO
The undersigned hereby affirms that the drilling, completion and eventual plu-	RECEIVED IDAVIT KANSAS CORPORATION COMMI	- SSIO
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met:	RECEIVED IDAVIT KANSAS CORPORATION COMMI gging of this well will comply with K.S.A. 55 et. seq.	- \$ 910
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	IDAVIT RECEIVED KANSAS CORPORATION COMMIT gging of this well will comply with K.S.A. 55 et. seq. DEC 2 1 2007 drilling rig; CONSERVATION DIVISION	
The undersigned hereby affirms that the drilling, completion and eventual plus It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to	RECEIVED KANSAS CORPORATION COMMIT gging of this well will comply with K.S.A. 55 et. seq. DEC 2 1 2007 drilling rig; CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shall MECHITA, KS	
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the	RECEIVED KANSAS CORPORATION COMMINING THIS WELL WILL COMPLY WITH K.S.A. 55 et. seq. DEC 2 1 2007 drilling rig; CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shall MSCHITA, KS underlying formation.	
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugg	RECEIVED KANSAS CORPORATION COMMINING Gring of this well will comply with K.S.A. 55 et. seq. DEC 2 1 2007 drilling rig; CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shall MEGNITA, KS underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in;	
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the intention of the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg of if an ALTERNATE II COMPLETION, production pipe shall be cemented.	RECEIVED KANSAS CORPORATION COMMINING Grant of this well will comply with K.S.A. 55 et. seq. DEC 2 1 2007 drilling rig; CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shall MSGMTA, KS underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date.	
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugg 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1	RECEIVED KANSAS CORPORATION COMMINING Gring of this well will comply with K.S.A. 55 et. seq. DEC 2 1 2007 drilling rig; CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shall MSGMTA, KS underlying formation. ict office on plug length and placement is necessary prior to pluggling; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing	
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be	RECEIVED KANSAS CORPORATION COMMINING THIS CONSERVATION DIVISION OF CON	
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the description of the surface pipe as a minimum of 20 feet into the surface pipe as a minimum of 20 feet into the district office will be notified before well is either plugg for an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the both statements.	RECEIVED KANSAS CORPORATION COMMINING Gring of this well will comply with K.S.A. 55 et. seq. DEC 2 1 2007 drilling rig; CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shall MSCHITA, KS underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief.	
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the description of the surface pipe as a minimum of 20 feet into the surface pipe as a minimum of 20 feet into the district office will be notified before well is either plugg for an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the both statements.	RECEIVED KANSAS CORPORATION COMMINING Gring of this well will comply with K.S.A. 55 et. seq. DEC 2 1 2007 drilling rig; CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shall MSCHITA, KS underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief.	
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the best of the spud date.	RECEIVED KANSAS CORPORATION COMMINING Gring of this well will comply with K.S.A. 55 et. seq. DEC 2 1 2007 drilling rig; CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shall MECHITA, KS underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Vice President	-
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the boate: December 18, 2007 Signature of Operator or Agent:	RECEIVED KANSAS CORPORATION COMMIT gging of this well will comply with K.S.A. 55 et. seq. DEC 2 1 2007 drilling rig; CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shall MEGNITA, KS underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Wice President Remember to:	
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the bound of the complete of the complete of the plants of the complete of the spud date or Agent: December 18, 2007 Signature of Operator or Agent:	RECEIVED KANSAS CORPORATION COMMINING gging of this well will comply with K.S.A. 55 et. seq. DEC 2 1 2007 drilling rig; CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shall MEGNITA, KS underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACC-1 within 120 days of spud date:	 - သ
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the both the complete of the spud state of	RECEIVED KANSAS CORPORATION COMMIT gging of this well will comply with K.S.A. 55 et. seq. DEC 2 1 2007 drilling rig; CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shall MSCHITA, KS underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Wice President Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;	-
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the boate: December 18, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133 - 273 55-000 Conductor pipe required Feet	RECEIVED KANSAS CORPORATION COMMIT gging of this well will comply with K.S.A. 55 et. seq. DEC 2 1 2007 drilling rig; CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shall MSCHITA, KS underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Wice President Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;	 - သ
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the boundary. December 18, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133 - 273 55 - 2000 Conductor pipe required	RECEIVED KANSAS CORPORATION COMMIT gging of this well will comply with K.S.A. 55 et. seq. DEC 2 1 2007 drilling rig; CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shall MEGNITA, KS underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Vice President Remember to: File Drill Plt Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);	- 31 20 1
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the bounder Date: December 18, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15	RECEIVED KANSAS CORPORATION COMMIT gging of this well will comply with K.S.A. 55 et. seq. DEC 2 1 2007 drilling rig; CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shall MSCHITA, KS underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Wice President Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.	- 31 29
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the boundary. December 18, 2007 Signature of Operator or Agent: Signature of Operator or Agent For KCC Use ONLY API # 15 - 133 - 273 55-000	RECEIVED KANSAS CORPORATION COMMIT gging of this well will comply with K.S.A. 55 et. seq. DEC 2 1 2007 drilling rig; CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shall MEGNITA, KS underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Vice President Remember to: File Drill Plt Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);	- 31 20 1
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the bounder Date: December 18, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15	RECEIVED KANSAS CORPORATION COMMINING Graphy of this well will comply with K.S.A. 55 et. seq. DEC 2 1 2007 drilling rig; CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shall MEGNITA, KS underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Vice President Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please	- 31 20 1
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the boundary. December 18, 2007 Signature of Operator or Agent: Signature of Operator or Agent For KCC Use ONLY API # 15 - 133 - 273 55-000	RECEIVED KANSAS CORPORATION COMMIT gging of this well will comply with K.S.A. 55 et. seq. DEC 2 1 2007 drilling rig; CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shall MSGMTA, KS underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Wice President Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	- 31 20 1


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 133-27355-0000	
Operator: Quest Cherokee, LLC	Location of Well: County: Neosho
Lease: Ferguson, Colleen	860 feet from N / S Line of Section
Well Number: 31-1	1,775 feet from X E / W Line of Section
Field: Cherokee Basin CBM	Sec. 31 Twp. 29 S. R. 18 X E W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Quest Cherokee, LLC		License Number: 33344	
Operator Address: 210 W. Park Ave., Suite 2750 Oklahoma City OK 73102			
Contact Person: Richard Marlin		Phone Number: 405-702-7480	
Lease Name & Well No.: Ferguson, Colleen 31-1		Pit Location (QQQQ):	
Type of Pit:	Pit is:		
Emergency Pit Burn Pit	Proposed Existing		Sec. 31 Twp. 29 R. 18 East West
Settling Pit	If Existing, date constructed:		860 Feet from North / South Line of Section
Workover Pit Haul-Off Pit	Pit capacity:		1,775 Feet from East / West Line of Section
(If WP Supply API No. or Year Drilled)	300	(bbls)	Neosho County
Is the pit located in a Sensitive Ground Water Area? Yes No		Chloride concentration:mg/lmg/lmg/l	
Is the bottom below ground level? Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used? Air Drilling Well
Pit dimensions (all but working pits):	30 Length (fe	eet)10	Width (feet) N/A: Steel Pits
Depth from ground level to deepest point:10 (feet) No Pit			
I the pit is miss give a site and		edures for periodic maintenance and determining ncluding any special monitoring.	
		ng air drilled with operations lasting approx.	
3 days		$oldsymbol{ec{oldsymbol{arphi}}}$	
		<u>8</u>	
Distance to nearest water well within one-mile of pit Depth to shalle Source of info		owest fresh waterfeet.	
feet Depth of water well			
		over and Haul-Off Pits ONLY:	
Producing Formation: Type of materi		al utilized in drilling/workover; Air Drilled	
Trained of producing their contents.		f working pits to be utilized:1	
Barrels of fluid produced daily: Abandonment p		procedure: Air Dry, Back fill and cover.	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must		be closed within 365 days of spud date. RECEIVED	
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.			
DEC 2 1 2007			
December 18, 2007 Date Conservation Division Signature of Applicant on Agent WICHITA, KS			
KCC OFFICE USE ONLY Steel Pit RFAC RFAS			
Date Received: 12/21/07 Permit Num	nber:	Perm	nit Date: 12/21/07 Lease Inspection: Yes 140