For KCC Use: Effective Date: District # SGA2 Ves V No

Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date:De	ecember 24, 2007	Spot Description:
mo	onth day year	NW - SW Sec. 11 Twp. 30 S. R. 16 XE W
333	344	(Q/Q/Q/Q) 1,650 feet from N / X S Line of Section
OPERATOR: License# Name: Quest Cherokee, LLC		510 feet from E / X W Line of Section
Address 1: 210 W. Park Ave., Suite	e 2750	Is SECTION: Regular Irregular?
Address 2:		(Note: Locate well on the Section Plat on reverse side)
	State: OK Zip: _73102 +	County: Wilson
Contact Person: Richard Marlin		Lease Name: Head, John A. Well #: 11-2
Phone: 405-702-7480		Field Name: Cherokee Basin CBM
CONTRACTOR: License# 33837	7 or another Licensed by KCC	ts this a Prorated / Spaced Field?
Name: Will advise on the ACO-1		Target Formation(s): Cherokee Coals
	Well Observe Time Facilities and	Nearest Lease or unit boundary line (in footage): 353
Well Drilled For:	Well Class: Type Equipment:	Ground Surface Elevation: 852 feet MSL
Oil Enh Rec	X Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage	Pool Ext. Air Rotary	Public water supply well within one mile:
Disposal Seismic ; # of Holes	Wildcat Cable	Depth to bottom of fresh water:
Other: Coalbed Methane	. Dones	Depth to bottom of usable water:
		Surface Pipe by Alternate: IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII
If OWWO: old well informa	ation as follows:	Length of Surface Pipe Planned to be set: 25
Operator:		Length of Conductor Pipe (if any): N/A
Well Name:		Projected Total Depth: 1500
Original Completion Date:	Original Total Depth:	Formation at Total Depth: Cherokee Coals
		Water Source for Drilling Operations:
Directional, Deviated or Horizontal		No Well Farm Pond Other: Air
If Yes, true vertical depth:		DWR Permit #:
		──── (Note: Apply for Permit with DWR 🔲) ──── Will Cores be taken? ☐ Yes 🔀 No
KULIDKU#:		
RCC DRT #;		— — — — — — — — — — — — — — — — — — —
RCC DR1 #:		If Yes, proposed zone:
		If Yes, proposed zone: RECEIVED
		If Yes, proposed zone: RECEIVED
The undersigned hereby affirms	s that the drilling, completion and even	If Yes, proposed zone: RECEIVED RECEIVED tual plugging of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION COMMISSION
The undersigned hereby affirms	s that the drilling, completion and even inimum requirements will be met:	If Yes, proposed zone: RECEIVED
The undersigned hereby affirms It is agreed that the following mind. Notify the appropriate dist	s that the drilling, completion and even inimum requirements will be met: trict office <i>prior</i> to spudding of well;	If Yes, proposed zone: AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq. RECEIVED KANSAS CORPORATION COMMISSION DEC 2 1 2007
The undersigned hereby affirms It is agreed that the following mir 1. Notify the appropriate dist 2. A copy of the approved no 3. The minimum amount of s	s that the drilling, completion and even inimum requirements will be met: trict office <i>prior</i> to spudding of well; otice of intent to drill shall be posted o surface pipe as specified below shall	If Yes, proposed zone: AFFIDAVIT RECEIVED KANSAS CORPORATION COMMISSION DEC 2 1 2007 on each drilling rig; be set by circulating cement to the top; in all cases surface pipe Shari (No. 214 A 1/2)
The undersigned hereby affirms It is agreed that the following mir 1. Notify the appropriate dist 2. A copy of the approved no 3. The minimum amount of s through all unconsolidated	s that the drilling, completion and even inimum requirements will be met: trict office prior to spudding of well; otice of intent to drill shall be posted o surface pipe as specified below shall d materials plus a minimum of 20 feet	If Yes, proposed zone: AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq. DEC 2 1 2007 on each drilling rig; be set by circulating cement to the top; in all cases surface pipe STATION DIVISION WICHITA, KS
The undersigned hereby affirms It is agreed that the following min 1. Notify the appropriate dist 2. A copy of the approved no 3. The minimum amount of subminimum amount of the mough all unconsolidated 4. If the well is dry hole, an a 5. The appropriate district of	s that the drilling, completion and even inimum requirements will be met: trict office <i>prior</i> to spudding of well; ottice of intent to drill <i>shall be</i> posted of surface pipe as specified below <i>shall</i> d materials plus a minimum of 20 feet agreement between the operator and ffice will be notified before well is either	AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq. DEC 2 1 2007 on each drilling rig; be set by circulating cement to the top; in all cases surface pipe sharpen division with the underlying formation. the district office on plug length and placement is necessary prior to plugging; or plugged or production casing is cemented in;
The undersigned hereby affirms It is agreed that the following min 1. Notify the appropriate dist 2. A copy of the approved no 3. The minimum amount of substantial through all unconsolidated 4. If the well is dry hole, an a 5. The appropriate district of 6. If an ALTERNATE II COM	s that the drilling, completion and even inimum requirements will be met: trict office <i>prior</i> to spudding of well; ottice of intent to drill <i>shall be</i> posted of surface pipe as specified below <i>shall</i> d materials plus a minimum of 20 feet agreement between the operator and ffice will be notified before well is either IPLETION, production pipe shall be consistent.	AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq. DEC 2 1 2007 on each drilling rig; be set by circulating cement to the top; in all cases surface pipe sharpen Division with the underlying formation. The district office on plug length and placement is necessary prior to plugging; or plugged or production casing is cemented in; temented from below any usable water to surface within 120 DAYS of spud date.
The undersigned hereby affirms It is agreed that the following min 1. Notify the appropriate dist 2. A copy of the approved no 3. The minimum amount of submough all unconsolidated 4. If the well is dry hole, an a 5. The appropriate district of 6. If an ALTERNATE II COM Or pursuant to Appendix "	s that the drilling, completion and even inimum requirements will be met: trict office <i>prior</i> to spudding of well; ottice of intent to drill <i>shall be</i> posted of surface pipe as specified below <i>shall</i> d materials plus a minimum of 20 feet agreement between the operator and ffice will be notified before well is eithe IPLETION, production pipe shall be or "B" - Eastern Kansas surface casing of	AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq. DEC 2 1 2007 on each drilling rig; be set by circulating cement to the top; in all cases surface pipe sharpen Division with the underlying formation. The district office on plug length and placement is necessary prior to plugging; or plugged or production casing is cemented in; temented from below any usable water to surface within 120 DAYS of spud date. order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms It is agreed that the following mir 1. Notify the appropriate dist 2. A copy of the approved no 3. The minimum amount of a through all unconsolidated 4. If the well is dry hole, an a 5. The appropriate district of 6. If an ALTERNATE II COM Or pursuant to Appendix " must be completed within	s that the drilling, completion and even inimum requirements will be met: trict office <i>prior</i> to spudding of well; office of intent to drill <i>shall be</i> posted a surface pipe as specified below <i>shall</i> d materials plus a minimum of 20 feet agreement between the operator and ffice will be notified before well is either intention of the spuddate or the well is 30 days of the spud date or the well is 20.	AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq. DEC 2 1 2007 on each drilling rig; be set by circulating cement to the top; in all cases surface pipe shall comply street office on plug length and placement is necessary prior to plugging; or plugged or production casing is cemented in; emented from below any usable water to surface within 120 DAYS of spud date. rder #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms It is agreed that the following mir 1. Notify the appropriate dist 2. A copy of the approved no 3. The minimum amount of a through all unconsolidated 4. If the well is dry hole, an a 5. The appropriate district of 6. If an ALTERNATE II COM Or pursuant to Appendix " must be completed within	s that the drilling, completion and even inimum requirements will be met: trict office <i>prior</i> to spudding of well; office of intent to drill <i>shall be</i> posted a surface pipe as specified below <i>shall</i> d materials plus a minimum of 20 feet agreement between the operator and ffice will be notified before well is either intention of the spuddate or the well is 30 days of the spud date or the well is 20.	AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq. DEC 2 1 2007 on each drilling rig; be set by circulating cement to the top; in all cases surface pipe shall be plugged or production casing is cemented in; amented from below any usable water to surface within 120 DAYS of spud date. rder #133,891-C, which applies to the KCC District 3 area, alternate II cementing thall be plugged. In all cases, NOTIFY district office prior to any cementing. The RECEIVED KANSAS CORPORATION COMMISSION CONSERVATION DIVISION WICHITA, KS In all cases are prior to plugging; are plugged or production casing is cemented in; amented from below any usable water to surface within 120 DAYS of spud date. The received the rece
The undersigned hereby affirms It is agreed that the following mir 1. Notify the appropriate dist 2. A copy of the approved no 3. The minimum amount of s through all unconsolidated 4. If the well is dry hole, an a 5. The appropriate district of 6. If an ALTERNATE II COM Or pursuant to Appendix " must be completed within I hereby certify that the statement	s that the drilling, completion and even inimum requirements will be met: trict office <i>prior</i> to spudding of well; office of intent to drill <i>shall be</i> posted surface pipe as specified below <i>shall</i> d materials plus a minimum of 20 feet agreement between the operator and ffice will be notified before well is either in the production pipe shall be office. The sastern Kansas surface casing office and 30 days of the spud date or the well sents made herein are true and correct.	AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq. DEC 2 1 2007 on each drilling rig; be set by circulating cement to the top; in all cases surface pipe shall comply street office on plug length and placement is necessary prior to plugging; or plugged or production casing is cemented in; emented from below any usable water to surface within 120 DAYS of spud date. rder #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms It is agreed that the following mir 1. Notify the appropriate dist 2. A copy of the approved no 3. The minimum amount of s through all unconsolidated 4. If the well is dry hole, an a 5. The appropriate district of 6. If an ALTERNATE II COM Or pursuant to Appendix " must be completed within I hereby certify that the statement	s that the drilling, completion and even inimum requirements will be met: trict office <i>prior</i> to spudding of well; office of intent to drill <i>shall be</i> posted a surface pipe as specified below <i>shall</i> d materials plus a minimum of 20 feet agreement between the operator and ffice will be notified before well is either intention of the spuddate or the well is 30 days of the spud date or the well is 20.	AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq. DEC 2 1 2007 on each drilling rig; be set by circulating cement to the top; in all cases surface pipe shall will formation. Into the underlying formation. Into district office on plug length and placement is necessary prior to plugging; or plugged or production casing is cemented in; amented from below any usable water to surface within 120 DAYS of spud date. Indeer #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Vice President
The undersigned hereby affirms It is agreed that the following min 1. Notify the appropriate dist 2. A copy of the approved no 3. The minimum amount of substituting the statement of the second of th	s that the drilling, completion and even inimum requirements will be met: trict office <i>prior</i> to spudding of well; office of intent to drill <i>shall be</i> posted surface pipe as specified below <i>shall</i> d materials plus a minimum of 20 feet agreement between the operator and ffice will be notified before well is either in the production pipe shall be office. The sastern Kansas surface casing office and 30 days of the spud date or the well sents made herein are true and correct.	AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq. DEC 2 1 2007 on each drilling rig; be set by circulating cement to the top; in all cases surface pipe shall will be plugged or production casing is cemented in; be entered from below any usable water to surface within 120 DAYS of spud date. rider #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Remember to:
The undersigned hereby affirms It is agreed that the following min 1. Notify the appropriate dist 2. A copy of the approved no 3. The minimum amount of significant through all unconsolidated 4. If the well is dry hole, and 5. The appropriate district of 6. If an ALTERNATE II COM Or pursuant to Appendix must be completed within I hereby certify that the statement Date: December 18, 2007	s that the drilling, completion and even inimum requirements will be met: trict office <i>prior</i> to spudding of well; office of intent to drill <i>shall be</i> posted surface pipe as specified below <i>shall</i> of materials plus a minimum of 20 feet agreement between the operator and ffice will be notified before well is eithe IPLETION, production pipe shall be compared to a 30 days of the spud date or the well sents made herein are true and correct Signature of Operator or Agent:	AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq. DEC 2 1 2007 on each drilling rig; be set by circulating cement to the top; in all cases surface pipe shall will k.S.A. K.S. into the underlying formation. into the underlying formation. into district office on plug length and placement is necessary prior to plugging; into plugged or production casing is cemented in; immented from below any usable water to surface within 120 DAYS of spud date. rder #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing. to the best of my knowledge and belief. Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date:
The undersigned hereby affirms It is agreed that the following min 1. Notify the appropriate dist 2. A copy of the approved no 3. The minimum amount of significant through all unconsolidated 4. If the well is dry hole, and 5. The appropriate district of 6. If an ALTERNATE II COM Or pursuant to Appendix must be completed within I hereby certify that the statement Date: December 18, 2007 For KCC Use ONLY API # 15 - 205 - 2	s that the drilling, completion and even inimum requirements will be met: trict office <i>prior</i> to spudding of well; otice of intent to drill <i>shall be</i> posted surface pipe as specified below <i>shall</i> d materials plus a minimum of 20 feet agreement between the operator and ffice will be notified before well is eithe IPLETION, production pipe shall be or "B" - Eastern Kansas surface casing or 30 days of the spud date or the well ents made herein are true and correct Signature of Operator or Agent:	AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq. DEC 2 1 2007 on each drilling rig; be set by circulating cement to the top; in all cases surface pipe shall will be plugged or production casing is cemented in; be entered from below any usable water to surface within 120 DAYS of spud date. rider #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Remember to:
The undersigned hereby affirms It is agreed that the following min 1. Notify the appropriate dist 2. A copy of the approved no 3. The minimum amount of substituting the statement of the second of th	that the drilling, completion and even inimum requirements will be met: trict office <i>prior</i> to spudding of well; office of intent to drill <i>shall be</i> posted surface pipe as specified below <i>shall</i> d materials plus a minimum of 20 feet agreement between the operator and ffice will be notified before well is eithe IPLETION, production pipe shall be compared to a 30 days of the spud date or the well ents made herein are true and correct Signature of Operator or Agent:	AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq. DEC 2 1 2007 on each drilling rig; be set by circulating cement to the top; in all cases surface pipe shall will formation. into the underlying formation. the district office on plug length and placement is necessary prior to plugging; are plugged or production casing is cemented in; amented from below any usable water to surface within 120 DAYS of spud date. rider #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Vice President Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms It is agreed that the following min 1. Notify the appropriate dist 2. A copy of the approved no 3. The minimum amount of s through all unconsolidated 4. If the well is dry hole, an a 5. The appropriate district of 6. If an ALTERNATE II COM Or pursuant to Appendix "must be completed within I hereby certify that the statement Date: December 18, 2007 For KCC Use ONLY API # 15 - 205 - 2 Conductor pipe required Minimum surface pipe required	that the drilling, completion and even inimum requirements will be met: trict office <i>prior</i> to spudding of well; otice of intent to drill <i>shall be</i> posted surface pipe as specified below <i>shall</i> d materials plus a minimum of 20 feet agreement between the operator and ffice will be notified before well is eithe IPLETION, production pipe shall be compared to a 30 days of the spud date or the well and says of the spud date or the well and says of the spud case or the well and says of the spud case or the well and says of the spud date or the well and says of the says of the spud date or the well and says of the spud date or the well and says of the spud date or the well and says of the says of the spud date or the well and says of the says of th	AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq. DEC 2 1 2007 on each drilling rig; be set by circulating cement to the top; in all cases surface pipe shall with the underlying formation. the district office on plug length and placement is necessary prior to plugging; the plugged or production casing is cemented in; temented from below any usable water to surface within 120 DAYS of spud date. rder #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);
The undersigned hereby affirms It is agreed that the following min 1. Notify the appropriate dist 2. A copy of the approved no 3. The minimum amount of substituting the statement of the second of th	s that the drilling, completion and even inimum requirements will be met: trict office <i>prior</i> to spudding of well; otice of intent to drill <i>shall be</i> posted surface pipe as specified below <i>shall</i> d materials plus a minimum of 20 feet agreement between the operator and ffice will be notified before well is eithe IPLETION, production pipe shall be or "B" - Eastern Kansas surface casing or 30 days of the spud date or the well ents made herein are true and correct signature of Operator or Agent: 7 38 7 000 feet	AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq. DEC 2 1 2007 on each drilling rig; be set by circulating cement to the top; in all cases surface pipe shall be comply formation. The district office on plug length and placement is necessary prior to plugging; or plugged or production casing is cemented in; temented from below any usable water to surface within 120 DAYS of spud date. The right of mail cases, NOTIFY district office prior to any cementing. The best of my knowledge and belief. Wice President Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms It is agreed that the following min 1. Notify the appropriate dist 2. A copy of the approved no 3. The minimum amount of significant through all unconsolidated 4. If the well is dry hole, and 5. The appropriate district of 6. If an ALTERNATE II COM Or pursuant to Appendix must be completed within I hereby certify that the statement Date: December 18, 2007 Section 18, 2007 Section 2007	that the drilling, completion and even inimum requirements will be met: trict office <i>prior</i> to spudding of well; office of intent to drill <i>shall be</i> posted a surface pipe as specified below <i>shall</i> d materials plus a minimum of 20 feet agreement between the operator and ffice will be notified before well is either in the production pipe shall be complete. The sastern Kansas surface casing on 30 days of the spud date or the well sents made herein are true and correct signature of Operator or Agent: 7 38 7 - COOD Torrect Geet G	AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq. DEC 2 1 2007 on each drilling rig; be set by circulating cement to the top; in all cases surface pipe ship to the underlying formation. into the underlying formation. into district office on plug length and placement is necessary prior to plugging; in plugged or production casing is cemented in; imented from below any usable water to surface within 120 DAYS of spud date. rider #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing. to the best of my knowledge and belief. Plie Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms It is agreed that the following min 1. Notify the appropriate dist 2. A copy of the approved no 3. The minimum amount of significant through all unconsolidated 4. If the well is dry hole, and 5. The appropriate district of 6. If an ALTERNATE II COM Or pursuant to Appendix must be completed within I hereby certify that the statement Date: December 18, 2007 Section 18, 2007 Section 2007	s that the drilling, completion and even inimum requirements will be met: trict office <i>prior</i> to spudding of well; otice of intent to drill <i>shall be</i> posted surface pipe as specified below <i>shall</i> d materials plus a minimum of 20 feet agreement between the operator and ffice will be notified before well is eithe IPLETION, production pipe shall be or "B" - Eastern Kansas surface casing or 30 days of the spud date or the well ents made herein are true and correct signature of Operator or Agent: 7 38 7 000 feet	AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq. DEC 2 1 2007 on each drilling rig; be set by circulating cement to the top; in all cases surface pipe ship to the underlying formation. into the underlying formation. into district office on plug length and placement is necessary prior to plugging; in plugged or production casing is cemented in; imented from below any usable water to surface within 120 DAYS of spud date. rider #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing. to the best of my knowledge and belief. Plie Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms It is agreed that the following min 1. Notify the appropriate dist 2. A copy of the approved no 3. The minimum amount of significant through all unconsolidated 4. If the well is dry hole, and 5. The appropriate district of 6. If an ALTERNATE II COM Or pursuant to Appendix must be completed within I hereby certify that the statement Date: December 18, 2007 Section 18, 2007 Section 2007	that the drilling, completion and even inimum requirements will be met: trict office <i>prior</i> to spudding of well; office of intent to drill <i>shall be</i> posted surface pipe as specified below <i>shall</i> d materials plus a minimum of 20 feet agreement between the operator and ffice will be notified before well is either in the production pipe shall be office. Bit is a surface casing of a 30 days of the spud date or the well sents made herein are true and correct signature of Operator or Agent: 7 38 7 000 feet	AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq. DEC 2 1 2007 on each drilling rig; be set by circulating cement to the top; in all cases surface pipe shall be district office on plug length and placement is necessary prior to plugging; or plugged or production casing is cemented in; mented from below any usable water to surface within 120 DAYS of spud date. rder #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing. to the best of my knowledge and belief. Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); - Obtain written approval before disposing or injecting salt water. - If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 205-27387-0000	
Operator: Quest Cherokee, LLC	Location of Well: County: Wilson
Lease: Head, John A.	1,650 feet from N / X S Line of Section
Well Number: 11-2	510 feet from E / W Line of Section
	Sec. 11 Twp. 30 S. R. 16 X E W
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW


PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)



RECEIVED KANSAS CORPORATION COMMISSION

DEC 2 1 2007

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Quest Cherokee, LLC	;	License Number: 33344			
Operator Address: 210 W. Park Av	e., Suite 2750	Oklahoma City OK 73102			
Contact Person: Richard Marlin			Phone Number: 405-702-7480		
Lease Name & Well No.: Head, John A. 11-2			Pit Location (QQQQ):		
Type of Pit:	Pit is:				
Emergency Pit Burn Pit	Proposed	Existing	Sec. 11 Twp. 30 R. 16 East West		
Settling Pit Drilling Pit	If Existing, date constructed:		1,650 Feet from North / South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		510 Feet from East / West Line of Section		
(If WP Supply API No. or Year Drilled)	300	(bbls)	Wilson County		
Is the pit located in a Sensitive Ground Water Area? Yes No			Chloride concentration:mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level? Yes No	Artificial Liner? Yes No		How is the pit lined if a plastic liner is not used? Air Drilling Well		
Pit dimensions (all but working pits): 30 Length (feet) 10 Width (feet) N/A: Steel Pits					
Depth fr	om ground level to de	epest point:	10 (feet) No Pit		
			edures for periodic maintenance and determining ncluding any special monitoring.		
Well is being air drilled.		Well is beir 3 days	ng air drilled with operations lasting approx.		
Distance to nearest water well within one-mile of pit Depth to shall			owest fresh waterfeet.		
feet Depth of water well		Source of information: measured well owner electric log KDWR			
			Drilling, Workover and Haul-Off Pits ONLY:		
Producing Formation: Type of ma			al utilized in drilling/workover: Air Drilled		
			lumber of working pits to be utilized:		
Barrels of fluid produced daily: Aban			procedure: Air Dry, Back fill and cover.		
Does the slope from the tank battery allow al flow into the pit? Yes No	I spilled fluids to	Drill pits must be closed within 365 days of spud date. RECEIVED KANSAS CORPORATION COM			
I hereby certify that the above state	ements are true and c	correct to the bes	of my knowledge and belief.		
December 18, 2007 Date December 18, 2007 Date December 18, 2007 Signature of Applicant or Agenty WICHITA, KS					
	KCC (OFFICE USE O	NLY Steel Pit RFAC RFAS		
Date Received: 12/21/07 Permit Number: Permit Date: 12/21/07 Lease Inspection: Yes No					