For KCC Use: 12 -26-07 Effective Date: 30 -26-07 District # 50-02

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date:	Spot Description:
	- NW - SE Sec. 5 Twp. 28 S. R. 19 XE W
OPERATOR: License#	feet from N / X S Line of Section
Name: Quest Cherokee, LLC	1,980 feet from XE / W Line of Section
Address 1: 210 W. Park Ave., Suite 2750	Is SECTION: Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: Oklahoma City State: OK Zip: 73102 +	County: Neosho
Contact Person: Richard Marlin	Lease Name: King Farms Well #: 5-1
Phone: 405-702-7480	Field Name: Cherokee Basin CBM
CONTRACTOR: License#_33837 or another Licensed by KCC	Is this a Prorated / Spaced Field?
Name: Will advise on the ACO-1	Target Formation(s): Cherokee Coals
	Nearest Lease or unit boundary line (in footage): 660
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 904 feet MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
Disposal Wildcat Cable	Depth to bottom of fresh water: N/A /00
Seismic ; # of Holes Other	Depth to bottom of usable water: NA 150
Other: Coalbed Methane	
If OWWO: old well information as follows:	Surface Pipe by Alternate:
III OWWO. Old Well Information as follows.	Length of Surface Pipe Planned to be set: 25
Operator;	Length of Conductor Pipe (if any): N/A
Well Name:	Projected Total Depth: 1300 Cherokee Chals
Original Completion Date: Original Total Depth:	Formation at Total Depth: Cherokee Coals
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:
	Well Farm Pond Other: Air
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location: KCC DKT #:	(Note: Apply for Permit with DWR ☐) Will Cores be taken? ☐ Yes ☒ No
NOC DK1 #.	_ _ _
	If Yes, proposed zone:
	RECEIVED
	DAVIT KANSAS CORPORATION COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plug	ging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the following minimum requirements will be met:	
It is agreed that the sollowing this internal requirements the second	DEC 2 1 2007
Notify the appropriate district office <i>prior</i> to spudding of well;	
Notify the appropriate district office <i>prior</i> to spudding of well;	
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by	drilling rig; CONSERVATION DIVISION y circulating cement to the top; in all cases surface pipe shall workers KS
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 	drilling rig; CONSERVATION DIVISION y circulating cement to the top; in all cases surface pipe shall withfith, KS underlying formation.
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. 	drilling rig; y circulating cement to the top; in all cases surface pipe shall wickfith, KS underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in;
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugger If an ALTERNATE IL COMPLETION, production pipe shall be cemented 	drilling rig; y circulating cement to the top; in all cases surface pipe shall wickfith, KS underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 	drilling rig; y circulating cement to the top; in all cases surface pipe shall wickfria, KS underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be great the complete of the spud date or the well shall be great the spud date. 	drilling rig; y circulating cement to the top; in all cases surface pipe shall witchia, KS underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be great the complete of the spud date or the well shall be great the spud date. 	drilling rig; y circulating cement to the top; in all cases surface pipe shall witchia, KS underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief.
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be in the electric to the best of the statements. 	drilling rig; y circulating cement to the top; in all cases surface pipe shall with KS underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief.
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be in the electric to the best of the statements. 	drilling rig; y circulating cement to the top; in all cases surface pipe shall with KS underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief.
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be in the production of the statements made herein are true and correct to the beside of the production. 	drilling rig; y circulating cement to the top; in all cases surface pipe shall with KS underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district of the appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the best Date: December 18, 2007 Signature of Operator or Agent: For KCC Use ONLY	drilling rig; y circulating cement to the top; in all cases surface pipe shall with KS underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. Vice President
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district of the appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the best Date: December 18, 2007 Signature of Operator or Agent: For KCC Use ONLY	drilling rig; y circulating cement to the top; in all cases surface pipe shall with KS underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. Wice President Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the bed Date: December 18, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133-27349-0000	drilling rig; y circulating cement to the top; in all cases surface pipe shall profile, KS underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. Wice President Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be inhereby certify that the statements made herein are true and correct to the best Date: December 18, 2007	drilling rig; y circulating cement to the top; in all cases surface pipe shall profile, KS underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. Wice President Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - Notify appropriate district office 48 hours prior to workover or re-entry;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugge for an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be inhereby certify that the statements made herein are true and correct to the best of the place. December 18, 2007	drilling rig; y circulating cement to the top; in all cases surface pipe shall with KS underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. Wice President Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be inhereby certify that the statements made herein are true and correct to the best bate: December 18, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - /33 - 27 3 49 - 0000 Conductor pipe required	drilling rig; y circulating cement to the top; in all cases surface pipe shall with KS underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. Wice President Wice President File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the between the complete of the complete of the plants. December 18, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - /33 - 27 3 49 - 000 Conductor pipe required feet Minimum surface pipe required feet per ALT. I I III Approved by: MINIMUM 20 - 21 - 07	drilling rig; y circulating cement to the top; in all cases surface pipe shall with KS underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. Wice President Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); - Obtain written approval before disposing or injecting salt water. - If this permit has expired (See: authorized expiration date) please
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a shall be going that the statements made herein are true and correct to the best because and the correct to the best because of the conductor of the production of the product	drilling rig; y circulating cement to the top; in all cases surface pipe shall with KS underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. Wice President Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the between the complete of the complete of the plants. December 18, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - /33 - 27 3 49 - 000 Conductor pipe required feet Minimum surface pipe required feet per ALT. I I III Approved by: MINIMUM 20 - 21 - 07	drilling rig; y circulating cement to the top; in all cases surface pipe shall with KS underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. Wice President File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a shall be going that the statements made herein are true and correct to the best because and the correct to the best because of the conductor of the production of the product	drilling rig; y circulating cement to the top; in all cases surface pipe shall with KS underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. Wice President Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 133-27349-0000	
Operator: Quest Cherokee, LLC	Location of Well: County: Neosho
Lease: King Farms	1,980 feet from N / X S Line of Section
Well Number: 5-1	1,980 feet from E / W Line of Section
Field: Cherokee Basin CBM	Sec. 5 Twp. 28 S. R. 19 X E W
Number of Acres attributable to well: NW _ SE	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show located to the nearest lease or unit boundary line.)



In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Quest Cherokee, LLC		License Number: 33344	
Operator Address: 210 W. Park Ave., Suite 2750		Oklahoma City OK 73102	
Contact Person: Richard Marlin		Phone Number: 405-702-7480	
Lease Name & Well No.: King Farms 5-1		Pit Location (QQQQ):	
Type of Pit:	Pit is:		
Emergency Pit Burn Pit	Proposed Existing		Sec. 5 Twp. 28 R. 19 East West
Settling Pit Drilling Pit	If Existing, date constructed:		1,980 Feet from North / South Line of Section
Workover Pit Haul-Off Pit	D'Ait		1,980 Feet from East / West Line of Section
(If WP Supply API No. or Year Drilled)	Pit capacity: 300	(bbls)	Neosho County
Is the pit located in a Sensitive Ground Water	Area? Area		Chloride concentration:mg/l
is the pit located in a Selisitive Ground Water Alea:			(For Emergency Pits and Settling Pits only)
Is the bottom below ground level? Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used? Air Drilling Well
Pit dimensions (all but working pits): 30 Length (feet) 10 Width (feet) N/A: Steel Pits Depth from ground level to deepest point: 10 (feet) No Pit			
			edures for periodic maintenance and determining
		including any special monitoring.	
		ng air drilled with operations lasting approx.	
		3 days	ng air drilled with operations lasting approx.
Distance to nearest water well within one-mile of pit Depth to shall Source of info		owest fresh waterfeet.	
feet Depth of water well	feet	measi	
Emergency, Settling and Burn Pits ONLY:		_	cover and Haul-Off Pits ONLY:
Producing Formation: Type of materi		ial utilized in drilling/workover: Air Drilled	
Trained by producing trained at the second s		rking pits to be utilized:	
Barrels of fluid produced daily:	Abandonment		procedure: Air Dry, Back fill and cover.
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must		be closed within 365 days of spud date.	
<u> </u>			RECEIVED ANSAS CORPORATION COM
I hereby certify that the above state	ements are true and t	conect to the bes	DEC 2 1 2007
December 18, 2007	Kir	hand L	A(1/a, 1) $b = ab 3$
December 18, 2007 Date Date December 18, 2007 Signature of Applicant or Agent WICHITA, KS			
	KCC	OFFICE USE O	ONLY Steel Pit RFAC RFAS
Date Received: 12/21/07 Permit Nun	nher:	Perm	nit Date: 12/21/07 Lease Inspection: Yes
Date Received.			The state of the s