# For KCC Use: Effective Date: 13-2 6-07 District # SGA2 Ver Vive No.

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

### NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date: December 26, 2007  month day year		S. R. 19 XEW
OPERATOR: License#		N / S Line of Section
Name: Quest Cherokee, LLC	800 feet from [	E / X W Line of Section
Address 1: 210 W. Park Ave., Suite 2750	Is SECTION: XRegular Irregular?	
Address 2:	(Note: Locate well on the Section Plat	on reverse side)
City: Oklahoma City State: OK Zip: 73102 +	County: Neosho	on reverse side,
Contact Person: Richard Mariin	Lease Name: Union Central	Well #: 3-1
Phone: 405-702-7480	Field Name: Cherokee Basin CBM	VVGII #.
CONTRACTOR: License# 33837 or another Licensed by KCC		Yes No
Name: Will advise on the ACO-1	Is this a Prorated / Spaced Field?  Target Formation(s): Cherokee Coals	☐ 162 ☑ 140
(Valific)	Nearest Lease or unit boundary line (in footage): 3	52
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 970	feet MSL
Oil Enh Rec XInfield Mud Rotary		Yes No
Gas Storage Pool Ext. X Air Rotary	Water well within one-quarter mile:	
Disposal Wildcat Cable	Public water supply well within one mile:	Yes X No
Seismic ; # of Holes Other	Depth to bottom of fresh water:	
Other: Coalbed Methane	Depth to bottom of usable water: 44/7 /50	
The course of the second secon	Surface Pipe by Alternate: 1 XIII	_
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 25	
Operator:	Length of Conductor Pipe (if any): N/A	
Well Name:	Projected Total Depth:	
Original Completion Date: Original Total Depth:	Formation at Total Depth: Cherokee Coals	
	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other: Air	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DI	<i>NR</i> <u></u>
KCC DKT #:	Will Cores be taken?	Yes No
KCC DKT #:	If Voc. proposed zone:	RECEIVED
KCC DKT #:	If Voc. proposed zone:	RECEIVED
	If Voc. proposed zone:	RECEIVED WSAS CORPORATION COMMISSION
AFF	If Yes, proposed zone:	RECEIVED WSAS CORPORATION COMMISSION
AFF The undersigned hereby affirms that the drilling, completion and eventual plug	If Yes, proposed zone:	RECEIVED WSAS CORPORATION COMMISSION DEC 2 1 2007
AFF The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:	If Yes, proposed zone:	RECEIVED WSAS CORPORATION COMMISSION DEC 2 1 2007  CONSERVATION DIVISION
AFF  The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	If Yes, proposed zone:	RECEIVED WSAS CORPORATION COMMISSION
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	If Yes, proposed zone:	RECEIVED WSAS CORPORATION COMMISSION DEC 2 1 2007  CONSERVATION DIVISION WICHITA, KS
AFF  The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the	If Yes, proposed zone:  #DAVIT gging of this well will comply with K.S.A. 55 et. seq.  drilling rig; by circulating cement to the top; in all cases surface punderlying formation.	RECEIVED WSAS CORPORATION COMMISSK  DEC 2 1 2007  CONSERVATION DIVISION WICHITA, KS  Dipe shall be set
AFF  The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the distr	If Yes, proposed zone:  ### IDAVIT  gging of this well will comply with K.S.A. 55 et. seq.  drilling rig; by circulating cement to the top; in all cases surface punderlying formation.  ict office on plug length and placement is necessary	RECEIVED WSAS CORPORATION COMMISSK  DEC 2 1 2007  CONSERVATION DIVISION WICHITA, KS  Dipe shall be set
AFF  The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugger.	If Yes, proposed zone:  ### IDAVIT  gging of this well will comply with K.S.A. 55 et. seq.  drilling rig; by circulating cement to the top; in all cases surface punderlying formation.  ict office on plug length and placement is necessary and or production casing is cemented in;	RECEIVED WSAS CORPORATION COMMISSION DEC 2 1 2007  CONSERVATION DIVISION WICHITA, KS Dipe shall be set prior to plugging;
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE IL COMPLETION, production pipe shall be cemented.	If Yes, proposed zone:  ### IDAVIT  gging of this well will comply with K.S.A. 55 et. seq.  drilling rig; by circulating cement to the top; in all cases surface punderlying formation.  ict office on plug length and placement is necessary ed or production casing is cemented in;  I from below any usable water to surface within 120 if	RECEIVED WSAS CORPORATION COMMISSION DEC 2 1 2007  CONSERVATION DIVISION WICHITA, KS Dipe shall be set prior to plugging; DAYS of spud date.
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	If Yes, proposed zone:  IDAVIT  Igging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  In y circulating cement to the top; in all cases surface punderlying formation.  In office on plug length and placement is necessary and or production casing is cemented in;  If from below any usable water to surface within 120 in 33,891-C, which applies to the KCC District 3 area, and in the surface within 120 in 33,891-C, which applies to the KCC District 3 area, and in the surface within 120 in 33,891-C, which applies to the KCC District 3 area, and in the surface within 120 in 33,891-C, which applies to the KCC District 3 area, and in the surface within 120 in 33,891-C, which applies to the KCC District 3 area, and in the surface within 120 in 33,891-C, which applies to the KCC District 3 area, and in the surface within 120 in 33,891-C, which applies to the KCC District 3 area, and in the surface within 120 in 33,891-C, which applies to the KCC District 3 area, and in the surface within 120 in 33,891-C, which applies to the KCC District 3 area, and in the surface within 120 in 33,891-C, which applies to the KCC District 3 area, and in the surface within 120 in 34,891-C.	RECEIVED WSAS CORPORATION COMMISSION DEC 2 1 2007  CONSERVATION DIVISION WICHITA, KS Dipe shall be set prior to plugging; DAYS of spud date. Ulternate II cementing
AFF  The undersigned hereby affirms that the drilling, completion and eventual plug  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugged.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be	If Yes, proposed zone:  IDAVIT  gging of this well will comply with K.S.A. 55 et. seq.  drilling rig; by circulating cement to the top; in all cases surface punderlying formation. ict office on plug length and placement is necessaryed or production casing is cemented in; I from below any usable water to surface within 120 if 33,891-C, which applies to the KCC District 3 area, a plugged. In all cases, NOTIFY district office prior	RECEIVED WSAS CORPORATION COMMISSION DEC 2 1 2007  CONSERVATION DIVISION WICHITA, KS Dipe shall be set prior to plugging; DAYS of spud date. Ulternate II cementing
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	If Yes, proposed zone:  IDAVIT  Igging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  In or circulating cement to the top; in all cases surface production casing is cemented in;  If from below any usable water to surface within 120 in 33,891-C, which applies to the KCC District 3 area, a plugged. In all cases, NOTIFY district office prior is set of my knowledge and belief.	RECEIVED WSAS CORPORATION COMMISSION DEC 2 1 2007  CONSERVATION DIVISION WICHITA, KS Dipe shall be set prior to plugging; DAYS of spud date. ulternate II cementing to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge  5. The appropriate district office will be notified before well is either plugge  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be  1 hereby certify that the statements made herein are true and correct to the beside of the spud date or the well shall be the proceeding that the statements made herein are true and correct to the beside of the spud date or the well shall be the proceeding that the statements made herein are true and correct to the beside of the spud date or the well shall be the proceeding that the statements made herein are true and correct to the beside of the spud date or the well shall be the proceeding that the statements made herein are true and correct to the beside of the spud date or the well shall be the proceeding that the statements made herein are true and correct to the beside of the spud date or the well shall be the proceeding that the statements made herein are true and correct to the beside of the spud date or the well shall be the proceeding that the statements made herein are true and correct to the spud date or the well shall be the proceeding that the statements made herein are true and correct to the spud date or the well shall be the proceeding that the statement is the proceeding that the statement is the proceeding that the statement is the proceedi	If Yes, proposed zone:  IDAVIT  Igging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  In or circulating cement to the top; in all cases surface production casing is cemented in;  If from below any usable water to surface within 120 in 33,891-C, which applies to the KCC District 3 area, a plugged. In all cases, NOTIFY district office prior is set of my knowledge and belief.	RECEIVED WSAS CORPORATION COMMISSION DEC 2 1 2007  CONSERVATION DIVISION WICHITA, KS Dipe shall be set prior to plugging; DAYS of spud date. ulternate II cementing to any cementing.
AFF  The undersigned hereby affirms that the drilling, completion and eventual plug  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugged.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be	iDAVIT gging of this well will comply with K.S.A. 55 et. seq.  drilling rig; by circulating cement to the top; in all cases surface punderlying formation. ict office on plug length and placement is necessary ed or production casing is cemented in; I from below any usable water to surface within 120 it 33,891-C, which applies to the KCC District 3 area, a plugged. In all cases, NOTIFY district office prior est of my knowledge and belief.	RECEIVED WSAS CORPORATION COMMISSION DEC 2 1 2007  CONSERVATION DIVISION WICHITA, KS  Dipe shall be set prior to plugging; DAYS of spud date. ulternate II cementing to any cementing.  President
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge  5. The appropriate district office will be notified before well is either plugge  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be  1 hereby certify that the statements made herein are true and correct to the beside of the spud date or the well shall be the proceeding that the statements made herein are true and correct to the beside of the spud date or the well shall be the proceeding that the statements made herein are true and correct to the beside of the spud date or the well shall be the proceeding that the statements made herein are true and correct to the beside of the spud date or the well shall be the proceeding that the statements made herein are true and correct to the beside of the spud date or the well shall be the proceeding that the statements made herein are true and correct to the beside of the spud date or the well shall be the proceeding that the statements made herein are true and correct to the beside of the spud date or the well shall be the proceeding that the statements made herein are true and correct to the spud date or the well shall be the proceeding that the statements made herein are true and correct to the spud date or the well shall be the proceeding that the statement is the proceeding that the statement is the proceeding that the statement is the proceedi	If Yes, proposed zone:  IDAVIT  Igging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  In or circulating cement to the top; in all cases surface production casing is cemented in;  If from below any usable water to surface within 120 in 33,891-C, which applies to the KCC District 3 area, a plugged. In all cases, NOTIFY district office prior is set of my knowledge and belief.	RECEIVED WSAS CORPORATION COMMISSION DEC 2 1 2007  CONSERVATION DIVISION WICHITA, KS Dipe shall be set prior to plugging; DAYS of spud date. ulternate II cementing to any cementing.
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be  I hereby certify that the statements made herein are true and correct to the between the completed within 30 days of Operator or Agent:  December 18, 2007  Signature of Operator or Agent:  For KCC Use ONLY	iDAVIT gging of this well will comply with K.S.A. 55 et. seq.  drilling rig; by circulating cement to the top; in all cases surface punderlying formation. ict office on plug length and placement is necessary ed or production casing is cemented in; I from below any usable water to surface within 120 it 33,891-C, which applies to the KCC District 3 area, a plugged. In all cases, NOTIFY district office prior is set of my knowledge and belief.	RECEIVED WSAS CORPORATION COMMISSION DEC 2 1 2007  CONSERVATION DIVISION WICHITA, KS Dipe shall be set prior to plugging; DAYS of spud date. ulternate II cementing to any cementing.  President
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the between the complete to the position of the spud date or the well shall be the place.  Signature of Operator or Agent:	If Yes, proposed zone:  IDAVIT gging of this well will comply with K.S.A. 55 et. seq.  drilling rig; by circulating cement to the top; in all cases surface punderlying formation. ict office on plug length and placement is necessary ed or production casing is cemented in; I from below any usable water to surface within 120 is 33,891-C, which applies to the KCC District 3 area, a plugged. In all cases, NOTIFY district office prior is est of my knowledge and belief.  Wice  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of sequences.	RECEIVED WSAS CORPORATION COMMISSION DEC 2 1 2007  CONSERVATION DIVISION WICHITA, KS Dipe shall be set prior to plugging; DAYS of spud date. liternate II cementing to any cementing.  President
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the between the complete to the plate:    December 18, 2007	If Yes, proposed zone:  IDAVIT gging of this well will comply with K.S.A. 55 et. seq.  drilling rig; by circulating cement to the top; in all cases surface punderlying formation.  ict office on plug length and placement is necessary ed or production casing is cemented in;  I from below any usable water to surface within 120 is 33,891-C, which applies to the KCC District 3 area, as plugged. In all cases, NOTIFY district office prior is est of my knowledge and belief.  Wice  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of services.	RECEIVED WSAS CORPORATION COMMISSION DEC 2 1 2007  CONSERVATION DIVISION WICHITA, KS Dipe shall be set prior to plugging; DAYS of spud date. ulternate II cementing to any cementing.  President  So Drill; spud date; ration orders; 27
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be  I hereby certify that the statements made herein are true and correct to the better.  December 18, 2007  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 133 - 27347-0000  Conductor pipe required 1900.	If Yes, proposed zone:  IDAVIT gging of this well will comply with K.S.A. 55 et. seq.  drilling rig; by circulating cement to the top; in all cases surface punderlying formation.  ict office on plug length and placement is necessary ed or production casing is cemented in;  If from below any usable water to surface within 120 is 33,891-C, which applies to the KCC District 3 area, as plugged. In all cases, NOTIFY district office prior is est of my knowledge and belief.  If the Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of service in the strength of the property of the strength of the	RECEIVED WSAS CORPORATION COMMISSION DEC 2 1 2007  CONSERVATION DIVISION WICHITA, KS Dipe shall be set prior to plugging; DAYS of spud date. ulternate II cementing to any cementing.  President  So Drill; Epud date; ration orders; workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the between the complete of the production of the production of the product of the product of the complete of the product of the product of the product of the productor pipe required	If Yes, proposed zone:  IDAVIT gging of this well will comply with K.S.A. 55 et. seq.  drilling rig; by circulating cement to the top; in all cases surface punderlying formation.  ict office on plug length and placement is necessary ed or production casing is cemented in;  If from below any usable water to surface within 120 is 33,891-C, which applies to the KCC District 3 area, a plugged. In all cases, NOTIFY district office prior east of my knowledge and belief.  If the Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of some suppression of the property of the property of the property appropriate district office 48 hours prior to the Submit plugging report (CP-4) after plugging is contained.	RECEIVED WSAS CORPORATION COMMISSION DEC 2 1 2007  CONSERVATION DIVISION WICHITA, KS  Dipe shall be set prior to plugging; DAYS of spud date. ulternate II cementing to any cementing.  President  O Drill; Epud date; Fration orders; Workover or re-entry; Dompleted (within 60 days);
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be.  I hereby certify that the statements made herein are true and correct to the because.  December 18, 2007  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 133 - 27347-0000  Conductor pipe required	IDAVIT gging of this well will comply with K.S.A. 55 et. seq.  drilling rig; by circulating cement to the top; in all cases surface punderlying formation.  ict office on plug length and placement is necessary and production casing is cemented in;  If from below any usable water to surface within 120 it if	RECEIVED WSAS CORPORATION COMMISSION DEC 2 1 2007  CONSERVATION DIVISION WICHITA, KS Dipe shall be set prior to plugging; DAYS of spud date. ulternate II cementing to any cementing.  President  O Drill; pud date; ration orders; workover or re-entry; ompleted (within 60 days); ing salt water.
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the between the complete of the production of the production of the product of the product of the complete of the product of the product of the product of the productor pipe required	iDAVIT gging of this well will comply with K.S.A. 55 et. seq.  drilling rig; by circulating cement to the top; in all cases surface punderlying formation. ict office on plug length and placement is necessary ed or production casing is cemented in; I from below any usable water to surface within 120 is 33,891-C, which applies to the KCC District 3 area, a plugged. In all cases, NOTIFY district office prior east of my knowledge and belief.  Wice  Remember to:  File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of service in the case attribution plat according to field profession. Notify appropriate district office 48 hours prior to to Submit plugging report (CP-4) after plugging is conducted this permit has expired (See: authorized expirate.)	RECEIVED WSAS CORPORATION COMMISSION DEC 2 1 2007  CONSERVATION DIVISION WICHITA, KS Dipe shall be set prior to plugging; DAYS of spud date. ulternate II cementing to any cementing.  President  To Drill; Epud date; Fration orders; Workover or re-entry; Dempleted (within 60 days); Fing salt water. Find date) please
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be.  I hereby certify that the statements made herein are true and correct to the best constant.  December 18, 2007  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 133 - 27347-0000  Conductor pipe required 100 feet per ALT. 11 111  Approved by: 110 - 21-07	IDAVIT gging of this well will comply with K.S.A. 55 et. seq.  drilling rig; by circulating cement to the top; in all cases surface punderlying formation. ict office on plug length and placement is necessary ed or production casing is cemented in; If from below any usable water to surface within 120 its 33,891-C, which applies to the KCC District 3 area, a plugged. In all cases, NOTIFY district office prior is est of my knowledge and belief.  File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of service in the surface attribution plat according to field profession.  Notify appropriate district office 48 hours prior to be submit plugging report (CP-4) after plugging is continued.  If this permit has expired (See: authorized expirate check the box below and return to the address be	RECEIVED WSAS CORPORATION COMMISSION DEC 2 1 2007  CONSERVATION DIVISION WICHITA, KS Dipe shall be set prior to plugging; DAYS of spud date. ulternate II cementing to any cementing.  President  To Drill; Epud date; Fration orders; Workover or re-entry; Dempleted (within 60 days); Fing salt water. Find date) please
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged.  5. The appropriate district office will be notified before well is either plugged.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be.  I hereby certify that the statements made herein are true and correct to the best completed. Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 133 - 27347-0000  Conductor pipe required Nove feet  Minimum surface pipe required feet  Approved by: 113 - 153 - 153  This authorization expires: 154  Aproved by: 156  Aproved by: 157  This authorization expires: 157  This authorization expires: 158  A complete on the drill plug feet per ALT. 158	IDAVIT gging of this well will comply with K.S.A. 55 et. seq.  drilling rig; by circulating cement to the top; in all cases surface punderlying formation.  ict office on plug length and placement is necessary and office on plug length and placement is necessary and or production casing is cemented in;  I from below any usable water to surface within 120 it from below any usable water to surface within 120 it from below any usable water to surface within 120 it from below any usable water to surface within 120 it from below any usable water to surface within 120 it from below any usable water to surface within 120 it from below and belief.  Wice  Remember to:  File Drill Pit Application (form CDP-1) with Intent to be a creage attribution plat according to field profession.  Notify appropriate district office 48 hours prior to be submit plugging report (CP-4) after plugging is considered.  Obtain written approval before disposing or injection.  If this permit has expired (See: authorized expirate check the box below and return to the address be well well Not Drilled - Permit Expired.	RECEIVED WSAS CORPORATION COMMISSION DEC 2 1 2007  CONSERVATION DIVISION WICHITA, KS Dipe shall be set prior to plugging; DAYS of spud date. ulternate II cementing to any cementing.  President  To Drill; Epud date; Fration orders; Workover or re-entry; Dempleted (within 60 days); Fing salt water. Find date) please
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged.  5. The appropriate district office will be notified before well is either plugged.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be.  I hereby certify that the statements made herein are true and correct to the best completed. Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 133 - 27347-0000  Conductor pipe required Nove feet  Minimum surface pipe required feet  Approved by: 113 - 153 - 153  This authorization expires: 154  Aproved by: 156  Aproved by: 157  This authorization expires: 157  This authorization expires: 158  A complete on the drill plug feet per ALT. 158	IDAVIT gging of this well will comply with K.S.A. 55 et. seq.  drilling rig; by circulating cement to the top; in all cases surface punderlying formation. ict office on plug length and placement is necessary ed or production casing is cemented in; If from below any usable water to surface within 120 its 33,891-C, which applies to the KCC District 3 area, a plugged. In all cases, NOTIFY district office prior is est of my knowledge and belief.  File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of service in the surface attribution plat according to field profession.  Notify appropriate district office 48 hours prior to be submit plugging report (CP-4) after plugging is continued.  If this permit has expired (See: authorized expirate check the box below and return to the address be	RECEIVED WSAS CORPORATION COMMISSION DEC 2 1 2007  CONSERVATION DIVISION WICHITA, KS Dipe shall be set prior to plugging; DAYS of spud date. ulternate II cementing to any cementing.  President  To Drill; Epud date; Fration orders; Workover or re-entry; Dempleted (within 60 days); Fing salt water. Find date) please


#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 133-27347-0000	
Operator: Quest Cherokee, LLC	Location of Well: County: Neosho
Lease: Union Central	500 feet from N / S Line of Section
Well Number: 3-1	800 feet from E / W Line of Section
Field: Cherokee Basin CBM	Sec. 3 Twp. 27 S. R. 19 X E W
Number of Acres attributable to well:  QTR/QTR/QTR/QTR of acreage:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW


PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)



RECEIVED KANSAS CORPORATION COMMISSION

DEC 2 1 2007

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show: .

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Quest Cherokee, LLC		License Number: 33344	
Operator Address: 210 W. Park Av	e., Suite 275	0	Oklahoma City OK 73102
Contact Person: Richard Marlin		Phone Number: 405-702-7480	
Lease Name & Well No.: Union Central 3-1		Pit Location (QQQQ):	
Type of Pit:	Pit is:		
Emergency Pit Burn Pit	Proposed	Existing	Sec. 3 Twp. 27 R. 19 East West
Settling Pit Drilling Pit	If Existing, date constructed:		500 Feet from North / South Line of Section
Workover Pit Haul-Off Pit	t Pit capacity:		800 Feet from East / West Line of Section
(If WP Supply API No. or Year Drilled)	300	(bbls)	Neosho County
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)
Is the bottom below ground level?  Yes No	Artificial Liner? Yes	No	How is the pit lined if a plastic liner is not used?  Air Drilling Well
Pit dimensions (all but working pits):	30 Length (fe	eet)10	Width (feet) N/A: Steel Pits
Depth from ground level to deepest point:10 (feet) No Pit			
		edures for periodic maintenance and determining ncluding any special monitoring.	
Well is being air drilled.  Well is being 3 days		ng air drilled with operations lasting approx.	
		owest fresh waterfeet.	
Source of info		rod well ewger electric log KDMR	
		over and Haul-Off Pits ONLY:	
		al utilized in drilling/workover: Air Drilled	
		rking pits to be utilized:1	
Barrels of fluid produced daily: Abandonment		procedure: Air Dry, Back fill and cover.	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must		be closed within 365 days of spud date.  RECEIVED  KANSAS CORPORATION COM	
I become contifuent the above statements are true and correct to the best of my knowledge and belief.			
DEC 2 1 2007  December 18, 2007  Date  December 18, 2007  Conservation physical Signature of Applicant or Assent  December 18, 2007			
KCC OFFICE USE ONLY Steel Pit RFAC RFAS			
Date Received: 12/21/07 Permit Nun	nber:	Perm	nit Date: 12/21/07 Lease Inspection: Yes No