# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed Ail blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date: December 26, 2007	Spot Description:	_
month day year	NW - SW / Sec. 4 Twp. 28 S. R. 19 XE V	
OPERATOR: License#	feet from N / X S Line of Section	
Name: Quest Cherokee, LLC	515 feet from E / W Line of Section	on
Address 1: 210 W. Park Ave., Suite 2750	ls SECTION: Regular Irregular?	
Address 2:	(Note: Locate well on the Section Plat on reverse side)	
City: Oklahoma City State: OK Zip: 73102 +	County: Neosho	_
Contact Person: Richard Marlin Phone: 405-702-7480	Lease Name: King Farms Well #: 4-1	
THORE.	Field Name: Cherokee Basin CBM /	
CONTRACTOR: License# 33837 or another Licensed by KCC /	Is this a Prorated / Spaced Field?	5
Name: Will advise on the ACO-1	Target Formation(s): Cherokee Coals	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 335	
Oil Enh Rec Xinfiele Mud Rotary	Ground Surface Elevation: 695 feet MS	
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:	
Disposal Wildcat Cable	Public water supply well within one mile:	lo
Seismic ; # of Holes Other	Depth to bottom of fresh water:	_
X Other: Coalbed Methane	Depth to bottom of usable water:	_
	Surface Pipe by Alternate:	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 25"	_
Operator:	Length of Conductor Pipe (if any):	
Well Name:	Projected Total Depth: 1300 -	<del></del>
Original Completion Date: Original Total Depth:	Formation at Total Depth: Cherokee Coals	<del></del>
	Water Source for Drilling Operations;	
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other: Air	<u></u>
If Yes, true vertical depth:	DWR Permit #:(Note: Apply for Permit with DWR )	_
Bottom Hole Location:		
	I Van IVIA	10
KCC DKT #:	Will Cores be taken? ☐ Yes ☑ N	10
KCC DKT #:	If Yes, proposed zone:	_
	If Yes, proposed zone:	 D
AFFI	If Yes, proposed zone:  RECEIVE  DAVIT  KANSAS CORPORATION	 D
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug	If Yes, proposed zone:  RECEIVE  DAVIT  KANSAS CORPORATION (  ging of this well will comply with K.S.A. 55 et. seq.	— D COMMISSION
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:	If Yes, proposed zone:  RECEIVE  DAVIT  KANSAS CORPORATION	— D COMMISSION
AFFI The undersigned hereby affirms that the drilling, completion and eventual plugilit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	If Yes, proposed zone:  RECEIVE KANSAS CORPORATION ( ging of this well will comply with K.S.A. 55 et. seq.  DEC 2 1 20	D COMMISSION
AFFI The undersigned hereby affirms that the drilling, completion and eventual plugs It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the specific of the approved notice of the specific o	If Yes, proposed zone:  RECEIVE  KANSAS CORPORATION OF THE CONSERVATION OF THE CONSERV	D COMMISSION
AFFI The undersigned hereby affirms that the drilling, completion and eventual plugs It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the	RECEIVE  CANSAS CORPORATION OF STREET OF STREE	D COMMISSION
AFFI The undersigned hereby affirms that the drilling, completion and eventual plugs It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office of the well is dry hole, an agreement between the operator and the district.	RECEIVE  CANSAS CORPORATION OF CONSERVATION OF CIrculating cement to the top; in all cases surface pipe shall be SECHITA, KS underlying formation.  It office on plug length and placement is necessary prior to plugging;	D COMMISSION
AFFI The undersigned hereby affirms that the drilling, completion and eventual plugs It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office will be appropriate district office will be notified before well is either plugge.	RECEIVE  CANSAS CORPORATION OF STREET OF STREE	D COMMISSION
AFFI The undersigned hereby affirms that the drilling, completion and eventual plugs It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the description of the surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the description of the surface pipe as specified before and the distriction of the surface pipe as specified before well is either plugged for an ALTERNATE II COMPLETION, production pipe shall be cemented.	RECEIVE  RECEIVE  CANSAS CORPORATION OF STANDARD CONSERVATION DIVIDED TO THE PROPERTY	D COMMISSION
AFFI The undersigned hereby affirms that the drilling, completion and eventual plugs It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the distriction. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE If COMPLETION, production pipe shall be cemented or pursuant to Appendix "B". Eastern Kansas surface casing order #13	RECEIVE  RECEIVE  RANSAS CORPORATION OF KANSAS CORPORATION OF CONSERVATION OF	D COMMISSION
AFFI The undersigned hereby affirms that the drilling, completion and eventual plugs It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office that the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge 6. If an ALTERNATE If COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be producted.	RECEIVE  RANSAS CORPORATION OF  trilling rig;  circulating cement to the top; in all cases surface pipe shall be WICHITA, KS underlying formation.  ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.	D COMMISSION
AFFI The undersigned hereby affirms that the drilling, completion and eventual plugs It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the standard of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided to the standard of the standard of the set.	RECEIVE  RANSAS CORPORATION OF KANSAS CORPORATION OF CONSERVATION OF CIRCUIT CONSERVATION OF CONSERVATION OF CIRCUIT CONSERVATION OF CONSERVAT	D COMMISSION
AFFI The undersigned hereby affirms that the drilling, completion and eventual plugs It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided to the statements made herein are true and correct to the best of the statements made herein are true and correct to the best of the statements made herein are true and correct to the best of the statements made herein are true and correct to the best of the statements made herein are true and correct to the statements.	RECEIVE  RANSAS CORPORATION OF KANSAS CORPORATION OF CONSERVATION OF CIRCUIT CONSERVATION OF CONSERVATION OF CIRCUIT CONSERVATION OF CONSERVAT	D COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office will be notified before well is either plugge.  4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided to the statements made herein are true and correct to the best of the statements.	RECEIVE KANSAS CORPORATION OF KANSAS CORPORATION OF CONSERVATION DRIVER CONSERVATION D	D COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plugilities agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the difference of the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be put the statements made herein are true and correct to the best pate:  December 18, 2007  Signature of Operator or Agent:	RECEIVE  RANSAS CORPORATION OF  ging of this well will comply with K.S.A. 55 et. seq.  DEC 2 1 20  drilling rig;  conservation privation of control of con	D COMMISSION 107 //ISION
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the standard standard standard the district office will be notified before well is either plugge.  3. The appropriate district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be put hereby certify that the statements made herein are true and correct to the because.  December 18, 2007  Signature of Operator or Agent:  For KCC Use ONLY	RECEIVE  RANSAS CORPORATION OF KANSAS CORPORATION OF CONSERVATION OF CONSERVAT	D COMMISSION 07 //SION
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the standard standard standard the district office will be notified before well is either plugge.  4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be produced by the statements made herein are true and correct to the because.  5. December 18, 2007  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 133 - 27357 - OCOC	RECEIVE  RANSAS CORPORATION OF KANSAS CORPORATION OF CONSERVATION OF CONSERVATION DRAY of circulating cement to the top; in all cases surface pipe shall be WICHITA, KS underlying formation.  In office on plug length and placement is necessary prior to plugging; do reproduction casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Set of my knowledge and belief.  Wice President  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;	D COMMISSION 107 //ISION
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the intention of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office will be notified before well is either plugge.  4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided that the statements made herein are true and correct to the because.  1. Poecember 18, 2007  Signature of Operator or Agent:  1. Poecember 18, 2007  Signature of Operator or Agent:  1. Poecember 18, 2007  Signature of Operator or Agent:  1. Poecember 18, 2007  Signature of Operator or Agent:  1. Poecember 18, 2007  Signature of Operator or Agent:  1. Poecember 18, 2007  Signature of Operator or Agent:	RECEIVE  RANSAS CORPORATION OF CONSERVATION DRY  drilling rig;  conservation DRY  circulating cement to the top; in all cases surface pipe shall be WCHITA, KS underlying formation.  ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  st of my knowledge and belief.  Wice President  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;	D COMMISSION 07 //SION
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the intention of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office will be notified before well is either plugge.  4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided that the statements made herein are true and correct to the because.  5. December 18, 2007  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 133 - 27357 - OCOC Conductor pipe required None feet  Minimum surface pipe required feet per ALT.	RECEIVE  RANSAS CORPORATION OF CONSERVATION DRY  drilling rig;  circulating cement to the top; in all cases surface pipe shall be WCHITA, KS underlying formation.  ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  st of my knowledge and belief.  Wice President  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);	D COMMISSION  07  //sion
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office will be notified before well is either plugge. The appropriate district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plate:    December 18, 2007	RECEIVE RANSAS CORPORATION OF CONSERVATION DRY  drilling rig;  circulating cement to the top; in all cases surface pipe shall be WICHITA, KS underlying formation.  ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  st of my knowledge and belief.  Wice President  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.	D COMMISSION  07  /ISION
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the driving all unconsolidated materials plus a minimum of 20 feet into the driving and the district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided that the statements made herein are true and correct to the becate:  December 18, 2007  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 1 33 - 2 7 3 5 7 - 0000  Conductor pipe required NONE feet  Minimum surface pipe required feet per ALT. I Fill Approved by:  WHY 12 - 24 - 052	RECEIVE  RANSAS CORPORATION OF CONSERVATION DRY  drilling rig;  circulating cement to the top; in all cases surface pipe shall be withITA, KS underlying formation.  ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  st of my knowledge and belief.  Wice President  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please	D COMMISSION  07  //sion
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office will be notified before well is either plugge. The appropriate district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plate:    December 18, 2007	RECEIVE KANSAS CORPORATION OF CONSERVATION DRY of circulating cement to the top; in all cases surface pipe shall be WCHITA, KS underlying formation.  It office on plug length and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief.  Wice President  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	D COMMISSION  07  //sion
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each of the intention of the intention of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the electron of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate of the plugge of the spud date or the well shall be good of the spud date or the well shall be good of the spud date or the well shall be good of the spud date or the well shall be good of the spud date or the well shall be good of the spud date or the well shall be good of the spud date or the well shall be good of the spud date or the well shall be good of the spud date or the well shall be good of the spud date or the well shall be good of the spud date or the well shall be good of the spud date or the well shall be good of the spud date or the well shall be good of the spud date or the well shall be good of the spud date or the well shall be good of the spud date or the well shall be good of the spud date or the well shall be good of the spud date or the well shall be good of the spud date or the well shall be good of the spud date or the well shall be good of the spud date or the well shall be good of the spud date or the well shall be good of the spud date or the well shall be good of the spud date or the well shall be good of the spud date or the well shall be good of the spud date or the well shall be good of the spud date or the well shall be good of the spud date or the shall be good of the spud date.	RECEIVE  KANSAS CORPORATION OF KANSAS CORPORATION OF CONSERVATION of Conservat	D COMMISSION  07  //sion
The undersigned hereby affirms that the drilling, completion and eventual plugilit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the outline and the district office will be notified before well is either plugge.  4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by that the statements made herein are true and correct to the besonate:  1. Por KCC Use ONLY  API # 15 - 133 - 27357 - OCOC  Conductor pipe required NONE feet  Minimum surface pipe required feet per ALT. I Fill Approved by:  1. Por Conductor expires:	RECEIVE KANSAS CORPORATION OF CONSERVATION DRY of circulating cement to the top; in all cases surface pipe shall be WCHITA, KS underlying formation.  It office on plug length and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief.  Wice President  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	D COMMISSION  07  //sion

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 133. 27357 - 0000	
Operator: Quest Cherokee, LLC	Location of Well: County: Neosho
Lease: King Farms	1,980 feet from N / X S Line of Section
Well Number: 4-1	515 feet from E / W Line of Section
Field: Cherokee Basin CBM	Sec. 4 Twp. 28 S. R. 19 X E W
Number of Acres attributable to well:  QTR/QTR/QTR/QTR of acreage:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

### **PLAT**


(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)



RECEIVED KANSAS CORPORATION COMMISSION

DEC 2 1 2007

CONSERVATION DIVISION WICHITA, KS



In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Quest Cherokee, LLC			License Number: 33344
Operator Address: 210 W. Park Av	e., Suite 2750		Oklahoma City OK 73102
Contact Person: Richard Marlin			Phone Number: 405-702-7480
Lease Name & Well No.: King Farms 4-1			Pit Location (QQQQ):
Type of Pit:    Emergency Pit	Pit is:    Proposed   Exit     If Existing, date construct   Pit capacity:   300     Area?   Yes   No     Artificial Liner?   Yes   No     Communication   No	sting ed:(bbls)  10 oint: ribe proceduintegrity, inc	NW SW  Sec. 4 Twp. 28 R. 19 East West  1,980 Feet from North / South Line of Section  515 Feet from East / West Line of Section  Neosho County  Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)  How is the pit lined if a plastic liner is not used?  Air Drilling Well  Width (feet) N/A: Steel Pits  10 (feet) No Pit  ures for periodic maintenance and determining sluding any special monitoring.  g air drilled with operations lasting approx.
Feet Depth of water well feet Drilling, Work  Emergency, Settling and Burn Pits ONLY:  Producing Formation: Type of mater  Number of producing wells on lease: Number of work  Barrels of fluid produced daily: Abandonment  Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must  I hereby certify that the above statements are true and correct to the best December 18, 2007		measure mg, Workov of material ber of worki donment pr pits must be to the best of	well owner electric log KDWR  ver and Haul-Off Pits ONLY:  utilized in drilling/workover: Air Drilled  ng pits to be utilized: 1  rocedure: Air Dry, Back fill and cover.  e closed within 365 days of spud date.
KCC OFFICE USE ONLY Steel Pit RFAC RFAS			
Date Received: 12/21/07 Permit Nur	nber:	Permit	Date: 12/21/07 Lease Inspection: Yes No



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

December 21, 2007

Richard Marlin Quest Cherokee, LLC 210 W Park Ave., Ste 2750 Oklahoma City OK 73102

Re: Drilling Pit Application

King Farms Lease Well No. 4-1

SW/4 04-28S-19E Neosho County, Kansas

Dear Mr. Marlin:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots to a depth not to exceed 5'</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit within 72 hours of completion of drilling operations.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 432-2300 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: http://kcc.ks.gov/conservation/forms/

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Jonelle Rains, Supervisor

Sorgelle Rains

Department of Environmental Protection and Remediation

cc: Steve Korf

File

CONSERVATION DIVISION