| For KCC Use: | 12-31-07 |
|-----------------|----------|
| Effective Date: | 10 31 01 |
| District # | <u> </u> |
| SGA? Ves No | |

Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

| Must be approved by KCC five | (5) days prior to commencing well | |
|---|--|---|
| Expected Spud Date: December 26, 2007 | Spot Description: | |
| month day year | SENW Sec. 8 Twp. 28 S. | R. <u>16</u> |
| 33344 / | (0/0/0/0) 2,325 feet from N / | |
| OPERATOR: License# | 1,680 feet from E / | |
| Name: Quest Cherokee, LLC | Is SECTION: Regular Irregular? | Z W Estio of October |
| Address 1: 210 W. Park Ave., Suite 2750 | IS SECTION. Megulai Integulai? | |
| Address 2: | (Note: Locate well on the Section Plat on rev | rerse side) |
| City: Oklahoma City State: OK Zip: 73102 + | County: Wilson | |
| Contact Person: Richard Marlin | Lease Name: Union Central Life Ins. | _ Well #: 8-1 - |
| Phone: 405-702-7480 | Field Name: Cherokee Basin CBM | |
| CONTRACTOR: License#33837 or another Licensed by KCC | Is this a Prorated / Spaced Field? | Yes No |
| Name: Will advise on the ACO-1 | Target Formation(s): Cherokee Coals - | |
| | Nearest Lease or unit boundary line (in footage): 335 | • |
| Well Drilled For: Well Class: Type Equipment: | Ground Surface Elevation: 992 | feet MSL |
| Oil Enh Rec Infield Mud Rotary | Water well within one-quarter mile: | ☐ Yes 🔀 No |
| Gas Storage Pool Ext. Air Rotary | Public water supply well within one mile: | Yes X No |
| Disposal Wildcat Cable | Depth to bottom of fresh water: | |
| Seismic; # of Holes Other | Depth to bottom of tresh water: | |
| Other: Coalbed Methane | | |
| The course of the control of the con | Surface Pipe by Alternate: | |
| If OWWO: old well information as follows: | Length of Surface Pipe Planned to be set: 25 | |
| Operator: | Length of Conductor Pipe (if any): | |
| Well Name: | Projected Total Depth: | |
| Original Completion Date: Original Total Depth: | Formation at Total Depth: Cherokee Coals | |
| <u> </u> | Water Source for Drilling Operations: | |
| Directional, Deviated or Horizontal wellbore? | Well Farm Pond X Other: Air | |
| If Yes, true vertical depth: | DWR Permit #: | |
| Bottom Hole Location: | (Note: Apply for Permit with DWR | 7) |
| | The state of the s | |
| KCC DKT #: | Will Cores be taken? | Yes No |
| | _ | |
| | Will Cores be taken? If Yes, proposed zone: | Yes No |
| KCC DKT #: | Will Cores be taken? If Yes, proposed zone: | ☐Yes ☑No RECEIVED |
| KCC DKT #: | Will Cores be taken? If Yes, proposed zone: | ☐ Yes ☑ NO RECEIVED SAS CORPORATION COMMISSIO |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plus | Will Cores be taken? If Yes, proposed zone: | Yes No |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: | Will Cores be taken? If Yes, proposed zone: | TYES NO RECEIVED SAS CORPORATION COMMISSION DEC 2 1 2007 |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; | Will Cores be taken? If Yes, proposed zone: | Yes NO RECEIVED SAS CORPORATION COMMISSIO |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each | Will Cores be taken? If Yes, proposed zone: | Pes No RECEIVED SAS CORPORATION COMMISSION DEC 2 1 2007 CONSERVATION DIVISION WICHITA, KS |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by | Will Cores be taken? If Yes, proposed zone: | Pes No RECEIVED SAS CORPORATION COMMISSION DEC 2 1 2007 CONSERVATION DIVISION WICHITA, KS |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distrements. | Will Cores be taken? If Yes, proposed zone: KAN: IDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe and underlying formation. ict office on plug length and placement is necessary prio | Yes No RECEIVED SAS CORPORATION COMMISSION DEC 2 1 2007 CONSERVATION DIVISION WICHITA, KS shall be set |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugger. | Will Cores be taken? If Yes, proposed zone: KAN: IDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe as underlying formation. ict office on plug length and placement is necessary prioed or production casing is cemented in; | Yes No RECEIVED SAS CORPORATION COMMISSION DEC 2 1 2007 CONSERVATION DIVISION WICHITA, KS shall be set r to plugging; |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugger 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. | Will Cores be taken? If Yes, proposed zone: KAN: IDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe seconderlying formation. Into office on plug length and placement is necessary prious of production casing is cemented in; If from below any usable water to surface within 120 DAYS. | Yes No RECEIVED SAS CORPORATION COMMISSE DEC 2 1 2007 CONSERVATION DIVISION WICHITA, KS shall be set or to plugging; Sof spud date. |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either pluggi 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Fastern Kansas surface casing order #1: | Will Cores be taken? If Yes, proposed zone: KAN: IDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe so underlying formation. rict office on plug length and placement is necessary prious of or production casing is cemented in; if from below any usable water to surface within 120 DAYS 33,891-C, which applies to the KCC District 3 area, altern | Yes No RECEIVED SAS CORPORATION COMMISSE DEC 2 1 2007 CONSERVATION DIVISION WICHITA, KS Shall be set or to plugging; Sof spud date. ate II cementing |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be | Will Cores be taken? If Yes, proposed zone: IDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe so underlying formation. rict office on plug length and placement is necessary prious or production casing is cemented in; if from below any usable water to surface within 120 DAYS 33,891-C, which applies to the KCC District 3 area, altern plugged. In all cases, NOTIFY district office prior to an | Yes No RECEIVED SAS CORPORATION COMMISSION CONSERVATION DIVISION WICHITA, KS Shall be set or to plugging; Sof spud date. ate II cementing |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and carrect to the be- | Will Cores be taken? If Yes, proposed zone: IDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe a underlying formation. rict office on plug length and placement is necessary priored or production casing is cemented in; if from below any usable water to surface within 120 DAYS 33,891-C, which applies to the KCC District 3 area, altern plugged. In all cases, NOTIFY district office prior to an est of my knowledge and belief. | Yes No RECEIVED SAS CORPORATION COMMISSION DEC 2 1 2007 CONSERVATION DIVISION WICHITA, KS shall be set or to plugging; Stof spud date. ate II cementing y cementing. |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and carrect to the before | Will Cores be taken? If Yes, proposed zone: IDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe a underlying formation. rict office on plug length and placement is necessary priored or production casing is cemented in; if from below any usable water to surface within 120 DAYS 33,891-C, which applies to the KCC District 3 area, altern plugged. In all cases, NOTIFY district office prior to an est of my knowledge and belief. | Yes No RECEIVED SAS CORPORATION COMMISSION DEC 2 1 2007 CONSERVATION DIVISION WICHITA, KS shall be set or to plugging; Stof spud date. ate II cementing y cementing. |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugger. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be | Will Cores be taken? If Yes, proposed zone: IDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe so underlying formation. rict office on plug length and placement is necessary prious or production casing is cemented in; if from below any usable water to surface within 120 DAYS 33,891-C, which applies to the KCC District 3 area, altern plugged. In all cases, NOTIFY district office prior to an | Pes No RECEIVED SAS CORPORATION COMMISSION DEC 2 1 2007 CONSERVATION DIVISION WICHITA, KS shall be set or to plugging; Sof spud date. ate II cementing y cementing. esident |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and carrect to the be- | Will Cores be taken? If Yes, proposed zone: IDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe a underlying formation. rict office on plug length and placement is necessary priored or production casing is cemented in; if from below any usable water to surface within 120 DAYS 33,891-C, which applies to the KCC District 3 area, altern plugged. In all cases, NOTIFY district office prior to an est of my knowledge and belief. | Yes No RECEIVED SAS CORPORATION COMMISSION DEC 2 1 2007 CONSERVATION DIVISION WICHITA, KS shall be set or to plugging; Stof spud date. ate II cementing y cementing. |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugger 5. The appropriate district office will be notified before well is either plugger 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #11 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the beta place. December 19, 2007 Signature of Operator or Agent: For KCC Use ONLY | Will Cores be taken? If Yes, proposed zone: KAN: IDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe so underlying formation. ict office on plug length and placement is necessary prioled or production casing is cemented in; if from below any usable water to surface within 120 DAYS 33,891-C, which applies to the KCC District 3 area, altern plugged. In all cases, NOTIFY district office prior to an est of my knowledge and belief. | Pes No RECEIVED SAS CORPORATION COMMISSE DEC 2 1 2007 CONSERVATION DIVISION WICHITA, KS Shall be set or to plugging; of spud date. ate II cementing y cementing. esident |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugger 5. The appropriate district office will be notified before well is either plugger 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #11 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the beta place. December 19, 2007 Signature of Operator or Agent: For KCC Use ONLY | Will Cores be taken? If Yes, proposed zone: KAN: IDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe so underlying formation. ict office on plug length and placement is necessary prior ed or production casing is cemented in; if from below any usable water to surface within 120 DAYS 33,891-C, which applies to the KCC District 3 area, altern plugged. In all cases, NOTIFY district office prior to an est of my knowledge and belief. Remember to: | TYES NO RECEIVED SAS CORPORATION COMMISSION CONSERVATION DIVISION WICHITA, KS Shall be set If to plugging; Sof spud date, ate II cementing y cementing. esident CO |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and carrect to the because. December 19, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205 - 27 3 91 - 000000 | Will Cores be taken? If Yes, proposed zone: KAN: IDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe and underlying formation. ict office on plug length and placement is necessary prioled or production casing is cemented in; if from below any usable water to surface within 120 DAYS 33,891-C, which applies to the KCC District 3 area, altern plugged. In all cases, NOTIFY district office prior to an est of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Dri | Pes No RECEIVED SAS CORPORATION COMMISSA DEC 2 1 2007 CONSERVATION DIVISION WICHITA, KS shall be set or to plugging; Sof spud date. ate II cementing y cementing. esident co |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the state will be the operator and the district office will be notified before well is either plugger on the appropriate district office will be notified before well is either plugger or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be be a hereby certify that the statements made herein are true and carrect to the best of the complete to the plate: December 19, 2007 | Will Cores be taken? If Yes, proposed zone: IDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe a underlying formation. First office on plug length and placement is necessary priored or production casing is cemented in; if from below any usable water to surface within 120 DAYS 33,891-C, which applies to the KCC District 3 area, altern plugged. In all cases, NOTIFY district office prior to an est of my knowledge and belief. Wice Presentation File Drill Pit Application (form CDP-1) with Intent to Dri File Completion Form ACO-1 within 120 days of spud File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to worker. | Pes No RECEIVED SAS CORPORATION COMMISSA DEC 2 1 2007 CONSERVATION DIVISION WICHITA, KS shall be set or to plugging; Sof spud date. ate II cementing y cementing. esident 80 |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugger on the appropriate district office will be notified before well is either plugger or pursuant to Appendix "B" - Eastern Kansas surface casing order #11 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and carrect to the best of the complete to the plate: December 19, 2007 | Will Cores be taken? If Yes, proposed zone: IDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe a underlying formation. Fict office on plug length and placement is necessary prioused or production casing is cemented in; if from below any usable water to surface within 120 DAYS 33,891-C, which applies to the KCC District 3 area, altern plugged. In all cases, NOTIFY district office prior to an est of my knowledge and belief. Wice Presentation File Drill Pit Application (form CDP-1) with Intent to Dri File Completion Form ACO-1 within 120 days of spud File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to worker. Submit plugging report (CP-4) after plugging is completed. | Pes No RECEIVED SAS CORPORATION COMMISSA DEC 2 1 2007 CONSERVATION DIVISION WICHITA, KS shall be set or to plugging; Stof spud date. ate II cementing y cementing. Pesident II; date; orders; over or re-entry; ated (within 60 days); |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugger 5. The appropriate district office will be notified before well is either plugger 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #11 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and carrect to the before the complete of the place. December 19, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205 - 27 3 9 (- 00000) Conductor pipe required | Will Cores be taken? If Yes, proposed zone: IDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe a underlying formation. Incit office on plug length and placement is necessary prioused or production casing is cemented in; if from below any usable water to surface within 120 DAYS 33,891-C, which applies to the KCC District 3 area, altern plugged. In all cases, NOTIFY district office prior to an est of my knowledge and belief. Wice Presentation File Drill Pit Application (form CDP-1) with Intent to Driffice in File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to worked. Submit plugging report (CP-4) after plugging is completed. | RECEIVED SAS CORPORATION COMMISSA DEC 2 1 2007 CONSERVATION DIVISION WICHITA, KS shall be set or to plugging; Sof spud date. ate II cementing y cementing. Pesident II; date; orders; over or re-entry; ated (within 60 days); alt water. |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugger on the appropriate district office will be notified before well is either plugger or pursuant to Appendix "B" - Eastern Kansas surface casing order #11 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and carrect to the before the complete statements and the properties of the place. December 19, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205 - 2739(- 00000000000000000000000000000000000 | Will Cores be taken? If Yes, proposed zone: IDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe a underlying formation. ict office on plug length and placement is necessary priored or production casing is cemented in; if from below any usable water to surface within 120 DAYS 33,891-C, which applies to the KCC District 3 area, altern plugged. In all cases, NOTIFY district office prior to an est of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drief in the Completion Form ACO-1 within 120 days of spudential in the completion in the completion of the c | RECEIVED SAS CORPORATION COMMISSION DEC 2 1 2007 CONSERVATION DIVISION WICHITA, KS shall be set or to plugging; Sof spud date. ate II cementing y cementing. Pesident II; date; orders; over or re-entry; ated (within 60 days); alt water. |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distrest of the appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be. I hereby certify that the statements made herein are true and correct to the become to be completed. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205 - 2739(- ooccorrect to the becompleted of the provided of the prov | Will Cores be taken? If Yes, proposed zone: IDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe a underlying formation. Incit office on plug length and placement is necessary prioused or production casing is cemented in; if from below any usable water to surface within 120 DAYS 33,891-C, which applies to the KCC District 3 area, altern plugged. In all cases, NOTIFY district office prior to an est of my knowledge and belief. Wice Presentation File Drill Pit Application (form CDP-1) with Intent to Driffice in File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to worked. Submit plugging report (CP-4) after plugging is completed. | RECEIVED SAS CORPORATION COMMISSION DEC 2 1 2007 CONSERVATION DIVISION WICHITA, KS shall be set or to plugging; Sof spud date. ate II cementing y cementing. Pesident II; date; orders; over or re-entry; ated (within 60 days); alt water. |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugger on the appropriate district office will be notified before well is either plugger or pursuant to Appendix "B" - Eastern Kansas surface casing order #11 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and carrect to the before the complete statements and the properties of the place. December 19, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205 - 2739(- 00000000000000000000000000000000000 | Will Cores be taken? If Yes, proposed zone: IDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe a underlying formation. ict office on plug length and placement is necessary priored or production casing is cemented in; if from below any usable water to surface within 120 DAYS 33,891-C, which applies to the KCC District 3 area, altern plugged. In all cases, NOTIFY district office prior to an est of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drief in the Completion Form ACO-1 within 120 days of spudential in the completion in the completion of the c | RECEIVED SAS CORPORATION COMMISSION DEC 2 1 2007 CONSERVATION DIVISION WICHITA, KS shall be set or to plugging; Sof spud date. ate II cementing y cementing. esident Resident Resident Conservation division Wichita, KS shall be set or to plugging; Sof spud date. ate II cementing y cementing. Esident Conservation division Wichita, KS Shall be set or to plugging; Sof spud date. Ate II cementing y cementing. |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distrest of the appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be. I hereby certify that the statements made herein are true and correct to the become to be completed. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205 - 2739(- ooccorrect to the becompleted of the provided of the prov | Will Cores be taken? If Yes, proposed zone: IDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe so underlying formation. ict office on plug length and placement is necessary prioused or production casing is cemented in; if from below any usable water to surface within 120 DAYS 33,891-C, which applies to the KCC District 3 area, altern plugged. In all cases, NOTIFY district office prior to an est of my knowledge and belief. Wice Presented Tribution Form ACO-1 within 120 days of spuding in the properties of the file acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to worked. Submit plugging report (CP-4) after plugging is comple. Obtain written approval before disposing or injecting set. If this permit has expired (See: authorized expiration of check the box below and return to the address below. | RECEIVED SAS CORPORATION COMMISSION DEC 2 1 2007 CONSERVATION DIVISION WICHITA, KS shall be set or to plugging; Sof spud date. ate II cementing y cementing. esident Resident Resident Conservation division Wichita, KS shall be set or to plugging; Sof spud date. ate II cementing y cementing. Esident Conservation division Wichita, KS Shall be set or to plugging; Sof spud date. Ate II cementing y cementing. |

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

| API No. 15 - 205 - 27391 - 000 | |
|---------------------------------------|--|
| Operator: Quest Cherokee, LLC | Location of Well: County: Wilson |
| Lease: Union Central Life Ins. | 2,325 feet from N / S Line of Section |
| Well Number: 8-1 | 2,325 feet from N / S Line of Section 1,680 feet from E / X W Line of Section |
| Field: Cherokee Basin CBM | Sec. 8 Twp. 28 S. R. 16 X E W |
| Number of Acres attributable to well: | Is Section: Regular or Irregular |
| QTR/QTR/QTR of acreage: | |
| | If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW |

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

Conservation Division Wichita, ks

EXAMPLE

SEWARD CO.

RECEIVED KANSAS CORPORATION COMMISSION DIVISION WICHITA, ks

EXAMPLE

SEWARD CO.

NOTE: In all cases locate the spot of the proposed drilling locaton.

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).

In plotting the proposed location of the well, you must show:

4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

| Operator Name: Quest Cherokee, LLC | | License Number: 33344 | | |
|--|--------------------------------|---|--|--|
| Operator Address: 210 W. Park Ave., Suite 2750 | | Oklahoma City OK 73102 | | |
| Contact Person: Richard Marlin | | Phone Number: 405-702-7480 | | |
| Lease Name & Well No.: Union Central Life Ins. 8-1 | | Pit Location (QQQQ): | | |
| Type of Pit: | Pit is: | | <u>SE</u> <u>NW</u> | |
| Emergency Pit Burn Pit | Proposed Existing | | Sec. 8 Twp. 28 R. 16 East West | |
| Settling Pit | If Existing, date constructed: | | 2,325 Feet from North / South Line of Section | |
| Workover Pit Haul-Off Pit | Pit capacity: | | 1,680 Feet from East / West Line of Section | |
| (If WP Supply API No. or Year Drilled) | 300 | (bbls) | Wilson | |
| Is the pit located in a Sensitive Ground Water | Area? Yes | No | Chloride concentration: mg/l | |
| | | | (For Emergency Pits and Settling Pits only) | |
| Is the bottom below ground level? Yes No | Artificial Liner? Yes | No | How is the pit lined if a plastic liner is not used? Air Drilling Well | |
| Pit dimensions (all but working pits): | 30 Length (fe | eet) 10 | Width (feet) N/A: Steel Pits | |
| Depth from ground level to deepest point:10 No Pit | | | | |
| If the pit is lined give a brief description of the liner material, thickness and installation procedure. Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring. | | | edures for periodic maintenance and determining ncluding any special monitoring. | |
| Well is being air drilled. Well is being 3 days | | ng air drilled with operations lasting approx. Swest fresh water | | |
| Distance to nearest water well within one-mile of pit Depth to shallo Source of infor | | owest fresh waterfeet. | | |
| feet Depth of water well | | | ured weil owner electric log KDWR | |
| | | over and Haul-Off Pits ONLY: | | |
| Producing Formation: Type of materi | | al utilized in drilling/workover: Air Drilled | | |
| Number of producing wells on lease: Number of wor | | f working pits to be utilized:1 | | |
| Barrels of fluid produced daily: Abandonment | | procedure: Air Dry, Back fill and cover. | | |
| Does the slope from the tank battery allow all flow into the pit? Yes No | spilled fluids to | Drill pits must | be closed within 365 days of spud date. KANSAS CORPORATION COMMISSE | |
| I hereby certify that the above statements are true and correct to the best of my knowledge and belief. DEC 2 1 2007 | | | | |
| December 19, 2007 Date Conservation Division Signature of Applicant or Agent Conservation Division Wichita, Ks | | | | |
| KCC OFFICE USE ONLY Steel Pit RFAC RFAS | | | | |
| Date Received: 12/21/67 Permit Number: Permit Date: 12/21/67 Lease Inspection: Yes No | | | | |



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

December 21, 2007

Richard Marlin Quest Cherokee, LLC 210 W Park Ave., Ste 2750 Oklahoma City OK 73102

Re: Drilling Pit Application

Union Central Life Ins Lease Well No. 8-1

NW/4 8-28S-16E Wilson County, Kansas

Dear Mr. Marlin:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots to a depth not to exceed 5'</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit within 72 hours of completion of drilling operations.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 432-2300 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: http://kcc.ks.gov/conservation/forms/

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Jonelle Rains, Supervisor

Somelle Rains

Department of Environmental Protection and Remediation

cc: Steve Korf

File