# 

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

#### Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

# NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Struct Date: 01-02-2008	Spot Description: 1+70 FSL & 1375 FEL-
Expected Spud Date: 01-02-2006 month day year	
4706	
OPERATOR: License#	1,170 feet from N / N S Line of Section  1,375 feet from E / W Line of Section
Address 1: 525 S. Main	is SECTION: Regular Irregular?
Address 2:	<del></del>
City: Kingman State: KS Zip: 67068 +	(Note: Locate well on the Section Plat on reverse side) County: Graham
Contact Person: Jon F. Messenger	Lease Name: Bell Well #: 1
Phone: 620-532-5400	Field Name: Wildcat
CONTRACTOR: License# 33575	Is this a Prorated / Spaced Field?
Name: WW Drilling, LLC	Target Formation(s): Lansing/Kansas City
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 1170
	Ground Surface Elevation: 2478 feet MSL
☐ Storage ☐ Pool Ext. ☐ Air Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water: 120
Other:	Depth to bottom of usable water: 1420 1300
	Surface Pipe by Alternate: I
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 200' min (alt 2)
Operator:	Length of Conductor Pipe (if any): none
Well Name:	Projected Total Depth: 4100
Original Completion Date: Original Total Depth:	Formation at Total Depth: Base Kansas City
B: : 18 11 11 11 11 11 11 11 11 11 11 11 11	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?  Yes No	Well Farm Pond Other:
If Yes, true vertical depth:	DWR Permit #: applying for permit
KCC DKT #:	(Note: Apply for Permit with DWR
	Will Cores be taken? Yes ⊠ No
	Will Cores be taken? Yes No If Yes, proposed zone:
	If Yes, proposed zone:
AFF	IDAVIT  RECEIVED  KANSAS CORPORATION COMMISSION
	If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  gging of this well will comply with K.S.A. 55 et. seq.
AFF The undersigned hereby affirms that the drilling, completion and eventual plusts is agreed that the following minimum requirements will be met:	IDAVIT  RECEIVED  KANSAS CORPORATION COMMISSION
AFF  The undersigned hereby affirms that the drilling, completion and eventual plus It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  DEC 2 6 2007  drilling rig;  CONSERVATION DIVISION
AFF  The undersigned hereby affirms that the drilling, completion and eventual plus It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to	IDAVIT  RECEIVED  KANSAS CORPORATION COMMISSION  gging of this well will comply with K.S.A. 55 et. seq.  DEC 2 6 2007  drilling rig;  CONSERVATION DIVISION  by circulating cement to the top; in all cases surface pipe start for set
AFF  The undersigned hereby affirms that the drilling, completion and eventual plus It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the	IDAVIT  RECEIVED  KANSAS CORPORATION COMMISSION  gging of this well will comply with K.S.A. 55 et. seq.  DEC 2 6 2007  drilling rig;  conservation division  y circulating cement to the top; in all cases surface pipe shart for set underlying formation.
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the districtions of the surface process.	IDAVIT  RECEIVED  KANSAS CORPORATION COMMISSION  gging of this well will comply with K.S.A. 55 et. seq.  DEC 2 6 2007  drilling rig;  CONSERVATION DIVISION  by circulating cement to the top; in all cases surface pipe sharl for set underlying formation.  ict office on plug length and placement is necessary prior to plugging;
The undersigned hereby affirms that the drilling, completion and eventual plus It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the description. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	IDAVIT  RECEIVED  KANSAS CORPORATION COMMISSION  gging of this well will comply with K.S.A. 55 et. seq.  DEC 2 6 2007  drilling rig;  CONSERVATION DIVISION  by circulating cement to the top; in all cases surface pipe shaft for set underlying formation.  ict office on plug length and placement is necessary prior to plugging;  ed or production casing is cemented in;  I from below any usable water to surface within 120 DAYS of spud date.
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	IDAVIT  RECEIVED  KANSAS CORPORATION COMMISSION  gging of this well will comply with K.S.A. 55 et. seq.  DEC 2 6 2007  drilling rig;  CONSERVATION DIVISION  by circulating cement to the top; in all cases surface pipe shart for section and or production.  ict office on plug length and placement is necessary prior to plugging;  ed or production casing is cemented in;  from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing
AFF  The undersigned hereby affirms that the drilling, completion and eventual plus It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugger.  5. The appropriate district office will be notified before well is either plugger.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	IDAVIT  RECEIVED  KANSAS CORPORATION COMMISSION  gging of this well will comply with K.S.A. 55 et. seq.  DEC 2 6 2007  drilling rig;  CONSERVATION DIVISION  by circulating cement to the top; in all cases surface pipe start for set underlying formation.  ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	IDAVIT  RECEIVED  KANSAS CORPORATION COMMISSION  gging of this well will comply with K.S.A. 55 et. seq.  DEC 2 6 2007  drilling rig;  CONSERVATION DIVISION  by circulating cement to the top; in all cases surface pipe shaff to set  underlying formation.  ict office on plug length and placement is necessary prior to plugging;  ed or production casing is cemented in;  I from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing  plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plust is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the standard standard to the standard standard to the standard standard to the standard standard to the standard s	IDAVIT  Grant Gran
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugger. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the between the contract to the best of the spud statements.	IDAVIT  RECEIVED  KANSAS CORPORATION COMMISSION  gging of this well will comply with K.S.A. 55 et. seq.  DEC 2 6 2007  drilling rig;  CONSERVATION DIVISION  by circulating cement to the top; in all cases surface pipe shaft for set underlying formation.  ict office on plug length and placement is necessary prior to plugging;  ed or production casing is cemented in;  from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  est of my knowledge and belief.  President  Title:  President
The undersigned hereby affirms that the drilling, completion and eventual plus It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the state of the design of the surface of the district office will be notified before well is either plugger.  5. The appropriate district office will be notified before well is either plugger.  6. If an ALTERNATE II COMPLETION, production pipe shall be cernented or pursuant to Appendix "B" - Eastern Kansas surface casing order #11 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the best of the surface of the su	IDAVIT  RECEIVED  KANSAS CORPORATION COMMISSION  gging of this well will comply with K.S.A. 55 et. seq.  DEC 2 6 2007  drilling rig;  CONSERVATION DIVISION  by circulating cement to the top; in all cases surface pipe shart for set underlying formation.  ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in;  I from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  President  Title:  President
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugger. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be inhereby certify that the statements made herein are true and correct to the best of the statements of the complete of the statements of the spud date or the well shall be completed.  Signature of Operator or Agent:	IDAVIT  RECEIVED  KANSAS CORPORATION COMMISSION  gging of this well will comply with K.S.A. 55 et. seq.  DEC 2 6 2007  drilling rig;  CONSERVATION DIVISION  by circulating cement to the top; in all cases surface pipe shart to set underlying formation.  ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in;  I from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  President  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual plus It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugger. The appropriate district office will be notified before well is either plugger. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the best place of the spud state of the specific place	IDAVIT  RECEIVED  KANSAS CORPORATION COMMISSION  gging of this well will comply with K.S.A. 55 et. seq.  DEC 2 6 2007  drilling rig;  CONSERVATION DIVISION  by circulating cement to the top; in all cases surface pipe shaft to set underlying formation.  ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in;  I from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  President  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the state of the set in the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugger. If an ALTERNATE II COMPLETION, production pipe shall be cernented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be inhereby certify that the statements made herein are true and correct to the best in the statements of the price of the statement of	IDAVIT  RECEIVED  KANSAS CORPORATION COMMISSION  gging of this well will comply with K.S.A. 55 et. seq.  DEC 2 6 2007  drilling rig;  CONSERVATION DIVISION  by circulating cement to the top; in all cases surface pipe shaft to set underlying formation.  ict office on plug length and placement is necessary prior to plugging;  ed or production casing is cemented in;  from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  est of my knowledge and belief.  President  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date:
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the state of the set in the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugger. If an ALTERNATE II COMPLETION, production pipe shall be cernented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be inhereby certify that the statements made herein are true and correct to the best in the statements of the spud date or Agent:    Total Complete Comp	RECEIVED  KANSAS CORPORATION COMMISSION  gging of this well will comply with K.S.A. 55 et. seq.  DEC 2 6 2007  drilling rig;  CONSERVATION DIVISION  by circulating cement to the top; in all cases surface pipe shaft for set underlying formation.  ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in;  If rom below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  est of my knowledge and belief.  President  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CRA) after plugging is completed (within 50 days).
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the set to the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either pluggers. The appropriate district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #11 must be completed within 30 days of the spud date or the well shall be in hereby certify that the statements made herein are true and correct to the best place.  12-20-2007  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - OUS - 23395 - OUS  Conductor pipe required  feet  Minimum surface pipe required  feet per ALT II III  Approved by:	RECEIVED  KANSAS CORPORATION COMMISSION  gging of this well will comply with K.S.A. 55 et. seq.  DEC 2 6 2007  drilling rig;  CONSERVATION DIVISION  by circulating cement to the top; in all cases surface pipe start in section and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Est of my knowledge and belief.  President  Title:  President  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the state of the set in the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugger. If an ALTERNATE II COMPLETION, production pipe shall be cernented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be inhereby certify that the statements made herein are true and correct to the best in the statements of the spud date or Agent:    Total Complete Comp	RECEIVED  KANSAS CORPORATION COMMISSION  gging of this well will comply with K.S.A. 55 et. seq.  DEC 2 6 2007  drilling rig;  ONSERVATION DIVISION  of circulating cement to the top; in all cases surface pipe start in section underlying formation.  ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in;  I from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  est of my knowledge and belief.  President  Title:  President  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugger 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the best plus in the statement of the productor of the spud in the statement of the spud in the spud in the statement of the spud in the statement of the spud in the spud in the spud in the statement of the spud in t	RECEIVED  KANSAS CORPORATION COMMISSION  DEC 2 6 2007  drilling rig;  ONSERVATION DIVISION  by circulating cement to the top; in all cases surface pipe shart from plug length and placement is necessary prior to plugging;  and or production casing is cemented in;  from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Best of my knowledge and belief.  President  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugger 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the best plus and the statements of the productor of the statements of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the best plus and the statement of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the best plus and the statement of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the best plus and the statement of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the best plus and the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the best plus and the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the best plus and the spud date or the well shall be 1 hereby certify that the statement of the spud date or the well shall be 1 hereby certify that the statement of the shall be 1 hereby certify that the statement of the spud date or the shall be 1 hereby certified before the shall be 1 hereby cert	RECEIVED  KANSAS CORPORATION COMMISSION  gging of this well will comply with K.S.A. 55 et. seq.  DEC 2 6 2007  drilling rig;  ONSERVATION DIVISION  of circulating cement to the top; in all cases surface pipe start in section underlying formation.  ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in;  I from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  est of my knowledge and belief.  President  Title:  President  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 065- 23395-0000	
Operator: Messenger Petroleum, Inc.	Location of Well: County: Graham
Lease: Bell Well Number: 1 Field: Wildcat	1,170       feet from
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage: N/2 SE	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW


PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)

			•		1		
			,				
					7		
				1 2	-		
			,		•		
		:		1 :			
1 :		•					
1 :							
1 :							
1 :			•				
, .							
	* * * * * * * * * *						
1							
1							
1 .						-	,
				ı .			
1				:			
					•		
				1	•		
1 :		: :				•	
1 .		: :					
1 :		: .				•	
1 :							
1 '		•					
1							
1							
1							
							Į.
							ľ
				·			
1 .		: :			•		
				M		•	
				•	-		
				(			
,			,	, .	_	_	1
1 :			_		,	r	
, .	•	•		•			
:							
							ſ
				:	:	:	[
	:	:	1	:	:	:	
					:	:	
1 :						-	
!					:		
:				į	:		
					:		
i							
							•••••
					:		*******
					:		••••
							•••••
					 i		••••
						رد)	
						13	
						137	ъ
						137	ъ
						13	 Б
					• • • • • • • • • • • • • • • • • • •	137	ъ
					0*	/37	ъ Э
					ox	137	<i>™</i>
					<i>O</i> ⊀	137	 が
					o∗ 1	137	 ラ
					o* 1	137	······································
					o*	137	 <del></del>
					o* 1	137	 
					o* ^	137	т <del>)</del>
					o <b>*</b>	137	5
					o <b>*</b>	137	™————————————————————————————————————
					o <b>*</b>	13	ъ Э
					o <b>*</b>	131	 <del></del>
					o <b>*</b>	137	™————————————————————————————————————
					o <b>*</b>	137	ъ <del>)</del>
					0× 1170	131	 
					o <b>*</b>	137	 Э
					o <b>*</b>	137	 →
					o <b>*</b>	13	 ———————————————————————————————
					o <b>*</b>	137	······································
					o <b>*</b>	137	 →>
					o <b>*</b>	137	ъ <del>)</del>
					o <b>*</b>	13	······································

RECEIVED KANSAS CORPORATION COMMISSION

DEC 2 6 2007

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Messenger Petroleum, Inc.			License Number: 4706		
Operator Address: 525 S. Main			Kingman	KS 67068	
Contact Person: Jon F. Messenger			Phone Number: 620-532-5400		
Lease Name & Well No.: Bell 1			Pit Location (QQQQ):		
Type of Pit:	Pit is:		N/2 N/2 S/2 SE		
Emergency Pit Burn Pit	Proposed	Existing	Sec. 8 Twp. 9 R. 24 Eas	st West	
Settling Pit Drilling Pit	If Existing, date c	onstructed:	1,170 Feet from North / Sout	th Line of Section	
Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit capacity:	<u> </u>	1,375 Feet from East / Wes	st Line of Section	
	4,000	(bbls)	Graham	County	
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration:  (For Emergency Pits and Settling Pits	•	
Is the bottom below ground level?	Artificial Liner?	A.L.	How is the pit lined if a plastic liner is not used	d?	
Yes No	Yes X		natural clays & bentonite		
Pit dimensions (all but working pits):	Length (fe	eet)80		Steel Pits	
Depth fr	om ground level to de	eepest point:	4 (feet) No I	Pit	
If the pit is lined give a brief description of the material, thickness and installation procedure			dures for periodic maintenance and determining actuding any special monitoring.	RECEIVED	
			KANSAS C	CORPORATION COMMISSION	
			D	EC 2 6 2007	
			2011		
			CON	SERVATION DIVISION	
Distance to nearest water well within one-mile	of pit		west fresh water120feet.	SERVATION DIVISION WICHITA, KS	
Distance to nearest water well within one-mile >5280 feet Depth of water well		Depth to shallo Source of infor	west fresh water 120 feet.	SERVATION DIVISION WICHITA, KS	
>5280		Source of information measu	west fresh water 120 feet.	WIGHITA, KS	
>5280 feet Depth of water well		Source of informeasu  Drilling, Worke	west fresh water <u>120</u> feet. mation: red well owner electric log	WIGHITA, KS	
>5280 feet Depth of water well  Emergency, Settling and Burn Pits ONLY:	feet	Source of information measu  Drilling, Worker  Type of materia  Number of work	west fresh water 120 feet. mation: red well owner electric log cover and Haul-Off Pits ONLY: all utilized in drilling/workover: fresh water king pits to be utilized: 3	X KDWR ST-23	
>5280 feet Depth of water well	feet	Source of information measu  Drilling, Worker  Type of materia  Number of work	west fresh water	KDWR S-233	
>5280 feet Depth of water well	feet	Source of information measu  Drilling, Worker Type of material Number of work Abandonment	west fresh water 120 feet. mation: red well owner electric log cover and Haul-Off Pits ONLY: all utilized in drilling/workover: fresh water king pits to be utilized: 3	KDWR S-233	
>5280 feet Depth of water well	feet spilled fluids to	Source of information measu  Drilling, Worker Type of material Number of work Abandonment Drill pits must be	west fresh water	KDWR S-233	
>5280 feet Depth of water well	feet spilled fluids to	Source of information measu  Drilling, Worker Type of material Number of work Abandonment Drill pits must be	west fresh water	X KDWR S-23	
>5280 feet Depth of water well	feet spilled fluids to	Source of information measurement of measurement of material Number of work Abandonment of Drill pits must be correct to the best	west fresh water	KDWR S-233	
>5280 feet Depth of water well	feet spilled fluids to	Source of information measurement of measurement of material Number of work Abandonment of Drill pits must be correct to the best	west fresh water	KDWR S-065-233/S-0000	
>5280 feet Depth of water well	spilled fluids to	Source of information measurement of measurement of material Number of work Abandonment of Drill pits must be correct to the best	west fresh water	KDWR S-233	